

ÉIRE

ROINN RIAGHALTAIS AITEAMHAIL AGUS SLÁINTE POIBLIDHE
(Department of Local Government and Public Health.)


TUARASGABHÁIL AN ÁRD-CHLÁRADÓRA

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

1940.




DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN,
or through any bookseller.

1941

Price 2/6.

(P. No. 4893.)



CONTENTS.

PART I.—TEXT.

REPORT :—

INTRODUCTORY REMARKS	Page vii
GENERAL SUMMARY	vii

MOVEMENT OF POPULATION :

Estimated population, natural increase, emigration and immigration	...	ix
--	-----	----

MARRIAGES :

Number, mode of celebration and rate	x
Conjugal condition of persons married	x
Marriage rates for counties, county boroughs and provinces	xi
Marriage rates in Northern Ireland and Scotland	xi
Marriage rates by quarters	xi
Minors	xii
Re-marriages	xii
Licences for marriage	xii
Buildings registered for the solemnisation of marriage	xii

BIRTHS :

Number and rate	xiii
Birth rates in Northern Ireland, England and Wales, and Scotland	xiii
Rates by counties	xiii
Illegitimate births	xiii
Registration of births under Legitimacy Act (1931)	xiv
Proportion of male to female births	xiv
Births by quarters	xiv
Multiple births	xiv

REPORT—continued.

DEATHS :								Page
Number and rate	xv
Death rates in Northern Ireland, England and Wales, and Scotland	xv
Deaths by quarters	xvi
Deaths in institutions	xvi
Uncertified deaths	xvi
Inquests	xvi

Causes of Death :

General observations	xvi
Principal causes	xvii
Tuberculosis	xxi
Influenza	xxv
Cancer	xxv
Other general diseases	xxviii
Circulatory, respiratory diseases, etc.	xxviii
Childbirth	xxx
Violence	xxxi
Ages at death	xxxii
Infant mortality	xxxiii

DIAGRAMS.

No. 1.	Birth, death and marriage rates in Éire, Northern Ireland, England and Wales, and Scotland	vi
No. 2.	Death rates from diphtheria in Éire, Northern Ireland, England and Wales, and Scotland	xx
No. 3.	Death rates from tuberculosis in Éire, Northern Ireland, England and Wales, and Scotland	xxii
No. 4.	Death rates from influenza in Éire, Northern Ireland, England and Wales, and Scotland	xxiv
No. 5.	Death rates from cancer in Éire, Northern Ireland, England and Wales, and Scotland	xxix
No. 6.	Infant mortality in Éire, Northern Ireland, England and Wales, and Scotland	xxxiv

PART II.—TABLES.

TABLE No. 1.	Estimated population, 1801-1940	2
„ 2.	Ages of the population, by sexes, at each census 1851-1936— number and proportion per cent.	3-5
„ 3.	Number of marriages, births and deaths, and natural increase, 1864-1940	6
„ 4.	Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1940	7
„ 5.	Marriages, births, and deaths, by quarters, 1930-1940	8
„ 6.	Deaths (numbers and rates) by causes, 1864-1910	9

PART II.—TABLES—*continued.*

TABLE NO.		Page
6A.	Deaths (numbers and rates), by causes, 1911-1939 ...	10
7.	„ „ „ in Éire and Northern Ireland, 1940 ...	11
8.	„ „ „ by sexes and ages, 1864-1940 ...	12-14
9.	Infant mortality rate, by causes, 1930-1940 ...	15
10.	„ by causes and ages ...	16
11.	„ rate, by causes in certain urban areas and aggregate rural areas ...	17
12.	„ illegitimate infants, by causes and ages ...	18
13.	„ illegitimate infants, by counties ...	19
14.	Marriages, births and deaths, by counties and county boroughs ...	20
15.	Marriage, birth and death rates, by counties and county boroughs ...	21
16.	Births and deaths in principal towns and aggregate urban and rural areas ...	22
17.	Birth rates and death rates in principal towns and aggregate urban and rural areas ...	23
18.	Births and deaths in each urban area ...	24-27
19.	Birth rates and death rates in aggregate urban and rural areas, 1911-1940 ...	28

PART III.—ABSTRACTS.

ABSTRACT I.	Marriages, births (distinguishing illegitimate births), and deaths registered in administrative areas ...	30-37
„ II.	Marriages registered in administrative areas ...	38-39
„ III.	Total births and deaths by sexes, and ages at death, by administrative areas ...	40-42
„ IV.	Causes of death (intermediate and detailed international lists), by sexes and ages ...	44-61
„ V.	Causes of death (short list), by sexes, ages and places of occurrences for each administrative area (as under) :—	64-135


	Page		Page		Page
Éire	... 64	Dublin Co.	... 70	Meath	... 84
		Dublin City	... 72	Monaghan	... 134
Leinster	... 66	Galway	... 118	Offaly	... 86
Munster	... 94	Kerry	... 102	Roscommon	... 124
Connaught	... 116	Kildare	... 74	Sligo	... 126
Ulster (part of)	... 128	Kilkenny	... 76	Tipperary N.R.	108
		Leitrim	... 120	Tipperary S.R.	110
Carlow	... 68	Laoighis	... 78	Waterford Co.	... 112
Cavan	... 130	Limerick Co.	... 104	Waterford Co.	
Clare	... 96	Limerick Co. Boro'	106	Boro'	... 114
Cork Co.	... 98	Longford	... 80	Westmeath	... 88
Cork Co. Boro'	... 100	Louth	... 82	Wexford	... 90
Donegal	... 132	Mayo	... 122	Wicklow	... 92

ABSTRACT VI.	Causes of death in thirteen principal towns ...	136-7
--------------	---	-------

APPENDIX I.	Number of searches at the General Register Office during the years 1864-1940, with the amounts of fees received ...	138
APPENDIX II.	Cases of infectious diseases notified to Department of Local Government and Public Health during 1940 ...	139-143

DIAGRAM No. 1. Birth, Death and Marriage Rates, 1926 to 1940.

ÉIRE	—————	ENGLAND & WALES	· - - - - ·
NORTHERN IRELAND	—————	SCOTLAND	● ——— ● ——— ●



REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1940.

DO'N AIRE RIAGHALTAIS AITEAMHAIL AGUS SLÁINTE POIBLIDHE.

Tá sé d'onóir agam a chur faoi do bhraghaid Tuarasgabháil ar Beireatasáí, Básanna agus Pósanna cláruighthe san mBliadain 1940.

SÉAMUS HURSON,

Mi na Nodlag, 1941.

Árd-Chláradóir.

NOTE.—In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the districts in which the normal residence of the deceased persons was situated. The deaths of 141 non-residents of Éire registered during 1940 have been excluded from this Report.

GENERAL SUMMARY.

Increases are shown in the number of marriages, births and deaths during 1940, when compared with the numbers registered for the previous year.

Marriages.—The marriages registered during the year 1940 numbered 15,212, which figure is 8 above that for the previous year, and 1,011 over the average number (14,201) for the decennial period ended with 1939. The rates per 1,000 of the population for the years 1940 and 1939 were 5·14 and 5·18 respectively, compared with an annual average rate for the period 1930–39 of 4·82.

In Northern Ireland the rate per 1,000 for 1940 was 7·56 ; and in Scotland 10·62.

Births.—The births recorded for the year amounted to 56,594, an increase of 524 when compared with the figure for 1939. The average annual number for the decennial period 1930–39 was 57,281. The rate for 1940 was 19·13 ; for 1939 it was 19·11 ; and for the period 1930–39 the average rate was 19·42.

The rate in Northern Ireland for 1940 was 19·57 ; and in Scotland, 17·13.

Illegitimate births numbered 1,824, equivalent to 3·22 per cent. of the total births, as compared with 3·18 for 1939. The corresponding percentage for 1940 in Northern Ireland was 4·61 ; and in Scotland, 5·89.

Deaths.—The number of deaths registered during 1940 was 41,885. This figure is 168 more than the number for 1939 and is 62 above the average annual number for the years 1930–39. The rate per 1,000 of the population for the year 1940 was 14·16, compared with 14·22 for 1939 and 14·18 for the decennial period ended with the year 1939.

In Northern Ireland the death rate for 1940 was 14·62 ; and in Scotland the civilian rate was 14·86.

Of the deaths recorded, 21·3 per cent. were stated to be due to heart disease, 9·0 to cancer, 8·8 to tuberculosis (all forms), 6·4 to intra-cranial lesions, 4·8 to bronchitis, and 4·4 to pneumonia.

The number of deaths recorded from tuberculosis (all forms) amounted to 3,685. This figure is 381 more than that for 1939 and is 102 above the average for the decennial period from 1930 to 1939. The figure for the year 1938 was the lowest yet recorded. The rate per 1,000 of the population for 1940 was 1·25 ; for 1939 it was 1·13, and for the decennial period 1930–39 it was 1·22.

The deaths from cancer (all forms) numbered 3,773; this figure is 35 more than the figure for 1939. The rate per 1,000 of the population for the year 1940 was 1·28, and that for 1939 was 1·27.

During the year 1940 the number of deaths returned as due to diseases of pregnancy, childbirth and the puerperal state was 208. This figure is equivalent to a rate of 3·67 per 1,000 births, compared with an average of 4·32 in the preceding ten years. The corresponding rate for urban areas was 2·76 per 1,000 births, and for rural areas, 4·24, as compared with 3·12 and 3·56 respectively, for the year 1939.

There were 3,759 deaths of infants under one year of age registered during the year. This figure is 68 above that for the year 1939, and is equivalent to a rate of 66 per 1,000 births; the rate for last year was also 66. The rates per 1,000 births for urban and rural areas were 85 and 55 respectively in 1940, and 83 and 55 in 1939.

Among legitimate infants the rate of mortality was 60 per 1,000 births, and among illegitimate it was 246. The legitimate infant mortality rate for Northern Ireland was 82 and the illegitimate, 167; and for Scotland 76 and 120 respectively.

The number of deaths registered as caused by violence was 1,067. Included in this figure are 99 due to suicide, 13 to homicide, 12 to war operations, 2 to execution, and 941 to accidental or unspecified violent causes. During the previous year there were 80 suicidal, 15 homicidal and 815 other violent deaths. The number of accidental deaths registered during 1940 as attributable to road traffic was 210, compared with 198 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence can only be registered on the authority of the Registrar-General. During 1940 authority was issued for the registration of 1,311 births and 148 deaths.

Vaccinations.—The number of successful primary vaccinations for the year 1940 returned by the registrars was 26,834, equivalent to 47·4 per cent. of the total births registered.

Searches and Certificates.—During the year 1940 the number of searches made in the records of marriages, births and deaths in this office in respect of which fees were received was 33,704, the certificates issued numbered 18,570, and the amount of fees received was £4,818. In the year 1939 the corresponding figures were as follows :—Searches, 34,803, certificates, 20,876, and fees, £5,181.

TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1930-40, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to Northern Ireland for the year 1940.

YEARS.	Estimated Population* in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1930	2,927,000	13,631	58,353	41,702	4·66	19·94	14·25
1931	2,933,000	13,133	57,086	42,947	4·48	19·46	14·64
1932	2,949,000	13,029	56,240	42,984	4·42	19·07	14·58
1933	2,962,000	13,992	57,364	40,539	4·72	19·37	13·69
1934	2,971,000	14,251	57,897	39,083	4·80	19·49	13·15
1935	2,971,000	14,336	58,266	41,543	4·83	19·61	13·98
1936	2,967,000	14,763	58,115	42,586	4·98	19·59	14·35
1937	2,948,000	14,780	56,488	45,086	5·01	19·16	15·29
1938	2,937,000	14,893	56,925	40,041	5·07	19·38	13·63
1939	2,934,000	15,204	56,070	41,717	5·18	19·11	14·22
Yearly Average, 1930-1939 ...	2,950,000	14,201	57,281	41,823	4·82	19·42	14·18
1940	2,958,000	15,212	56,594	41,885	5·14	19·13	14·16
NORTHERN IRELAND, 1940.							
1940	1,296,000	9,795	25,363	18,941	7·56	19·57	14·62

POPULATION.

It is estimated that the population of Éire at the middle of the year 1940 was 2,958,000. The number of males was estimated to be 1,515,000, and the number of females 1,443,000. These figures are based on the result of the Census of 1936, the natural increase (excess of births over deaths), and the balance of the passenger movement (including emigration and immigration). The population in 1936, according to the report on the Census for that year was 2,968,420—males 1,520,454, and females 1,447,966.

In Table I, the estimated population for each of the years 1851 to 1940 is given.

TABLE B.—The average excess of births over deaths during the period 1864 to 1871, during each intercensal period between 1871 and 1926, and for each of the years 1927-1940, with the rate per 1,000 of the population, and the balance of the passenger movement from 1927 to 1940.

Intercensal Period, &c.	Excess of Births over Deaths (Natural Increase)		Balance of Passenger Movement (including Migration). Outwards (—); Inwards (+)	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-71	39,603	9.5	—	—
1871-81	31,855	8.1	—	—
1881-91	19,600	5.4	—	—
1891-1901	14,954	4.5	—	—
1901-11	17,940	5.6	—	—
1911-26	15,820	5.1	—	—
Year 1927	16,377	5.5	—25,816	— 8.7
„ 1928	17,384	5.9	—25,072	— 8.5
„ 1929	15,289	5.2	—21,863	— 7.4
„ 1930	16,651	5.7	—13,722	— 4.7
„ 1931	14,139	4.8	+ 658	+ 0.2
„ 1932	13,256	4.5	+ 6,515	+ 2.2
„ 1933	16,825	5.7	— 2,615	— 0.9
„ 1934	18,814	6.3	—11,002	— 3.7
„ 1935	16,723	5.6	—14,345	— 4.8
„ 1936	15,529	5.2	—21,539	— 7.3
„ 1937	11,402	3.9	—29,716	—10.1
„ 1938	16,884	5.7	—21,335	— 7.3
„ 1939	14,353	4.9	+12,642	+ 4.3
„ 1940	14,709	5.0	+ 4,368	+ 1.5

The following Table gives the number of emigrants and their destinations in 1940 as compared with the nine years preceding :—

TABLE C.—**EMIGRANTS** to and **IMMIGRANTS** from places out of Europe and not within the Mediterranean Sea, together with the destinations of Emigrants during each of the years 1931-1940.

YEAR	Number of Emigrants by Destinations								Number of Immigrants.
	United States	Canada	Australia	New Zealand	Union of South Africa	India	Other Countries	Total all Destinations	
1931	890	145	164	42	65	111	140	1,557	4,102
1932	315	86	178	20	72	72	128	871	5,044
1933	422	62	187	33	44	95	132	975	3,192
1934	550	88	142	32	82	96	188	1,178	2,229
1935	481	78	207	31	52	98	191	1,138	2,144
1936	534	63	316	23	99	102	225	1,362	2,094
1937	604	68	209	62	116	97	186	1,342	1,709
1938	1,213	100	207	105	72	76	198	1,971	1,697
1939*	925	34	68	70	32	25	67	1,221	1,057
1940*	487	487	.

* The number of migrants through British ports since the 30th June, 1939, is not available.

MARRIAGES.

Number and Rate.—There were 15,212 marriages registered during the year 1940. This figure is 8 more than that for 1939, and is the highest on record since 1923, when 15,632 marriages were registered. The lowest figure recorded since 1923 was in the year 1932, when the number fell to 13,029. The number rose to 13,992 in 1933, and a further increase was shown for each of the years 1934-40. The annual rates per 1,000 of the population for the period 1934-39 were as follows:—4·80, 4·83, 4·98, 5·01, 5·07 and 5·18. The rate for 1940 was 5·14, a rate which is 0·33 above the average rate for the decennial period 1930-39.

Modes of Celebration.—The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during the year 1940 amounted to 14,252 (equal to 93·7 per cent. of the total), and other marriages numbered 960. The number of Catholic marriages is 30 less than that for 1939, and the number of all other marriages is 38 more than the figure for the preceding year. In the year 1940 the number of marriages other than Catholic recorded, include 681 celebrated according to the rites and ceremonies of the Protestant Episcopal Church; 147 in Presbyterian meeting-houses; 75 in registered buildings belonging to various other religious denominations; 49 by civil contract in the registrars' offices; 5 according to the usages of the Society of Friends, and 3 according to the Jewish rites. Comparing these figures with those for 1939, the number according to the rites and ceremonies of the Protestant Episcopal Church shows an increase of 21; in Presbyterian meeting-houses an increase of 15; in registered buildings an increase of 16; in the registrars' offices a decrease of 3; and a decrease of 12 according to Jewish rites.

At the Census of 1936, Catholics represented 93·4 per cent. of the population, Protestant Episcopalians 4·9 per cent., Presbyterians 1·0, Methodists 0·3, and all other denominations 0·4.

The number of Catholic marriages recorded during 1940 is equal to a rate of 5·16 per 1,000 of the estimated Catholic population, a rate which is 0·33 above the average rate for the preceding ten years, and the rate for all other marriages was 4·92 per 1,000 of all persons other than Catholics in the population, or 0·27 above the average. Corresponding rates for each year from 1930 to 1939 are shown in Table D below. It must be borne in mind that the rates for the years 1930 to 1935 have been calculated on the proportion of Catholics and of persons other than Catholics in the population according to the Census of 1926, and for the years 1936 to 1940 on the proportion according to the Census of 1936.

TABLE D.—MARRIAGES registered in 1940 and in each of the previous ten years, according to the **MODES OF CELEBRATION**; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1930 ...	667	131	66	83	3	11	961	12,670	13,631	4·67	4·44	4·66
1931 ...	652	126	56	65	.	6	905	12,228	13,133	4·50	4·17	4·48
1932 ...	584	121	65	71	3	8	852	12,177	13,029	4·46	3·90	4·42
1933 ...	646	119	51	70	2	11	899	13,093	13,992	4·77	4·10	4·72
1934 ...	562	125	65	56	2	10	820	13,431	14,251	4·88	3·73	4·80
1935 ...	636	118	47	72	1	8	882	13,454	14,336	4·89	4·01	4·83
1936 ...	660	134	59	64	4	8	929	13,834	14,763	4·99	4·74	4·98
1937 ...	718	139	46	59	2	8	972	13,808	14,780	5·01	5·00	5·01
1938 ...	680	128	54	49	4	9	924	13,969	14,893	5·09	4·77	5·07
1939 ..	660	132	59	52	4	15	922	14,282	15,204	5·21	4·76	5·18
Yearly Average 1930-39	646	127	57	64	3	9	906	13,295	14,201	4·83	4·65	4·81
1940 ...	681	147	75	49	5	3	960	14,252	15,212	5·16	4·92	5·14

Conjugal Condition.—In Abstract II, in pages 38 and 39 particulars regarding the marriages recorded by counties, and the conjugal condition of the parties married, etc., are given. The figures relating to conjugal condition show that marriages between bachelors and spinsters constitute 94·2 per cent. of the total marriages; those of widowers and spinsters, 4·0 per cent.; bachelors and widows, 1·2 per cent.; and those of widowers and widows, 0·6 per cent. Of the men married, 4·7 per cent. were widowers, and of the women, 1·8 per cent. were widows, or in 65 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1939 were:—widowers, 4·8 per cent., and widows 1·8 per cent. In Table F similar figures from the year 1930 are shown.

TABLE E.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1940, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1925-7	Annual Average 1935-7	Year 1940		Annual Average 1925-7	Annual Average 1935-7	Year 1940
EIRE	4.58	4.94	5.14	Kerry	4.18	3.93	4.91
Carlow	4.30	4.96	4.64	Limerick	3.61	3.67	4.38
Dublin	5.43	6.66	6.92	Limerick Co. Borough ...	9.36	8.50	9.01
City of Dublin	7.57	7.44	7.06	Tipperary N.R.	4.53	4.55	4.35
Kildare	3.91	4.68	4.91	Tipperary S.R.	3.80	4.00	4.07
Kilkenny	3.92	4.26	4.56	Waterford	4.11	4.35	4.61
Laoghis	3.35	3.23	3.37	Waterford Co. Borough ...	4.89	5.26	5.29
Longford	4.39	3.75	4.10	Munster	4.41	4.49	4.93
Louth	3.99	5.18	5.78	Galway	3.65	4.04	4.04
Meath	3.48	5.15	4.38	Leitrim	4.37	3.99	3.69
Offaly	4.28	4.40	5.26	Mayo	3.78	3.48	3.97
Westmeath	4.01	3.98	1.08	Roscommon	3.97	3.79	4.09
Wexford	4.36	4.70	4.76	Sligo	4.34	4.26	3.90
Wicklow	3.97	4.63	5.24	Connaught	3.90	3.85	3.97
Leinster	5.22	5.84	5.93	Cavan	4.27	4.21	4.06
Clare	3.55	3.67	4.38	Donegal	3.68	4.68	4.84
Cork	3.53	3.61	3.87	Monaghan	3.94	4.03	4.60
Cork Co. Borough	8.21	8.67	9.13	Ulster (pt. of)... ...	3.90	4.41	4.44

Rates for Counties, etc.—In comparing the marriage rates for the counties and county boroughs it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the actual returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In County Cork borough the rate was 9.13 per 1,000; in Limerick 9.01; in Dublin 7.06; and in Waterford 5.29. The rate for Dublin county (exclusive of the county borough) was 6.92 per 1,000. The highest rates for the remaining areas were Louth 5.78; Offaly 5.26; Wicklow 5.24; Kildare 4.91; and Kerry 4.91. The lowest rates were recorded in Laoghis 3.37; Leitrim 3.69; Cork 3.87; Sligo 3.90; and Mayo 3.97.

In the provinces the highest rate was 5.93 for Leinster, followed by 4.93 for Munster, 4.44 for Ulster (part of) and 3.97 for Connaught. The corresponding rates for 1939 were 5.97 for Leinster, 4.60 for Munster, 4.55 for Ulster (part of) and 4.39 for Connaught.

In Northern Ireland the rate for the year 1940 was 7.56, and in Scotland 10.62, as compared with 5.14 for Eire. In the year 1939 the rates were:—Northern Ireland 7.09, Scotland, 9.24, and Eire, 5.18 per 1,000.

Marriages in each Quarter.—In Table 5 the number of marriages is shown by quarters for each of the years 1930–1940, together with the average number and rate for the ten years 1930–39 and the rate for the year 1940. In the first quarter of 1940 the rate per 1,000 of the population was 4.7, in the second 5.1, in the third 6.2, and in the fourth 4.5. The corresponding figures for the year 1939 were 4.8 for the first quarter, 5.0 for the second, 6.2 for the third, and 4.8 for the fourth quarter.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1930 to 1939.

In the case of Catholic marriages, 23 per cent. were recorded in the first quarter, 25 per cent. in the second, 30 per cent. in the third, and 22 per cent. in the last quarter. For other marriages the percentages were 20, 22, 37 and 21 in the corresponding quarters of the year.

TABLE F.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1930 to 1940.

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1930	13,631	1·91	7·41	6·65	3·23
1931	13,133	1·52	7·33	6·31	3·02
1932	13,029	1·73	7·71	5·73	2·87
1933	13,992	1·62	7·53	5·20	2·22
1934	14,251	1·82	7·82	5·90	2·61
1935	14,336	1·43	7·64	4·95	2·43
1936	14,763	1·35	7·00	5·05	2·30
1937	14,780	1·42	6·84	5·07	2·20
1938	14,893	1·36	7·22	5·20	2·19
1939	15,204	1·47	7·39	4·84	1·82
1940	15,212	1·70	8·20	4·65	1·85

Age at Marriage.—The Schedules to the Acts relating to marriages indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. All that is necessary is that each party should be described as “of full age” or “minor” as the case may be, so that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands who married under age was 2·0 per cent.; in Munster 1·7; in Ulster (part of) 1·4; and in Connaught 0·7 per cent. In the case of females married the proportion who were minors in Leinster was 10·6, in Ulster (part of) 7·4, in Munster 6·7, and in Connaught 3·9 per cent. The corresponding percentages for the country as a whole were 1·7 for husbands and 8·2 for wives.

The proportion per cent. of males married in Northern Ireland in 1940 who were under age was 4·5, and of females 17·0.

Licences for Marriage.—During the year 1940 the number of licences issued by the registrars for marriages in registered buildings and in the registrars’ offices was 116. On 31st December, 1940, the number of such registrars of marriages authorised to grant licences for marriage was 83.

Marriage licences issued by licensing ministers of the Protestant Episcopal Church amounted to 554. The number of licensing ministers on the 31st December, 1940 was 145.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies in Eire during the year 1940 was 122 (all of which were issued by ministers of the General Assembly). The number of licensing ministers on the 31st December, 1940, was 50, of whom 48 were of the General Assembly and 2 of the United Presbytery or Synod of Munster.

Buildings in which Marriages may be solemnised.—The law does not require this office to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,050 churches and chapels of the Protestant Episcopal Church were, on the 31st December, 1940, licensed for the solemnisation of marriages, 145 Presbyterian meeting-houses (143 General Assembly and 2 United Presbytery or Synod of Munster), and 162 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 162 separate buildings belong are shown in the following list :—

Denominations		No. of Places of Worship	Denominations		No. of Places of Worship
Methodists	...	124	Salvation Army	...	2
Reformed Presbyterians	...	5	Seceders	...	2
Baptists	...	8	Welsh Presbyterians	...	1
Independents or Congregationalists	...	5	“ Undenominational ”	...	5
Christian Brethren	...	9			
Moravians or United Brethren	...	1	TOTAL	...	162

BIRTHS.



The births registered during the year numbered 56,594, a figure which is 524 more than that for the year 1939, but 687 less than the number recorded during the decennial period ended with 1939. The numbers registered in the years 1936–1939 were 58,115, 56,488, 56,925 and 56,070, respectively.

The annual rate per 1,000 of the population represented by the number of births recorded during the year 1940 was 19·13 and for 1939 it was 19·11 per 1,000. In the years 1936, 1937 and 1938 the rates were 19·59, 19·16 and 19·38 respectively.

Tables 3 and 4 show the number of births registered and the rate per 1,000 of the population represented thereby for the period 1864 (in which year the act for the registration of births became operative) to 1870, each decennial period from 1871 to 1930, and each year since 1939. In the period from 1864 to 1870 the rate was 25·79 per 1,000 and in the period from 1871 to 1880 the annual average rate was 26·31, falling gradually to 20·21 for the decennial period 1921–30. During the period 1931 to 1939 the highest rate recorded was 19·61 for 1935, and the lowest 19·07 for the year 1932.

The following table shows the birth-rate for Éire, Northern Ireland, England and Wales, and Scotland for each of the years 1931 to 1940 :—

Years				Éire	Northern Ireland	England and Wales	Scotland
1931	19·5	20·5	15·8	19·0
1932	19·1	19·9	15·3	18·6
1933	19·4	19·4	14·4	17·6
1934	19·5	19·4	14·8	18·0
1935	19·6	19·2	14·7	17·8
1936	19·6	20·2	14·8	17·9
1937	19·2	19·8	14·9	17·6
1938	19·4	20·0	15·1	17·7
1939	19·1	19·5	14·9	17·4
1940	19·1	19·6	—	17·1

Rates for Counties, etc.—The birth rates for the provinces, counties, county boroughs and urban and rural areas are given in Tables 15 and 17. For the province of Leinster the rate was 20·92, for Munster 18·15, for Connaught 17·26, and for Ulster (part of) 17·46, as compared with 21·18, 17·76, 16·77 and 16·70, respectively, for 1939. When compared with the rates for 1939, it will be seen that while the rate for Leinster has decreased by 0·26, the rates for the provinces of Munster, Connaught and Ulster show increases of 0·39, 0·49 and 0·76, respectively.

In Table 15 it is shown that high rates were recorded in the county borough areas, viz., Waterford 24·21 per 1,000; Limerick, 23·96; Dublin, 22·70, and Cork, 20·68. The highest rates in the counties were Kildare, 21·95; Louth, 20·33; Galway, 20·01; and Dublin county (exclusive of the county borough), 19·92. On the other hand, the lowest rates recorded were Roscommon, 14·45; Leitrim, 15·58, Sligo, 15·61, and Cork county (exclusive of the county borough), 15·96.

The birth-rates for the total urban areas were 21·71 and 21·93, respectively, in the years 1940 and 1939, a decrease of 0·22 per 1,000, while the corresponding rural rates were 17·84 and 17·69, respectively, an increase of 0·15 per 1,000. In Table 19 the birth-rates for the urban and rural areas are shown for a number of years.

Illegitimate Births.—The births registered during 1940 include 1,824 of illegitimate children, a figure which is 43 more than that for 1939. The number for 1940 is equivalent to a rate of 0·62 per 1,000 of the population, and a rate of 3·22 per cent. of the total births recorded. The respective rates for the previous year were 0·61 per 1,000 and 3·18 per cent.

In Northern Ireland for 1940 the rate per cent. of the total births was 4·61, and for Scotland 5·89.

The percentages, by provinces, are shown in the following statement for the years 1933–1940 :—

AREA	Illegitimate births—per cent. of total births.							
	1933.	1934.	1935.	1936.	1937.	1938.	1939.	1940.
Éire	3·49	3·51	3·34	3·28	3·21	3·30	3·18	3·22
Leinster ...	4·15	3·87	3·60	3·45	3·60	3·41	3·39	3·40
Munster ...	3·33	3·54	3·58	3·38	3·17	3·41	3·18	3·44
Connaught ...	1·90	2·06	1·75	2·02	1·86	2·16	1·93	1·93
Ulster (part of) ...	3·99	4·34	4·20	4·44	3·79	4·34	4·32	3·90

In Tables 14 and 15 the number of illegitimate births for the year 1940, and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs are given. The highest percentages of the total births registered were in the following counties :—Waterford (excluding the county borough), 6·69 ; Westmeath, 6·00 ; Wexford, 5·34 ; Limerick (excluding the county borough), 5·14 ; Kilkenny, 5·04 ; and Wicklow, 4·91. The counties with the lowest ratios were Mayo, 1·43 ; Waterford county borough, 1·48 ; Sligo, 1·52 ; Cork county borough, 1·68 ; and City of Dublin, 1·98.

Legitimacy Act (1931).—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 74 cases during the year 1940. The number of such cases for the preceding year was 62.

Proportion of Males to Females.—The number of male births recorded in 1940 was 29,029 and of female births 27,565. The proportion between the sexes was 1,053 males to 1,000 females, a ratio which is one above the average for 1930-39. In Northern Ireland for the year 1940 the proportion of males born alive to 1,000 females was 1,082, and in Scotland, 1,050.

Table 4 shows the proportion of male to female births in Eire for each of the years since 1930, and also the average rates since the year 1864.

The male children born in wedlock in 1940 numbered 28,134, and the female 26,636, or 1,056 males to every 1,000 females, and of the illegitimate children 895 were males and 929 females, or 963 boys to every 1,000 girls.

Births in each Quarter.—The number of births by sexes registered during each quarter of 1940 is shown in the following table :—

		1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	...	7,221	7,821	7,310	6,677	29,029
Females	...	6,863	7,313	7,075	6,314	27,565
TOTAL	...	14,084	15,134	14,385	12,991	56,594

In Table 5 the number of births registered in each quarter of the years 1930 to 1940 is given, together with the rates for the year 1940 and the average rates for the previous decennium. With the exception of the second quarter, which shows an increase of 0·2, the rates for the first, third and fourth quarters show decreases of 0·2, 0·5 and 0·6, respectively, when compared with the average.

Multiple Births.—The number of infants born alive in multiple births registered during 1940 was 1,347, consisting of 660 pairs of twins and 9 sets of triplets, as compared with 1,362 (672 pairs of twins and 6 sets of triplets) for the previous year. The twin children whose births were recorded during 1940 were 2·33 per cent. of the total number of infants whose births were registered, and the triplets 0·05. In 1939 these percentages were 2·40 and 0·03, respectively.

The number of mothers of living children whose births were registered during the year was 55,916. Of these, 55,247, or 98·80 per cent., gave birth to single infants, 660, or 1·18 per cent., to twins, and 9 or 0·02 per cent., to triplets.

The infants born in wedlock (54,770) included 53,447 single infants, 1,302 twin and 21 triplets, equivalent to, respectively, the ratios of 97·58 per cent., 2·38 per cent., and 0·04 per cent. of the total number of legitimate births.

Illegitimate infants included 1,800 single infants, 18 twin infants, and 6 triplet infants, equivalent, respectively, to 98·68 per cent., 0·99 per cent. and 0·33 per cent. of the 1,824 illegitimate infants registered. In the year 1939 the illegitimate infants recorded included 1,753 single infants and 28 twin infants.

In the year 1940, the infants born alive in multiple births comprised 677 males and 670 females. Of the twin infants, 668 were males and 652 females, and the triplet infants included 9 males and 18 females.

It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.

DEATHS.

Number and Rate.—The number of deaths recorded during the year 1940 was 41,885, the males numbering 21,611 and the females 20,274. The total is 168 more than the number for 1939, and is 62 more than the average for the decennial period 1930-39. In the year 1940 the deaths of males were 44 more, and the deaths of females 124 more than in the previous year.

The deaths registered in 1940 represented a rate of 14·16 per 1,000 of the population, compared with 14·22 for 1939, and an average of 14·18 for the ten years 1930-39. The rates for males during each of the past three years was 13·71, 14·35 and 14·26, the corresponding ratios for females being 13·55, 14·08 and 14·05, respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates, by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Éire, Northern Ireland, England and Wales, and Scotland for the years 1931 to 1940, are as follows :—

Years			Éire	Northern Ireland	England and Wales	Scotland
1931	14·6	14·4	12·3	13·3
1932	14·6	14·1	12·0	13·5
1933	13·7	14·3	12·3	13·2
1934	13·2	13·7	11·8	12·9
1935	14·0	14·4	11·7	13·2
1936	14·4	14·4	12·1	13·4
1937	15·3	15·1	12·4	13·9
1938	13·6	13·7	11·6	12·6
1939	14·2	13·5	12·1	12·9
1940	14·2	14·6	—	14·9*

* Civilian death rate.

Rates for Counties, etc.—In Abstract I, pages 30 to 37, the number of deaths registered in each county, county borough and superintendent registrar's district is shown. In Tables 15 and 17 rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas. As will be seen from Table 15 the rates for the county boroughs were as follows :—Dublin, 14·36 ; Cork, 14·51 ; Limerick, 14·93 ; and Waterford, 17·66. The counties with the highest rates were :—Wexford and Waterford county (exclusive of the county borough) each 16·15 ; Wicklow, 15·20 ; Westmeath, 14·77 ; and Cavan, 14·69. The lowest rates were recorded for Mayo, 12·06 ; Kerry, 12·70 ; Clare, 12·88 ; Limerick county (exclusive of the county borough), 13·06 and Galway, 13·39.

During the year 1940, the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 14·26 and 14·11 per 1,000 compared with 13·35 and 14·65 for the preceding year. The figure for the urban areas in 1940 is 0·91 more, and that for the rural areas 0·54 less than the respective rates for the year 1939. A comparative statement of the rates for these areas for a series of years is given in Table 19.

Deaths in each Quarter.—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1940 :—

—		1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	...	6,862	5,430	4,317	5,002	21,611
Females	...	6,499	5,051	4,125	4,599	20,274
TOTAL	...	13,361	10,481	8,442	9,601	41,885

Of the total deaths, 23,842, or 56·9 per cent., were registered during the first six months, and 18,043, or 43·1 per cent., in the second six months. The corresponding percentages for the preceding year were respectively, 56·8 and 43·2.

During the year 1940, the mortality was highest in the first quarter, in which the rate was 18·1 per 1,000 of the population. In the second quarter the rate was 14·2, in the third 11·4, and in the last quarter it was 13·0. In the preceding year the rates for the quarters were as follows :—first 18·1, second 14·1, third 11·7, and fourth 12·9.

The rates for each quarter of 1940 and the average figures for the previous ten years are given in Table 5. A comparison between the rates for 1940 and the average figure shows that in the first quarter there was an increase of 0·7 per 1,000, and in the second, third and fourth quarters a decrease respectively of 0·2, 0·2 and 0·3 per 1,000, compared with the average for the previous ten years.

Deaths in Institutions.—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 4,981, in mental hospitals, 1,278, in county homes and hospitals, etc., 7,879; and 27,747 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 11·9, 3·0, 18·8 and 66·3 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1930 the percentages of deaths in the three classes of institutions were 8·6, 2·9 and 15·6, respectively, 72·9 per cent. dying at their own homes.

Uncertified Causes.—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 6,272. This figure is equivalent to a rate of 15·0 per cent. of the total deaths registered during the year. The proportion for the previous year was 16·8 and the average percentage for the ten years from 1930 to 1939 was 18·4.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1940 being 21·5. In the urban areas the percentage was only 2·1.

Inquests.—The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during the year 1940 was 1,209, or one in every 35 deaths registered, compared with one inquest in every 34 deaths in 1939. The number of such deaths for the year 1940 include 879 cases in which inquests were held and 330 cases in which the death was registered on a certificate of the result of a post-mortem examination.

CAUSES OF DEATH.

The deaths of males and females registered during the year 1940 have been classified according to the cause and age at death, and the result of such classification is published in Abstract IV. In Abstract V the causes of deaths by age periods for each of the provinces, counties and county boroughs are given, and in Abstract VI the causes of deaths for each of the principal towns are shown.

The deaths for the whole country have been tabulated in accordance with the detailed list adopted at the fifth International Conference for the revision of the Nomenclature of the Causes of Death held at Paris in 1938. In the report of this conference published in the Bulletin of the Health Organisation of the League of Nations it is stated that the lists of causes of death adopted were three in number, viz., a detailed list containing 200 causes, an intermediate list of 87 causes, and an abridged list of 44 causes. According to the report in question the lists do not differ greatly from their immediate predecessors, as the conference, apart from bringing the lists up to date, particularly the section dealing with contagious diseases and making certain improvements suggested by experience in the sections dealing respectively with maternal causes and violent deaths, endeavoured to make as few changes as possible in the contents of the various items in order that statistics based on the successive lists should be as comparable as possible.

Another outcome of the Conference was a recommendation that the new list of causes of death should be first used for the year 1940 instead of 1941. The causes of death for 1940 published in this report are accordingly classified in accordance with the new list. In Table 6a, page 10, the last average number of deaths (tabulated on the list of causes based on the previous revision) and the corresponding rate per 100,000 of the population are for a period of nine years only, viz., 1931-1939.

The proportion of deaths from the principal causes at certain age-periods is given in the table on the following page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely 213 in every 1,000 deaths; the next in order are senility 138, cancer 90, all forms of tuberculosis 88, intra-cranial lesions of vascular origin (cerebral hæmorrhage, etc.) 64, bronchitis 48, and pneumonia 44 in every 1,000 deaths. These causes account for 69 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including debility and premature birth) accounts for 500 in every 1,000 deaths compared with 496 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age-period are diarrhœa and enteritis, pneumonia, bronchitis, and whooping cough.

In the case of children between the ages of one and five years the excess in the mortality from whooping cough, diphtheria, tuberculous disease (other than that of the respiratory organs), measles, bronchitis, pneumonia and diarrhœa and enteritis is apparent. The chief feature of the mortality of children aged 5 and under 15 years of age is the proportion due to diphtheria and tuberculous disease (all forms). The cause of the majority of the deaths of persons aged 15 and under 45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are cancer, intra-cranial lesions and heart disease.

In Table 15 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* are given by provinces, counties and county boroughs. The rate for Éire was 0·37, compared with 0·40 for 1939. The rates for the county boroughs are as follows:—Dublin 0·73; Cork 0·98; Limerick 0·68; and Waterford county borough 1·68 per 1,000. The highest county rates are Monaghan 0·49; Louth 0·42; Dublin county 0·39; Waterford county 0·38, and Wexford 0·33. The counties in which the rates were lowest are Tipperary, N.R., 0·08; Mayo 0·09; Laoighis and Clare each 0·10; and Carlow and Sligo each 0·12 per 1,000.

It may be seen in Table 17 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 0·64 per 1,000 of the population, compared with 0·23 for the rural districts. The corresponding rates for 1939 were 0·71 and 0·25 respectively.

Typhoid and Paratyphoid Fevers.—The number of deaths recorded was 31, including 23 of males and 8 of females. The corresponding figure for 1939 was 56, including 36 of males and 20 of females. The average number for the ten years ended with 1939 was 68. During 1940 there were 8 deaths for urban areas and 23 for rural districts. There were 4 deaths recorded for each of Dublin county borough and Kerry, and 3 for each of Westmeath, Limerick county borough, Galway and Roscommon.

Scarlet Fever.—There were 33 deaths from this disease registered during the year 1940, compared with 43 in the previous year. The average figure for the ten years 1930 to 1939 was 89. The figure for 1940 includes 15 of children under five years, and 9 aged 5 and under 10 years. The deaths registered include 6 for Dublin county borough, 6 for Cork county, 3 deaths for each of Offaly and Galway county, and 2 for each of Meath, Wexford, Kerry, Waterford (exclusive of the county borough), and Donegal.

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, small-pox, measles, typhus and diarrhœal diseases.

TABLE G.—Proportion of deaths from the principal causes at certain age-periods in 1940.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD										
		All Ages	Under 1	1-5	5-	15-	25-	35-	45-	55-	65	75 and up
—	ALL CAUSES	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	1	.	.	4	3	4	3	1	1	.	.
2	Cerebro spinal fever .	1	2	6	6	3
3	Scarlet fever	1	1	11	15	1	1	1
4	Whooping cough . . .	4	27	54	5	1
5	Diphtheria	4	2	65	95	4	3	.	2	.	.	.
6	Tuberculosis of respiratory system.	69	2	11	72	467	431	246	125	42	10	1
7	All other forms of tuber- culosis.	19	9	99	167	116	58	36	18	8	2	.
8	Dysentery
9	Influenza	20	16	24	16	9	16	17	19	18	27	18
10	Measles	2	5	45	6	1	1
11	Acute infectious encephalitis	1	.	2	1	2	2	2	2	1	.	.
12	Typhus	1
13	Cancer	90	.	12	12	13	31	93	157	183	124	50
14	Diabetes mellitus . . .	7	.	2	14	9	8	6	10	11	8	4
15	Intra-cranial lesions of vascular origin.	64	.	.	2	6	10	32	68	91	100	70
16	Diseases of the heart .	213	.	7	66	60	76	130	207	278	324	234
17	Other diseases of the cir- culatory system.	18	1	1	2	1	5	8	13	24	28	21
18	Bronchitis	48	39	36	9	4	11	32	44	48	66	55
19	Pneumonia	44	116	201	59	27	30	49	42	42	30	24
20	Other diseases of the res- piratory system.	16	5	22	11	15	20	27	25	23	16	11
21	Ulcer of the stomach or duodenum.	9	.	1	.	6	19	22	25	14	9	2
22	Diarrhœa and enteritis .	17	146	70	16	4	1	3	2	4	3	1
23	Appendicitis	5	1	11	37	21	10	7	7	5	2	.
24	Cirrhosis of the liver .	1	.	.	.	1	.	3	2	3	2	1
25	Diseases of liver and biliary passages.	4	1	3	4	1	3	4	7	5	5	3
26	Other diseases of the digestive system.	15	19	24	29	12	16	15	18	20	15	9
27	Nephritis	28	1	11	18	16	31	43	47	43	35	18
28	Puerperal infection . .	1	.	.	.	2	16	10	1	.	.	.
29	Other diseases of childbirth	4	.	.	.	7	34	37	2	.	.	.
30	Congenital debility, etc. (Nos. 157-161).	46	500	25	16	4	1	2
31	Senility	138	105	436
32	Suicide	2	.	.	.	4	7	12	7	3	1	.
33	Other violence	23	13	80	93	63	49	47	31	16	14	11
34	Other causes	85	94	177	225	117	105	113	118	117	74	31

Whooping cough.—The number of deaths recorded under this heading was 163, compared with 166 for the year 1939, and an average of 234 for the decennial period ended with the latter year. The total for 1940 includes 80 of males and 83 of females, compared with 74 and 92 respectively, in the previous year.

The figure for 1940 includes 100 of infants under one year of age and 36 of children aged between one and two years. In 1939 the corresponding figures were 77 and 55.

There were 42 deaths recorded for Dublin county borough, 19 for Monaghan county, 14 for Cork county (exclusive of the county borough); and 10 for each of Waterford county borough and Cavan county.

Diphtheria.—The number of deaths was 178, a decrease of 67 when compared with that for 1939 and of 164 compared with the average figure (342) for 1930 to 1939. In 1933 the number was 418 (the highest recorded since 1921), and the respective figures for each of the years 1934 to 1938 were 341, 378, 345, 293 and 314.

The figure for 1940 includes 88 males and 90 females, the corresponding figures for the previous year being 114 and 131 respectively.

Included in the figure for 1940 were 69 of children aged between one and five years, 68 between the ages of five and ten years, and 13 aged 10 and under 15 years.

The death rate per 100,000 of the population was 6·0 compared with 8·4 for the previous year. In the urban areas as a whole the rate for 1939 was 9·1 compared with 13·6 in the previous year, and in the rural areas the respective rates were 4·5 and 5·7 per 100,000 of the population.

For Leinster the rates for 1940 and 1939 were 8·3 and 11·8; for Munster 4·7 and 5·8; for Connaught 5·0 and 5·9; and for Ulster (part of) 2·5 and 5·4 per 100,000.


In the following statement the counties and county boroughs in which the highest and lowest mortality rates per 100,000 of the population from diphtheria were recorded for the year 1940 are given:—

HIGHEST				LOWEST			
Wexford	12·7	Longford	Nil
Kildare	12·1	Meath	Nil
City of Dublin	11·5	Sligo	Nil
Offaly	9·8	Tipperary, S.R.	1·3
Leitrim	9·8	Cavan	1·3

The death rates per 100,000 for the aggregate urban and rural districts for each year from 1901 are given below:—

YEAR		Urban Districts	Rural Districts	YEAR		Urban Districts	Rural Districts
1901	...	9·6	5·0	1921	...	21·3	12·5
1902	...	12·0	7·2	1922	...	15·7	12·3
1903	...	9·5	7·2	1923	...	10·4	9·1
1904	...	5·9	6·5	1924	...	8·8	5·1
1905	...	7·1	6·2	1925	...	7·7	4·3
1906	...	8·2	7·2	1926	...	11·8	4·5
1907	...	9·9	4·4	1927	...	13·5	4·8
1908	...	10·3	6·1	1928	...	11·8	5·8
1909	...	11·2	8·0	1929	...	16·0	7·9
1910	...	10·7	6·3	1930	...	22·2	9·2
1911	...	17·0	5·3	1931	...	15·5	8·7
1912	...	15·9	5·0	1932	...	19·1	10·2
1913	...	13·1	3·8	1933	...	21·7	10·6
1914	...	12·7	4·3	1934	...	18·1	8·4
1915	...	11·8	6·0	1935	...	18·1	10·2
1916	...	8·0	6·0	1936	...	17·2	9·0
1917	...	6·8	5·8	1937	...	14·4	7·7
1918	...	6·3	4·4	1938	...	15·9	8·1
1919	...	9·1	4·8	1939	...	13·6	5·7
1920	...	18·6	5·3	1940	...	9·1	4·5

DIAGRAM No. 2. Mortality from Diphtheria, 1926 to 1940



Tuberculosis.—The number of deaths registered during 1940 from all forms of tuberculosis was 3,685—1,944 of males and 1,741 of females. When compared with the number recorded in 1939 the total shows an increase of 381—in the case of males of 237 and in females of 144. The figure for 1940 is 102 above the average for the decennial period from 1930 to 1939—an increase in male deaths of 124 and a fall of 22 in the case of female deaths.

The deaths recorded during 1940 are equivalent to a rate of 1·25 per 1,000 of the estimated population. For 1939 the rate was 1·13 per 1,000, and during the ten years from 1930 to 1939 the average rate was 1·22 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population for Éire, Northern Ireland, England and Wales, and Scotland for each of the years 1931 to 1940 is shown :—

YEARS		Éire	Northern Ireland	England and Wales	Scotland
1931	...	1·33	1·22	0·90	0·87
1932	...	1·25	1·12	0·84	0·84
1933	...	1·19	1·15	0·82	0·80
1934	...	1·18	1·12	0·76	0·75
1935	...	1·27	1·05	0·72	0·74
1936	...	1·17	1·02	0·69	0·74
1937	...	1·23	0·98	0·70	0·74
1938	...	1·03	0·92	0·64	0·69
1939	...	1·13	0·84	0·63	0·70
1940	...	1·25	0·98	—	0·82*

* Civilian death rate.


Table H shows the number of deaths ascribed to this disease in Éire, by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1·33 per 1,000 in 1931 and the lowest 1·09 in 1938. For males the highest rate (1·30) was in 1935 and the lowest 1·10 in 1938. In the case of females the rate was highest in 1931, viz., 1·40, and lowest in 1938—1·09 per 1,000.

TABLE H.—Mortality from Tuberculosis during each of the years 1930–1940.

YEAR.	MALES.		FEMALES.		TOTAL.		Annual Increase or Decrease.		
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number.	Per cent.	
1930	...	1,922	1.29	1,903	1.33	3,825	1.31	— 50	— 1.3
1931	...	1,893	1.26	2,009	1.40	3,902	1.33	+ 77	+ 2.0
1932	...	1,834	1.22	1,842	1.28	3,676	1.25	— 226	— 5.8
1933	...	1,766	1.17	1,744	1.20	3,510	1.19	— 166	— 4.5
1934	...	1,785	1.18	1,729	1.19	3,514	1.18	+ 4	+ 0.1
1935	...	1,983	1.30	1,787	1.23	3,770	1.27	+ 256	+ 7.3
1936	...	1,791	1.18	1,689	1.17	3,480	1.17	— 290	— 7.7
1937	...	1,871	1.24	1,768	1.23	3,639	1.23	+ 159	+ 4.6
1938	...	1,651	1.10	1,565	1.09	3,216	1.09	— 423	— 11.6
1939	...	1,707	1.14	1,597	1.12	3,304	1.13	+ 88	+ 2.7
Average, 1930-39	...	1,820	1.21	1,763	1.22	3,583	1.22	—	—
1940	...	1,944	1.28	1,741	1.21	3,685	1.25	+ 381	+ 11.5

There were 2,907 deaths from tuberculosis of the respiratory system recorded in 1940 compared with 2,617 in 1939, an increase of 290. The figure for 1940 included 1,549 of males and 1,358 of females—these figures show increases of 191 and 99. During 1940 there were 778 deaths (395 males and 383 females) from tuberculosis other than that of the respiratory system. The respective figures for 1939 were 687 (349 males and 338 females). The figures for 1940 are 91 (46 males and 45 females) above those for the previous year.

DIAGRAM No. 3. Mortality from Tuberculosis, 1926 to 1940.



In Abstract IV particulars of the deaths included under the heading of tuberculosis other than respiratory are given. There were 294 deaths (152 males and 142 females) due to tuberculosis of the meninges and central nervous system, 153 deaths (65 males and 88 females) to tuberculosis of the intestines and peritoneum, 83 (38 males and 45 females) to tuberculosis of the vertebral column, 48 (28 males and 20 females) to this disease of other bones and joints, 37 (21 males and 16 females) in organs of the genito-urinary system, and 145 (82 males and 63 females) caused by disseminated tuberculosis.

The mortality from tuberculosis at different age-periods for each of the years 1935 to 1940 is shown in Table J. The increase in the mortality for 1940 as compared with 1939 at the age-groups at 15 and under 20 years, at 20 and under 25 years, and at 25 and under 35 years is apparent. In the first age group quoted the rates in 1939 and 1940 were 1.40 and 1.55 per 1,000, the figures for males being 1.17 and 1.21 and for females 1.65 and 1.90 per 1,000. In the second age group the rates in 1939 were—for persons—2.03, for males 1.64 and for females 2.46, and for 1940, respectively, 2.15, 1.96 and 2.36. At the age period 25 and below 35 years the figure for all persons rose from 1.99 in 1939 to 2.24 in 1940, the corresponding rates for males being 1.93 and 2.14 and for females 2.05 and 2.35 per 1,000.


TABLE J.—Death-rates from Tuberculosis by sexes and ages per 1,000 of the population at the same age during each of the years 1935 to 1940.

YEARS	DEATH-RATES PER 1,000 OF THE POPULATION AT THE SAME AGE.											
	All Ages	Under 5 yrs.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 & up.
MALES.												
1935 ...	1.30	0.83	0.25	0.37	1.19	2.32	2.09	2.22	1.53	1.39	0.61	0.13
1936 ...	1.18	0.77	0.27	0.35	0.84	2.27	1.92	1.77	1.27	1.54	0.72	0.15
1937 ...	1.24	0.79	0.34	0.40	1.18	1.93	2.24	1.70	1.39	1.43	0.78	0.13
1938 ...	1.10	0.52	0.27	0.39	1.20	1.58	1.96	1.63	1.40	0.97	0.56	0.15
1939 ...	1.14	0.66	0.36	0.32	1.17	1.64	1.93	1.67	1.32	1.21	0.62	0.30
1940 ...	1.28	0.69	0.36	0.27	1.21	1.96	2.14	1.79	1.84	1.33	0.73	0.30
FEMALES.												
1935 ...	1.23	0.74	0.28	0.70	1.56	2.60	2.20	1.65	1.01	1.04	0.38	0.10
1936 ...	1.17	0.67	0.28	0.45	1.42	2.69	2.32	1.33	1.07	0.91	0.35	0.19
1937 ...	1.23	0.74	0.31	0.52	1.53	2.62	2.39	1.44	1.12	1.06	0.39	0.13
1938 ...	1.09	0.61	0.24	0.49	1.68	2.01	2.22	1.43	0.89	0.74	0.31	0.11
1939 ...	1.12	0.59	0.27	0.41	1.65	2.46	2.05	1.35	1.03	0.81	0.38	0.11
1940 ...	1.21	0.50	0.29	0.56	1.90	2.36	2.35	1.36	1.13	0.86	0.58	0.08
PERSONS.												
1935 ...	1.27	0.79	0.26	0.53	1.37	2.45	2.14	1.94	1.28	1.22	0.50	0.11
1936 ...	1.17	0.72	0.27	0.40	1.12	2.47	2.12	1.56	1.18	1.25	0.54	0.17
1937 ...	1.23	0.77	0.32	0.46	1.35	2.26	2.32	1.57	1.26	1.25	0.58	0.13
1938 ...	1.09	0.56	0.25	0.44	1.43	1.78	2.09	1.53	1.15	0.86	0.44	0.13
1939 ...	1.13	0.63	0.32	0.36	1.40	2.03	1.99	1.51	1.18	1.02	0.50	0.20
1940 ...	1.25	0.60	0.33	0.42	1.55	2.15	2.24	1.58	1.50	1.11	0.66	0.18

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the thirteen principal towns and the total urban and rural areas are published in Tables 14 to 18. In Abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1940 the rate was 1.48, in Munster 1.18, in Connaught 0.99, and in Ulster (part of), 0.89. The corresponding rates for 1939 were in Leinster 1.31, in Munster 1.02, in Connaught 1.00, and in Ulster (part of) 0.82.

DIAGRAM No. 4. Mortality from Influenza, 1926 to 1940.



The highest mortality rates from tuberculosis in 1940 for county or county borough areas were recorded for the following :—Limerick county borough, 2·05 ; Wexford, 1·71 ; Dublin county, 1·68 ; Dublin county borough, 1·63 ; Cork county borough, 1·61, and Louth, 1·46 per 1,000. The counties having the lowest rates were Roscommon, 0·59 ; Cavan, 0·68 ; Longford, 0·69 ; Monaghan, 0·78 ; Leitrim, 0·79 and Mayo, 0·88 per 1,000.

The deaths from tuberculosis in 1940 for the aggregate urban districts numbered 1,591, compared with 1,343 for the previous year. For the rural districts the number for 1940 was 2,094, compared with 1,961 for last year. The rate per 1,000 of the population for the urban areas rose from 1·37 in 1939 to 1·61 in 1940, while that for the rural areas has increased from 1·00 to 1·06.

Influenza.—The number of deaths from this disease for 1940 was 828, compared with 1,091 for the preceding year and an average of 1,243 for the decennial period ended with 1939.

The rate per 1,000 of the population in each of the years 1940 and 1939 was 0·28 and 0·37 respectively.

In the aggregate urban areas the death rate for 1940 was 0·21 per 1,000 and in the rural areas 0·31, compared with 0·14 and 0·49 for 1939.

In the first quarter the mortality was 54 per cent. of the total and in each of the second, third and fourth quarters the proportion was 28, 5 and 13 respectively.

Small-pox.—Since the year 1907 no death from this disease has been recorded.

Measles.—There were 77 deaths registered in 1940. The figure for 1939 was 84, and the average for the period from 1930 to 1939 was 181. Of the deaths recorded, 25 were for Dublin county borough, 21 for Cork county borough and 10 for the county of Donegal.

Typhus.—Two deaths were classified under this heading. In 1939 there were 3 deaths recorded.

Other Infectious or Parasitic Diseases. There were 41 deaths from Hodgkin's disease and 2 from mumps recorded during the year 1940.

Cancer.—The deaths due to cancer recorded for 1940 numbered 3,773—1,980 of males and 1,793 of females. The total is 35 higher than the number for 1939 and 288 more than the average number for the decennial period ended with 1939. The number of deaths of males is 15 above, and that for females 20 above the corresponding figure for 1939.

The deaths from this disease constitute 9·0 per cent. of the deaths from all causes and are equivalent to a rate of 1·28 per 1,000 of the population. The rates for males and females were respectively 1·31 and 1·28 per 1,000. In Northern Ireland the respective rates were 1·36, 1·34 and 1·38 per 1,000. For Scotland the civilian death rates were 1·70 for both sexes, 1·76 for males and 1·65 for females.

A table is appended in which is shown the mortality from cancer per 1,000 of the population in Éire, Northern Ireland, England and Wales, and Scotland for each of the last ten years.

YEARS	Éire	Northern Ireland	England and Wales	Scotland
1931 ...	1·12	1·25	1·48	1·48
1932 ...	1·12	1·24	1·51	1·53
1933 ...	1·10	1·20	1·53	1·53
1934 ...	1·15	1·29	1·56	1·53
1935 ...	1·19	1·24	1·59	1·57
1936 ...	1·20	1·29	1·63	1·59
1937 ...	1·26	1·30	1·63	1·57
1938 ...	1·26	1·32	1·67	1·62
1939 ...	1·27	1·33	1·66	1·61
1940 ...	1·28	1·36	—	1·70*

* Civilian death rate.

TABLE K.—Deaths from CANCER and other MALIGNANT TUMOURS

International List Nos.	Parts Affected	MALES												
		AGES AT DEATH												
		Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and upwards	Total
45	Lip	2	.	6	5	10	15	24	62
	Tongue	1	.	2	6	8	14	21	9	17	78
	Jaw	1	3	4	3	14	12	10	7	54
	Mouth	1	4	4	9	8	7	6	39
	Pharynx	1	1	.	1	3	7	3	2	18
	Tonsil	1	.	1	.	1	3	3	2	11
46	Oesophagus	1	1	3	4	7	15	9	11	13	64
	Stomach	1	2	3	13	23	36	57	96	106	81	41	459
	Rectum	1	1	5	6	16	25	37	45	41	14	191
	Liver	1	2	3	8	7	11	17	25	20	16	110
	Pancreas	1	3	6	6	3	8	5	8	4	44
	Peritoneum ...	1	.	.	.	3	6	6	.	.	1	1	.	3
	Intestine	3	6	4	2	13	18	25	53	65	55	49	293
47	Larynx, Trachea ...	1	.	1	.	.	.	8	6	16	2	11	3	48
	Lung ...	1	1	1	2	7	3	6	12	4	6	2	3	48
	Mediastinum ...	1	1	1	2	2	.	.	.	7
48	Uterus ...	—	—	—	—	—	—	—	—	—	—	—	—	—
49	Ovary ...	—	—	—	—	—	—	—	—	—	—	—	—	—
	Vagina ...	—	—	—	—	—	—	—	—	—	—	—	—	—
	Vulva ...	—	—	—	—	—	—	—	—	—	—	—	—	—
50	Breast	1	1
51	Scrotum	1	8	4	9	17	20	18	77
	Prostate	1	2	1	1	.	2	7
	Penis	1	.	1	.	.	1	5
	Testicle	1	1	.	.	1	.	1	.	.	1	5
52	Bladder	1	1	.	3	6	6	8	4	2	29
	Kidney ...	3	.	.	1	1	.	.	4	2	.	2	.	13
53	Ear	1	.	.	.	1	2	5	9	17
	Face	1	2	1	5	6	9	9	14	47
	Other Skin ...	1	1	.	.	.	1	3
54	Brain ...	2	.	2	1	.	.	3	1	3	.	.	.	12
	Spine ...	1	1	1	.	1	.	.	2
	Thyroid	2	.	1	1	.	1	.	.	5
	Nose ...	1	1	3	.	1	.	6
55	Abdomen	1	.	.	1	2	.	.	4
	Arm, Leg ...	6	3	.	.	1	1	5	2	3	4	4	15	44
	Axilla	1	.	.	1
	Eye ...	1	2	3
	Groin	1	.	.	1	1	1	4
	Neck ...	2	.	.	1	2	1	6	5	15	13	7	12	64
	Parotid	1	2	1	1	.	5
	Pelvis ...	2	3	.	1	1	.	6
	Spleen	1	1	.	2
	Thorax	1	1
	Throat	2	4	4	9	11	10	8	48
	Other and Unspecified ...	1	.	.	1	.	2	6	3	6	5	9	11	44
TOTAL ...		24	9	16	22	44	82	157	211	362	404	351	298	900
Deaths from Cancer per 100,000 living of the same age ...		3.5	12.1		36.7		150.7		401.5		750.5		727.8	130.7

registered during the year 1940 by Sexes, Ages, and parts affected.

FEMALES													Total Males and Fe- males	International List Nos.
AGES AT DEATH														
Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards	TOTAL		
						1		4	1	2	1	4	66	45
					1	1		4	1	3	1	10	88	
									1		2	9	63	
1		1	1	1	1		4	2	1	4		12	51	
							1	2	2	1		8	26	
								2		1		3	14	
2	1	3	2	3	2	9	8	12	5	3	4	46	110	46
1				8	10	17	48	57	75	62	44	329	788	
			1	6	6	11	11	8	20	14	10	81	272	
	1				1	17	15	23	18	17	24	121	231	
3			1		1	5	5	7	13	4	8	44	88	
			1		1	1	1	1	6			14	17	
		3	2	7	10	22	26	56	45	52	55	278	571	
1		1	1	2	1	3	3	5	1	1		17	65	47
	1			2	1	4	4	4	8	5		31	79	
								1	2	1	2	7	14	
1	1	2	5	16	20	21	31	30	16	19	10	172	172	48
	3		3	6	5	5	4	4	3	3	1	37	37	49
				1		1	3	2	1	4		5	5	
						1	3				2	14	14	
	2	4	18	16	23	29	32	45	39	46	29	283	284	50
—	—	—	—	—	—	—	—	—	—	—	—	—	1	51
—	—	—	—	—	—	—	—	—	—	—	—	—	77	
—	—	—	—	—	—	—	—	—	—	—	—	—	7	
—	—	—	—	—	—	—	—	—	—	—	—	—	5	
2	1	1			2	1	3	2	1	3	2	14	43	52
						1		2			2	9	22	
			1	1			4			1	3	5	22	53
		1				1		2	5	9	9	31	78	
								1	1	1	4	8	11	
1	1	1	1	2	1	2	5					13	25	54
			1		1	1	3	2	3	1	1	13	15	
							1	2	2	2		9	14	
				1	1				1			3	9	
4	1		2	3	2	5	6	4	4	3	9	14	18	55
1									1		1	54	98	
												2	3	
										1	1	3	6	
							3	1	4	1	3	2	6	
					3			2	1	2	2	13	77	
							2				1	5	10	
									2			7	13	
				1		1	1	3	4	1	2	2	4	
												2	3	
4		3	2	1	3	5	5	8	8	6	3	11	59	
													92	
21	12	20	42	77	95	170	233	304	297	286	236	1,793	3,773	TOTAL
3.2	16.7		64.2		177.1		410.3		596.8		497.1	124.3	127.6	Rate per 10,000

In Tables 14 and 15 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 16 to 18. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1940 numbered 1,305, equivalent to a rate of 1·32 per 1,000, and in the aggregate rural areas the number was 2,468 and the rate 1·25 per 1,000. In the year 1939 the numbers of deaths for the urban and rural areas were respectively 1,222 and 2,516, corresponding to rates of 1·25 and 1·29 per 1,000 of the population.

In Table K the deaths from cancer in 1940 are classified according to the site affected and the age at death. The excess of female mortality under 50 years of age is apparent, but when this age-period has been passed, the excess in the male mortality is more pronounced with increasing age. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the buccal cavity and the digestive system.

Tumours.—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract IV in two classes :—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1940 the deaths in the first group amounted to 53 (15 of males and 38 of females) and those in the second to 100 (59 males and 41 females) compared with a total of 69 and 101 respectively, in the previous year.

The non-malignant tumours included 11 of the brain, 11 of the uterus, 9 of the ovary, and 9 of the bladder.

The deaths classified under the heading of tumours of undetermined nature included 49 of the brain; 8 of the intestine; 7 of the mediastinum; 5 of the stomach; and 4 each of the lung and abdomen.

Diabetes.—There were 284 deaths from this disease for 1940 compared with 258 in the previous year.

In the year 1940 the rate per 100,000 of the population represented by the deaths from diabetes was 9·6. The rates for Northern Ireland and Scotland were, respectively, 12·2 and 19·0.


Other General Diseases.—During 1940 there were classified under this heading 7 deaths from coeliac disease, 4 from toxæmia, 2 from hæmochromatosis, 2 from amyloid disease, one from autointoxication, and one from obesity.

Heart Disease.—During 1940 there were 8,908 deaths from diseases of the heart, as compared with 8,533 in 1939, 7,786 in 1938, 7,875 in 1937, and 7,626 in 1936. The average number of deaths registered during the decennial period ended with 1939 was 6,978.

The deaths from this cause in 1940 represent 21·3 per cent. of the mortality from all causes and are equivalent to a rate of 3·01 per 1,000 of the population.

Bronchitis.—During the year 1940 there were 2,011 deaths in which the cause was stated to be bronchitis. Of the total, 996 were of males and 1,015 were of females. The total is equal to a rate of 0·68 per 1,000 of the population and constitutes 4·8 per cent. of the total deaths registered. The number of deaths recorded for 1939 was 1,933, and the average figure for the decennial period from 1930 to 1939 was 2,233.

DIAGRAM No. 5. Mortality from Cancer, 1926 to 1940.



Pneumonia.—The number of deaths recorded from pneumonia (all forms) was 1,861, equivalent to a rate of 0·63 per 1,000 of the population. Of this figure 983 deaths were of males and 878 of females.

The average number during the ten years from 1930 to 1939 was 2,478, and during 1939 the number recorded was 1,953.

The deaths for 1940 include 951 from broncho-pneumonia, 243 from lobar pneumonia and 667 from pneumonia (unspecified)

Enteritis and Diarrhoea.—There were 598 deaths of children under 2 years recorded, 331 being of males and 267 of females. The number for 1939 and the average for the ten years ended with that year were each 574. The urban mortality was equal to a rate of 18·7 per 1,000 births, and the corresponding rate for rural areas was 5·6 per 1,000 births registered.

Pregnancy, Childbirth and the Puerperal State.—Deaths under this heading are divided into three groups, viz., (1) deaths from puerperal infection, (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1940 the number in the first group was 55, in the second group the figure was 153, and under the third heading there were 19; so that in all, the deaths from these causes numbered 227. The total represents a rate of 4·01 per 1,000 of the total births registered, as compared with 3·89 in the year 1939, and an average of 4·82 for the ten years 1930 to 1939. For the year 1940 the deaths from puerperal infection comprise those from post-abortive infection, general or local puerperal infections, puerperal thrombo-phlebitis, and puerperal embolism and sudden death. (See note page 56).

In Table L full particulars of the deaths by causes and age periods are given, and in Table M a statement of the number of deaths and the rate per 1,000 births for the years 1930 to 1940.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and groups of urban and rural areas in Tables 14 to 18.

TABLE L.—Deaths of women in 1940 returned as either caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
Diseases of Pregnancy, Childbirth, and the Puerperal State.								
Post Abortive Infection	3	.	.	2	.	1	.	.
Abortion without Septic Condition ...	1	.	.	.	1	.	.	.
Ectopic Gestation	6	.	.	.	2	4	.	.
Hæmorrhage of Pregnancy	9	.	.	1	3	1	4	.
Toxæmias of Pregnancy	28	.	2	5	8	8	4	1
Other Diseases of Pregnancy	3	.	.	1	.	.	1	1
Hæmorrhage of Childbirth	57	.	3	7	13	19	11	4
Infection during Childbirth	52	.	4	11	17	15	3	2
Puerperal Toxæmias	19	.	2	1	6	9	1	.
Other Accidents of Childbirth	22	.	3	6	6	6	1	.
Other or unspecified Puerperal Conditions	8	.	1	.	2	1	4	.
Causes associated with Pregnancy, Childbirth, and the Puerperal State.								
Tuberculosis	1	1	.	.
Influenza	1	1	.
Hæmorrhagic conditions	1	.	.	.	1	.	.	.
Anæmias	3	.	.	.	2	1	.	.
Heart Disease	11	.	.	3	2	2	3	1
Chronic Nephritis	1	.	1
Violence (Burns)	1	.	.	.	1	.	.	.
TOTAL	227	.	16	37	64	68	33	9

TABLE M.—Deaths of women attributable to, or associated with **PREGNANCY, CHILDBIRTH,** and the **PUERPERAL STATE**, during each of the years 1930-1940, and the rate per 1,000 births registered during each of those years.

YEARS.	Puerperal Infection.*		Other Diseases of Pregnancy and Childbirth.		Puerperal Infection and Diseases of Pregnancy and Childbirth.		Causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by, or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1930 ...	81	1.39	197	3.38	278	4.77	16	0.27	294	5.04
1931 ...	66	1.16	180	3.15	246	4.31	26	0.45	272	4.76
1932 ...	78	1.39	178	3.16	256	4.55	24	0.43	280	4.98
1933 ...	80	1.39	175	3.05	255	4.44	41	0.72	296	5.16
1934 ...	101	1.80	167	2.88	271	4.68	33	0.57	304	5.25
1935 ...	89	1.53	183	3.14	272	4.67	25	0.43	297	5.10
1936 ...	104	1.79	169	2.91	273	4.70	26	0.44	299	5.14
1937 ...	51	0.90	153	2.71	204	3.61	33	0.58	237	4.19
1938 ...	46	0.81	188	3.30	234	4.11	33	0.58	267	4.69
1939 ...	38	0.68	152	2.71	190	3.39	28	0.50	218	3.89
Average, 1930-39 ...	74	1.28	174	3.04	248	4.32	28	0.50	276	4.82
1940 ...	55	0.97	153	2.70	208	3.67	19	0.34	227	4.01

* The figures and rates under this heading for the years 1930-39 inclusive, relate only to deaths classified to puerperal sepsis. See text on previous page.

Violence.—The number of deaths classified under this heading in 1940 was 1,067. This figure shows an increase of 157 when compared with that for the year 1939. The average figure for the ten years 1930 to 1939 from this group of causes was 958.

Included in the total for 1940 there were 99 by suicide, 13 by homicide (including infanticide), 12 due to wounds of war, 2 to legal executions and 941 to other external causes. The latter figure includes accidental deaths and deaths not known to be due to suicide or homicide. The number of deaths by suicide is 19 more and those by homicide 2 less than the corresponding figures for 1939.

Of the suicidal deaths 77 were of males and 22 of females. In 20 cases poisoning was the means used to cause death, including lysol in 8 cases, carbon monoxide in 7 cases, strychnine in 3, and in the 2 remaining cases the poison used was other than those enumerated. In the other 79 deaths by suicide the means adopted was hanging or strangulation in 30 instances, drowning in 20, cutting or piercing instruments in 19, firearms in 8, and in 2 instances other means were used to cause death.

There were 13 deaths by homicide, including 9 of males and 4 of females; four were cases of infanticide.

There were 9 accidental deaths from poisons or poisonous gases, 6 of which were due to carbon monoxide, and one to each of smoke fumes, sodium amytal and creosote.

Burns and scalds was the cause of 158 deaths (56 males and 102 females), of which 56 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1939 was 49.

Deaths classified to accidental drowning numbered 159 (125 of males and 34 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

There were 224 deaths included under the heading of transport accidents ; of this figure 183 were of males and 41 of females. In 1939 the total under this heading was 204 (161 of males and 43 of females). Deaths from motor vehicles numbered 163, compared with 155 for 1939. There were 47 deaths recorded as due to other road transport accidents. This figure includes 31 caused by bicycles and 16 by horse-drawn vehicles, compared with 17 and 21 respectively for 1939.

Of the 163 deaths attributed to motor vehicles, 108 were stated to be caused by motor cars, 32 by motor lorries or vans, 12 by buses, and 11 by motor-cycles.

AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1940 numbered 4,826, compared with 4,830 for the previous year. The figure for 1940 is 11·5 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 12·4 per cent. of the male mortality, and the rate for females 10·6 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 21,483 in number, constituting 51·3 per cent. of the total number of deaths, and include 10,875 deaths of males, or 50·3 per cent. of the total deaths of males, and 10,608 of females, or 52·3 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 16,924, or 40·4 per cent. of the total deaths.

There were 179 deaths of persons aged 95 years or upwards (66 being males and 113 females), and of these 24 (8 males and 16 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were registered in the year are given in Abstract III by certain age-groups.

The following table shows the variations in the death rates at different age-periods in the years 1940 and 1939.

TABLE N.—DEATH RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1940	1939	Increase or Decrease in 1940	1940	1939	Increase or Decrease in 1940	1940	1939	Increase or Decrease in 1940
Under 5 years ...	18·05	18·21	—0·16	19·72	19·81	—0·09	16·32	16·56	—0·24
5— ...	1·75	1·85	—0·10	1·85	2·09	—0·24	1·64	1·59	+0·05
10— ...	1·37	1·24	+0·13	1·30	1·18	+0·12	1·45	1·31	+0·14
15— ...	2·76	2·62	+0·14	2·55	2·59	—0·04	2·98	2·67	+0·31
20— ...	3·57	3·26	+0·31	3·33	2·93	+0·40	3·84	3·62	+0·22
25— ...	4·58	4·42	+0·16	4·43	4·23	+0·20	4·74	4·63	+0·11
35— ...	5·60	5·44	+0·16	5·44	5·47	—0·03	5·76	5·41	+0·35
45— ...	10·39	10·54	—0·15	10·82	10·60	+0·22	9·93	10·47	—0·54
55— ...	22·23	22·69	—0·46	22·49	23·70	—1·21	21·94	21·55	+0·39
65— ...	54·58	55·26	—0·68	57·38	57·48	—0·10	51·70	52·91	—1·21
75— ...	112·65	113·14	—0·49	119·18	120·42	—1·24	107·07	107·04	+0·03
85 and upwards	185·24	185·79	—0·55	192·24	191·68	+0·56	180·01	186·99	—6·98
All ages ...	14·16	14·22	—0·06	14·26	14·35	—0·09	14·05	14·08	—0·03

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, during the period 1864-70, each of the decennial periods from 1871 to 1930, and each year from 1930 to 1940 are given in Table 8.

INFANT MORTALITY.

During the year 1940 the deaths of 3,759 infants under one year of age were registered, compared with 3,691 in the preceding year. The figure for 1940 is equivalent to a rate of 66 per 1,000 births, which was also the rate for 1939, compared with an average of 69 for the ten years 1930 to 1939. The rate for each of the years 1930 to 1940 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 2,094 were those of males and 1,665 of females; the males were equal to a rate of 72 per 1,000 births of males, and the females to a rate of 60 per 1,000 births of females. The corresponding rates for 1939 were 73 and 58, respectively.

The infant mortality rates during the quarters of 1940 were, respectively, 78, 63, 51 and 75, compared with corresponding figures of 82, 64, 52 and 62 for the previous year.

The infant mortality rate in Northern Ireland for 1940 was 86 per 1,000 births; and in Scotland 78. In the year 1939 the corresponding rates were 70 and 69 respectively.

During the year 1940 the following causes accounted for 81 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 53·82 per 1,000 births:—congenital debility 13·25 per 1,000 births, premature birth 10·67, diarrhoea and enteritis 9·67, pneumonia 7·70, convulsions 3·55, congenital malformations 4·59, bronchitis 2·62, and whooping cough 1·77.

The deaths of infants during the first month of life were 42·0 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 13·1, between 2 and 3 months 10·4, at 3 and under 6 months the rate was 19·2 and from 6 to 12 months old the rate was 15·3.

Urban and Rural Infant Mortality.

During the year 1940 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 1,816, representing a rate of 85 per 1,000 births registered. In 1939 the corresponding number of deaths was 1,790, and the rate 83 per 1,000 births.

For the rural areas 1,943 deaths of infants were registered in 1940, compared with 1,901 in the previous year; the rate per 1,000 births for each year was 55.


Table 11 shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in urban areas of 10,000 inhabitants and upwards (thirteen principal towns). For these areas in the aggregate the rate was 88 per 1,000 births, compared with 83 for the preceding year. Deaths of infants in urban areas of less than 10,000 inhabitants were equivalent to a rate of 70 per 1,000 births, the rate for 1939 being 85.

The rates for the individual towns are as follows, ranging in order from the highest to the lowest:—

Waterford, 111; Dun Laoghaire, 97; Galway, 95; Kilkenny, 93; Cork, 92; Dublin, 91; Sligo, 77; Limerick, 70; Wexford, 66; Drogheda, 65; Bray, 61; Dundalk, 54; and Tralee, 53 per 1,000 births.

The infant mortality rate for Belfast in 1940 was 122 per 1,000 births; for Derry it was 93; for Edinburgh, 68; and for Glasgow, 95 per 1,000 births.

DIAGRAM No. 6. Infant Mortality 1926 to 1940.



The following statement shows the INFANT MORTALITY per 1,000 births, by sexes, in 1940 for urban and rural areas in Éire :—

AGES.	ÉIRE											
	Urban Areas 10,000 pop. & upwards			Urban Areas under 10,000 pop.			All Urban Areas.			All Rural Districts.		
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.
Under one Month	32.5	34.5	30.4	27.8	33.9	21.3	31.7	34.4	28.7	25.6	27.2	23.9
1-2 Months ...	11.2	12.5	10.0	11.8	13.8	9.6	11.3	12.7	9.9	7.1	8.0	6.2
2-3 „ ...	9.0	10.2	7.7	9.2	11.3	6.9	9.0	10.4	7.6	5.7	6.4	4.9
3-6 „ ...	20.1	21.9	18.2	10.2	10.8	9.6	18.3	19.8	16.6	9.3	9.1	9.6
6-12 „ ...	15.3	16.3	14.1	11.0	9.8	12.2	14.5	15.1	13.8	7.5	8.9	6.1
Under one Year	88.1	95.4	80.4	70.0	79.6	59.6	84.8	92.4	76.6	55.2	59.6	50.7

This statement shows the very large proportion of infants who died before completing their first month of life. Of the infants who died in urban areas 37 per cent. were under one month old, and the corresponding figure for rural areas was 46 per cent. The contrast between the male and female mortality of infants is also apparent : in almost every instance the male mortality exceeds that of the female.

Deaths of Illegitimate Infants.

The number of deaths of illegitimate infants under one year of age registered during the year 1940 was 449, consisting of 218 deaths of males and 231 of females.

In Table 12 the number of such deaths by causes and at different periods of life is given, and in Table 13 the deaths of illegitimate infants by counties and county boroughs, arranged according to the county of residence of the mothers, are shown. It will be observed that the majority of such deaths take place in institutions. Thus, of 27 deaths for Dublin county, 23 took place in institutions, and of the 104 deaths for Dublin city, the number in institutions was 96, so that only 12 of the 131 deaths for Dublin county and city did not occur in institutions.

PART II.



Tables.

TABLE 1.—ESTIMATED POPULATION, middle of years 1801 to 1940, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801	4,154	2,085	2,069	1877	3,956	1,947	2,009	1909	3,142	1,589	1,553
1811	4,746	2,363	2,383	1878	3,952	1,948	2,004	1910	3,139	1,588	1,551
1821	5,421	2,676	2,745	1879	3,939	1,944	1,995	1911	3,132	1,586	1,546
1831	6,194	3,033	3,161	1880	3,891	1,920	1,971	1912	3,120	1,581	1,539
1841	6,545	3,235	3,310	1881	3,847	1,901	1,946	1913	3,103	1,572	1,531
				1882	3,808	1,882	1,926	1914	3,092	1,568	1,524
1851	5,079	2,486	2,593	1883	3,745	1,853	1,892	1915	3,068	1,546	1,522
1852	4,927	2,413	2,514	1884	3,703	1,834	1,869	1916	3,068	1,549	1,519
1853	4,807	2,358	2,449	1885	3,671	1,820	1,851	1917	3,065	1,551	1,514
1854	4,704	2,311	2,393	1886	3,642	1,808	1,834	1918	3,066	1,553	1,513
1855	4,638	2,281	2,357	1887	3,600	1,788	1,812	1919	3,102	1,598	1,504
1856	4,594	2,261	2,333	1888	3,554	1,766	1,788	1920	3,103	1,598	1,505
1857	4,540	2,234	2,306	1889	3,516	1,748	1,768	1921	3,096	1,599	1,497
1858	4,506	2,217	2,289	1890	3,482	1,733	1,749	1922	3,022	1,529	1,493
1859	4,471	2,199	2,272	1891	3,449	1,718	1,731	1923	3,014	1,526	1,488
1860	4,428	2,179	2,249	1892	3,408	1,697	1,711	1924	3,005	1,521	1,484
1861	4,393	2,164	2,229	1893	3,382	1,684	1,698	1925	2,985	1,512	1,473
1862	4,377	2,158	2,219	1894	3,362	1,675	1,687	1926	2,971	1,507	1,464
1863	4,328	2,134	2,194	1895	3,333	1,662	1,671	1927	2,957	1,502	1,455
1864	4,263	2,103	2,160	1896	3,314	1,653	1,661	1928	2,944	1,498	1,446
1865	4,223	2,084	2,139	1897	3,298	1,646	1,652	1929	2,937	1,496	1,441
1866	4,163	2,051	2,112	1898	3,283	1,640	1,643	1930	2,927	1,493	1,434
1867	4,130	2,033	2,097	1899	3,265	1,631	1,634	1931	2,927	1,497	1,436
1868	4,109	2,022	2,087	1900	3,234	1,616	1,618	1932	2,949	1,505	1,444
1869	4,090	2,012	2,078	1901	3,213	1,607	1,606	1933	2,962	1,512	1,459
1870	4,062	1,996	2,066	1902	3,200	1,603	1,597	1934	2,971	1,518	1,453
1871	4,042	1,986	2,056	1903	3,185	1,599	1,586	1935	2,971	1,520	1,451
1872	4,023	1,975	2,048	1904	3,175	1,597	1,578	1936	2,967	1,520	1,447
1873	3,989	1,955	2,034	1905	3,165	1,594	1,571	1937	2,948	1,516	1,438
1874	3,966	1,944	2,022	1906	3,160	1,593	1,567	1938	2,937	1,505	1,432
1875	3,951	1,940	2,011	1907	3,151	1,589	1,562	1939	2,934	1,503	1,431
1876	3,949	1,942	2,007	1908	3,145	1,588	1,557	1940	2,953	1,515	1,443

NOTE.—The population from 1801 to 1910 is based on the result of each Census taken during that period as described in previous Annual Reports.

From 1911 to 1925 the population was estimated by adding to the population at the Census of 1911 the number of births registered, and deducting the number of deaths registered and the number of emigrants enumerated each year. From 1922 the migration figures have been used in the estimates, the number of emigrants and immigrants having been furnished by the Department of Industry and Commerce. Adjustments were made for the years 1915-1921 to cover the movements of the British military; and at the Census of 1926, the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the Census date) and the population at the Census, by a distribution of the difference in arithmetical progression over the preceding fifteen years.

For the years 1926 to 1940 the estimate has been based on the population according to the Census of 1926, the natural increase (excess of births over deaths) and the passenger movement figures (including emigration and immigration) published by the Department of Industry and Commerce. The resulting estimates for the years 1926 to 1936 have been revised in accordance with the population according to the Census of 1936.

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS.	AGES.														Total Population.*		
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards			
	PERSONS.																
1851	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,556
1861	103,931	419,097	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871	99,807	388,438	476,611	474,552	392,142	340,114	543,674	492,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881	78,630	353,148	471,705	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,620
1891	61,943	277,768	379,942	414,919	413,432	325,110	430,250	353,009	336,015	247,835	142,235	67,492	12,658	1,624	3,468,694
1901	69,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,948	139,690	57,632	10,376	1,517	3,221,823
1911	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,662	3,139,688
1926	55,391	222,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,634	824	2,971,992
1936	53,606	214,660	269,555	282,783	258,296	214,313	400,669	375,325	309,240	273,859	198,941	76,238	16,890	616	2,968,420
PROPORTION PER CENT.																	
1851	1.96	7.67	12.40	13.91	12.54	9.74	12.92	11.14	8.50	5.86	2.37	0.83	0.13	0.03	100
1861	2.34	9.54	10.37	10.28	11.74	10.72	12.93	10.42	9.60	7.51	3.08	1.24	0.20	0.03	100
1871	2.46	9.59	11.77	11.72	9.68	8.40	13.42	9.95	8.93	8.13	4.14	1.49	0.27	0.05	100
1881	2.03	9.13	12.19	12.02	10.85	9.19	12.02	10.68	8.44	7.22	4.17	1.78	0.24	0.04	100
1891	1.87	8.01	10.96	11.97	11.92	9.38	12.41	10.18	9.69	7.15	4.10	1.95	0.36	0.05	100
1901	1.87	7.80	10.09	10.44	10.83	10.06	14.47	10.62	9.26	8.07	4.33	1.79	0.32	0.05	100
1911	1.88	7.90	9.88	9.66	9.67	8.57	14.47	12.12	8.89	6.46	7.50	2.63	0.34	0.03	100
1926	1.86	7.82	9.58	9.94	9.63	8.08	13.42	11.60	11.16	7.77	6.17	2.47	0.47	0.03	100
1936	1.83	7.92	9.07	9.33	9.04	8.57	13.48	11.97	10.42	9.99	6.79	2.37	0.47	0.03	100

*At the Census of 1851, the ages of 2,616 persons (1,439 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,128 (2,029 males and 1,109 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females) and in 1891, the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS	AGES.										Total Population*				
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65		65—75	75—85	85—95	95 and upwards
	FEMALES.														
1851	49,235	192,953	311,629	348,372	321,547	256,588	347,343	302,902	228,265	164,703	63,818	23,822	3,769	987	2,617,086
1861	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,336	83,891	32,162	5,703	1,165	2,060,719
1881	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	86,709	34,270	4,814	1,040	1,957,582
1891	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901	29,582	124,108	160,346	164,716	174,099	169,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,867	467	1,465,103
1936	26,454	105,447	132,997	139,063	130,214	119,833	192,666	174,801	150,102	130,620	98,063	41,084	6,236	386	1,447,966
PROPORTION PER CENT.															
1851	1.88	7.38	11.91	13.32	12.29	9.81	13.28	11.58	8.72	6.30	2.44	0.91	0.14	0.04	100
1861	2.27	9.27	10.08	9.87	11.70	10.63	12.85	10.97	9.85	7.75	3.19	1.32	0.21	0.04	100
1871	2.41	9.28	11.44	11.25	9.71	8.59	13.73	10.07	9.29	8.27	4.07	1.56	0.28	0.05	100
1881	1.97	8.91	11.91	11.60	10.86	9.08	12.35	11.04	8.56	7.54	4.13	1.75	0.25	0.05	100
1891	1.83	7.87	10.75	11.70	11.74	8.94	12.61	10.71	10.02	7.24	4.21	1.97	0.36	0.05	100
1901	1.83	7.70	9.95	10.22	10.80	9.95	14.37	10.78	9.70	8.27	4.23	1.81	0.33	0.06	100
1911	1.88	7.88	9.84	9.61	9.54	8.24	14.55	11.74	8.79	6.63	8.16	2.74	0.36	0.04	100
1926	1.86	7.80	9.55	9.88	9.56	7.90	13.62	11.70	10.85	7.51	6.45	2.76	0.53	0.03	100
1936	1.83	7.25	9.19	9.60	8.99	8.28	13.31	12.07	10.37	9.02	6.77	2.84	0.43	0.02	100

* See note (*) on page 3.

TABLE 3.—MARRIAGES, BIRTHS and DEATHS registered, and NATURAL INCREASE (excess of Births over Deaths), 1864-1940.

Period.	Mar- riages.	BIRTHS.						DEATHS.				Natural Increase.	
		TOTAL (including Illegitimate).			Legiti- mate.	Illegitimate.			Total.	Males.	Females.		
		Total.	Males.	Females.		Total.	Males.	Females.					
Average, 1864-70	...	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
" 1871-80	...	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
" 1881-90	...	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
" 1891-1900	...	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
" 1901-10	...	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
" 1911-20	...	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
" 1921-30	...	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1930	...	13,631	58,353	29,913	28,440	56,490	1,863	940	923	41,702	21,075	20,627	16,651
1931	...	13,133	57,086	29,409	27,677	55,161	1,925	971	954	42,947	21,754	21,193	14,139
1932	...	13,029	56,240	28,842	27,398	54,421	1,819	938	881	42,984	21,801	21,183	13,256
1933	...	13,992	57,364	29,381	27,983	55,360	2,604	969	1,035	40,539	20,610	19,929	16,825
1934	...	14,251	57,897	29,825	28,072	55,867	2,030	1,038	992	39,083	19,920	19,163	18,814
1935	...	14,336	58,266	29,898	28,368	56,320	1,946	1,036	910	41,543	21,541	20,002	16,723
1936	...	14,763	58,115	29,602	28,513	56,207	1,908	978	930	42,586	21,920	20,666	15,529
1937	...	14,780	56,488	28,893	27,595	54,675	1,813	945	868	45,086	23,331	21,755	11,402
1938	...	14,893	56,925	29,108	27,817	55,047	1,878	998	880	40,041	20,637	19,404	16,884
1939	...	15,204	56,070	28,804	27,266	54,289	1,781	927	854	41,717	21,567	20,150	14,353
Average, 1930-39	...	14,201	57,281	29,368	27,913	55,384	1,897	974	923	41,823	21,416	20,407	15,458
1940	...	15,212	56,594	29,029	27,565	54,770	1,824	895	929	41,885	21,611	20,274	14,709

TABLE 4. MARRIAGES, DIVORCES, DEATHS, AND RATES OF NATURAL INCREASE, 1864-1940.

PERIOD.	MARRIAGES.		BIRTHS.					DEATHS.			Natural Increase per 1,000 of Population.
	Per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Per 1,000 Population.	Infant Mortality per 1,000 Births.			
				Per 1,000 Population.	Per Cent. Total Births.						
1864-70	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56		
1871-80	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25		
1881-90	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32		
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50		
1901-10	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.62		
1911-20	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86		
1921-30	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76		
1930	4.66	19.94	19.30	0.64	3.19	1,052	14.25	67.95	5.69		
1931	4.48	19.46	18.81	0.66	3.37	1,063	14.64	68.93	4.82		
1932	4.42	19.07	18.45	0.62	3.23	1,053	14.58	72.19	4.49		
1933	4.72	19.37	18.69	0.68	3.49	1,050	13.69	65.23	5.68		
1934	4.80	19.49	18.80	0.68	3.51	1,062	13.15	63.28	6.34		
1935	4.83	19.61	18.96	0.65	3.34	1,054	13.98	68.44	5.63		
1936	4.98	19.59	18.94	0.64	3.28	1,038	14.35	74.15	5.23		
1937	5.01	19.16	18.55	0.61	3.21	1,047	15.29	72.95	3.87		
1938	5.07	19.38	18.74	0.64	3.30	1,046	13.63	66.65	5.75		
1939	5.18	19.11	18.50	0.61	3.18	1,056	14.22	65.83	4.89		
Average, 1930-39	4.82	19.42	18.77	0.64	3.31	1,052	14.18	68.56	5.24		
1940	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97		

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864 1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1928).

CAUSES OF DEATH.		ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
		1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES	...	67,323	71,611	64,220	58,994	53,577	1022.7	1806.4	1756.2	1770.1	1691.4
Typhoid fever	...	2,973	660*	514	492	263	71.5	16.7*	14.1	14.7	8.3
Typhus fever	...		575*	462	166	60		14.5*	12.5	5.0	1.9
Simple continued fever.			1,067*	393	110	26		26.9*	10.6	3.3	0.8
Small-pox	...	150	628	7	21	5	3.5	15.8	0.2	0.6	0.2
Measles	...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever	...	2,001	1,640	720	291	110	48.1	41.3	19.5	8.7	3.5
Whooping cough	...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria	...	196	214	206	177	228	4.7	5.4	5.6	5.3	7.2
Influenza	...	127	69	155	1,537	963	3.0	1.7	4.4	46.3	30.4
Simple cholera	...	455	56	28	70	775	10.9	1.4	0.8	2.1	24.4
Dysentery	...	404	198	986	942		9.7	5.0	26.9	28.3	
Diarrhoea	...	1,456	1,300				35.1	32.8			
Pulmonary tuberculosis.		6,777	6,960	7,026	6,669	6,263	163.4	175.5	192.3	200.2	197.6
Other tuberculous diseases.		—	—	1,904	1,938	1,774	—	—	52.0	58.2	56.0
Cancer	...	—	—	1,362	1,608	2,157	—	—	37.4	48.3	68.2
Pneumonia	...	10,169	10,605	11,217	9,522	2,661†	244.9	267.7	306.5	285.4	84.4‡
Other respiratory diseases.						6,334‡					200.8‡
Puerperal sepsis	...	234	274	244	199	150	5.7	6.9	6.7	6.0	4.8
Other puerperal conditions.		516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide	...	1,650	1,531	80†	90	96	39.8	38.6	2.2†	2.7	3.0
Other violence	...			1,286†	1,281	1,156			35.4†	38.5	36.5

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A. —DEATHS FROM VARIOUS CAUSES, 1911-39.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

Nos.*	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS.			ANNUAL AVERAGE RATE PER 100,000 OF POPULATION.		
		1911-20	1921-30	1931-39†	1911-20	1921-30	1931-39†
	ALL CAUSES ...	51,453	43,203	41,836	1664.4	1446.9	1417.1
1	Typhoid fever ...	195	108	68	6.3	3.6	2.3
2	Typhus fever ...	32	10	4	1.0	0.3	0.1
3	Measles ...	383	253	184	12.4	8.5	6.2
4	Scarlet fever ...	148	78	94	4.8	2.6	3.2
5	Whooping cough...	494	365	221	16.0	12.3	7.5
6	Diphtheria ...	225	282	337	7.3	9.4	11.4
7	Influenza ...	2,030	1,221	1,313	65.8	40.9	44.5
8	Dysentery ...	18	11	2	0.6	0.3	0.1
*9	Encephalitis lethar- gica	—	40	27	—	1.3	0.9
10	Cerebro-spinal fever	30	17	30	1.0	0.6	1.1
11	Tuberculosis of respiratory system	5,027	3,437	2,784	162.6	115.0	94.3
12	Other tuberculous diseases	1,312	920	772	42.4	30.8	26.2
13	Cancer ...	2,591	2,933	3,503	83.8	98.4	118.7
14	Diabetes mellitus	245	227	257	7.9	7.6	8.7
*15	Cerebral hæmorrhage, etc.	1,415	2,077	2,359	45.8	69.6	79.9
16	Heart disease ...	5,148	4,981	7,092	166.5	167.1	240.2
*17	Other circulatory diseases	—	439	732	—	14.7	24.8
18	Bronchitis ...	4,324	2,750	2,201	139.8	92.0	74.6
19	Pneumonia, all forms	2,853	2,476	2,482	92.3	83.0	84.1
20	Other respiratory diseases	819	722	689	26.5	24.2	23.3
21	Gastric and duode- nal ulcer	229	274	322	7.4	9.2	10.9
22	Diarrhoea and enter- itis under 2 years	814	592	583	26.3	19.8	19.8
23	Appendicitis ...	129	169	189	4.2	5.7	6.4
24	Cirrhosis of Liver ...	183	95	74	5.9	3.2	2.5
*25	Other diseases of Liver, etc.	—	138	163	—	4.6	5.4
*26	Other digestive diseases	—	1,172	939	—	39.2	31.8
27	Acute and chr. nephritis	1,150	1,132	1,197	37.2	38.0	40.6
28	Puerperal sepsis ...	129	101	73	4.2	3.4	2.5
29	Other puerperal causes	212	190	172	6.9	6.4	5.8
*30	Congenital debility, etc.	2,101	1,788	1,843	68.0	59.9	62.4
*31	Senility ...	—	8,300	6,174	—	277.8	209.1
32	Suicide ...	82	89	97	2.6	3.0	3.3
33	Other violent deaths	1,165	1,023	871	37.7	34.1	29.5
34	Other defined causes	16,609	3,491	3,337	537.2	117.0	113.0
35	Causes ill-defined or unknown.	1,361	1,302	651	44.0	43.4	22.0

* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xxi of Annual Report for 1931.

† Average for nine years.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, ÉIRE AND NORTHERN IRELAND, 1940.

Nos.	CAUSES OF DEATH.	ÉIRE.		NORTHERN IRELAND.	
		1940 No. of Deaths.	1940 Rate.	1940 No. of Deaths.	1940 Rate.
	ALL CAUSES ...	41,885	1416·0	18,941	1461·5
1	Typhoid fever (including paratyphoid) ...	31	1·0	10	0·8
2	Cerebro-spinal fever ...	23	0·8	58	1·5
3	Scarlet fever ...	33	1·1	27	2·1
4	Whooping cough ...	163	5·5	141	10·9
5	Diphtheria ...	178	6·0	127	9·8
6	Tuberculosis of respiratory system ...	2,907	98·3	967	74·6
7	All other forms of tuberculosis ...	778	26·3	299	23·1
8	Dysentery ...	2	0·1	—	—
9	Influenza ...	828	28·0	665	51·3
10	Measles ...	77	2·6	193	14·9
11	Acute infectious encephalitis ...	23	0·8	32	2·5
12	Typhus ...	2	0·1	—	—
13	Cancer ...	3,773	127·6	1,764	136·1
14	Diabetes mellitus ...	284	9·6	158	12·2
15	Intra-cranial lesions of vascular origin ...	2,687	90·8	1,544	119·1
16	Diseases of the heart ...	8,908	301·1	3,950	304·8
17	Other diseases of the circulatory system ...	755	25·5	337	26·0
18	Bronchitis ...	2,011	68·0	912	72·7
19	Pneumonia ...	1,861	62·9	873	67·4
20	Other diseases of the respiratory system ...	678	22·9	296	22·8
21	Ulcer of the stomach or duodenum ...	372	12·6	164	12·7
22	Diarrhoea and enteritis ...	724	24·5	465	35·9
23	Appendicitis ...	190	6·4	72	5·6
24	Cirrhosis of the liver ...	59	2·0	35	2·7
25	Diseases of the liver and biliary passages ...	157	5·3	86	6·6
26	Other diseases of the digestive system ...	639	21·6	228	17·6
27	Nephritis ...	1,183	40·0	473	36·5
28	Puerperal infection ...	55	1·9	33	2·5
29	Other diseases of childbirth ...	153	5·2	73	5·6
30	Congenital debility, etc. (Nos. 157-161) ...	1,931	65·3	1,051	81·1
31	Senility ...	5,788	195·7	1,552	119·8
32	Suicide ...	99	3·3	60	4·6
33	Other violence ...	968	32·7	632	48·8
34	Other causes ...	3,535	120·5	1,634	126·1

TABLE 8.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,
registered during the years 1864-1940.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	279
„ 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
„ 1881-90 ...	32,233	7,140	982	653	932	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
„ 1891-1900 ...	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
„ 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
„ 1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
„ 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1930 ...	21,075	3,233	384	242	405	495	916	1,077	1,852	3,139	4,960	3,187	1,077	108
1931 ...	21,754	3,201	357	240	411	520	905	1,094	1,983	3,238	5,224	3,419	1,056	106
1932 ...	21,801	3,235	366	226	412	545	965	1,108	1,850	3,358	5,384	3,255	1,001	96
1933 ...	20,610	2,975	339	236	387	528	962	1,097	1,887	3,171	4,912	3,156	888	72
1934 ...	19,920	2,735	322	225	363	533	890	1,031	1,702	3,204	4,991	3,040	801	83
1935 ...	21,541	3,174	305	251	388	536	945	1,130	1,926	3,322	5,190	3,442	840	92
1936 ...	21,920	3,210	283	235	318	541	849	1,104	1,746	3,426	5,580	3,631	890	107
1937 ...	23,331	3,172	302	221	367	472	918	1,083	1,912	3,684	6,014	4,096	1,012	78
1938 ...	20,637	2,814	271	217	352	392	860	1,024	1,713	3,231	5,314	3,627	747	75
1939 ...	21,567	2,671	282	167	353	390	867	975	1,668	3,355	5,736	4,181	867	55
Average, 1930-39 ...	21,415	3,042	321	226	375	495	908	1,072	1,824	3,313	5,331	3,503	918	87
1940 ...	21,611	2,680	251	186	351	447	916	979	1,716	3,210	5,772	4,171	866	66

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80 ...	18.55	39.78	5.26	3.05	5.08	7.32	8.83	10.76	15.38	29.21	66.54	144.84	295.18
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.23
1921-30 ...	14.39	23.58	2.58	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1930 ...	14.12	22.32	2.68	1.62	2.80	4.01	4.64	6.27	10.83	26.23	56.26	97.45	181.64
1931 ...	14.53	22.04	2.48	1.60	2.83	4.20	4.57	6.35	11.56	26.98	59.10	104.27	177.65
1932 ...	14.49	22.16	2.53	1.50	2.82	4.38	4.85	6.40	10.73	27.83	60.58	98.73	166.82
1933 ...	13.63	20.23	2.33	1.56	2.64	4.23	4.81	6.31	10.89	26.16	55.01	95.29	145.32
1934 ...	13.12	18.57	2.21	1.48	2.47	4.25	4.44	5.90	9.79	26.33	55.68	91.45	133.27
1935 ...	14.17	21.53	2.09	1.65	2.63	4.27	4.70	6.46	11.06	27.26	58.47	103.38	140.34
1936 ...	14.42	23.54	2.08	1.64	2.30	4.02	4.09	6.12	10.97	23.92	55.31	103.29	204.18
1937 ...	15.45	23.42	2.23	1.55	2.68	3.53	4.46	6.04	12.09	25.90	59.98	117.43	225.58
1938 ...	13.71	20.84	2.01	1.53	2.58	2.94	4.19	5.73	10.87	22.79	53.18	104.33	170.65
1939 ...	14.35	19.81	2.09	1.18	2.59	2.93	4.23	5.47	10.60	23.70	57.48	120.42	191.68
Average, 1930-39 ...	14.20	21.45	2.27	1.53	2.63	3.88	4.50	6.11	10.94	25.71	57.11	103.60	173.71
1940 ...	14.26	19.72	1.85	1.30	2.55	3.33	4.43	5.44	10.82	22.49	57.38	119.18	192.24

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.). -DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1940.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
„ 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
„ 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
„ 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
„ 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
„ 1911-20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
„ 1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1930	20,627	2,506	346	272	448	494	1,032	1,153	1,863	2,886	4,661	3,558	1,282	126
1931	21,193	2,626	287	279	445	514	1,092	1,208	1,777	2,855	5,005	3,625	1,337	143
1932	21,183	2,653	366	268	475	493	1,085	1,136	1,755	2,930	5,044	3,595	1,263	120
1933	19,929	2,409	391	237	398	504	1,005	1,151	1,674	2,686	4,740	3,511	1,131	92
1934	19,163	2,224	335	251	368	468	998	1,067	1,609	2,596	4,740	3,406	982	119
1935	20,002	2,386	325	299	369	503	947	1,124	1,554	2,841	4,753	3,694	1,083	124
1936	20,666	2,626	323	212	347	514	1,000	1,076	1,556	2,875	5,003	3,895	1,128	111
1937	21,755	2,576	275	241	368	499	1,026	1,093	1,647	3,086	5,154	4,495	1,175	120
1938	19,404	2,332	270	215	377	410	914	1,031	1,389	2,762	4,756	3,791	1,048	109
1939	20,150	2,159	209	180	343	429	881	934	1,553	2,782	5,126	4,350	1,084	120
Average, 1930-39	20,407	2,450	313	245	394	483	998	1,097	1,638	2,830	4,898	3,792	1,151	118
1940	20,274	2,146	218	201	387	459	910	1,003	1,486	2,856	5,051	4,388	1,056	113

Rates per 1,000 of corresponding population.

1864-70	...	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	...	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	...	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	...	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	...	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	...	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	...	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1930	...	14.38	18.09	2.53	1.92	3.27	4.36	5.28	6.87	11.98	26.80	50.38	89.97	173.61
1931	...	14.76	18.93	2.09	1.97	3.24	4.53	5.58	7.19	11.41	26.48	51.02	91.52	182.22
1932	...	14.67	19.02	2.66	1.88	3.44	4.32	5.52	6.72	11.21	27.02	51.14	90.26	169.34
1933	...	13.74	17.20	2.82	1.65	2.87	4.40	5.09	6.78	10.65	24.67	50.67	87.78	149.11
1934	...	13.19	15.84	2.42	1.75	2.65	4.08	5.04	6.27	10.21	23.79	50.56	81.96	133.94
1935	...	13.78	17.02	2.35	2.09	2.66	4.39	4.79	6.62	9.88	26.08	59.76	92.25	146.98
1936	...	14.27	19.91	2.43	1.52	2.66	4.29	5.19	6.16	10.37	22.01	51.02	91.81	187.10
1937	...	15.13	19.66	2.08	1.75	2.85	4.19	5.36	6.30	11.04	23.70	52.94	110.07	200.15
1938	...	13.55	17.88	2.05	1.56	2.93	3.46	4.89	5.96	9.35	21.38	49.06	93.22	179.52
1939	...	14.08	16.56	1.59	1.31	2.67	3.61	4.63	5.41	10.17	21.55	52.94	107.94	186.99
Average, 1930-39	...	14.16	18.01	2.30	1.74	2.92	4.16	5.13	6.43	10.66	24.36	51.65	94.19	170.90
1940	...	14.05	16.32	1.64	1.45	2.98	3.84	4.74	5.76	9.93	21.94	51.70	107.07	180.01

* During 1864-70 the ages at death were unspecified for an average annual number of 31 females, and during 1871-80 for an average annual number of 15 females.

TABLE 8 (contd.).—DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1940.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	50
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
„ 1891-1900 ...	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
„ 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1930 ...	41,702	5,739	730	514	853	989	1,948	2,230	3,715	6,025	9,621	6,745	2,359	234
1931 ...	42,947	5,827	644	519	856	1,034	1,997	2,302	3,760	6,093	10,229	7,044	2,393	249
1932 ...	42,934	5,888	732	494	887	1,038	2,050	2,244	3,605	6,288	10,428	6,850	2,264	216
1933 ...	40,539	5,384	730	473	785	1,032	1,967	2,248	3,561	5,857	9,652	6,667	2,019	164
1934 ...	39,083	4,959	657	476	731	1,001	1,888	2,038	3,311	5,800	9,731	6,446	1,783	202
1935 ...	41,543	5,560	630	550	757	1,039	1,892	2,254	3,480	6,163	9,943	7,136	1,923	216
1936 ...	42,586	5,836	606	447	665	1,055	1,849	2,180	3,302	6,301	10,583	7,526	2,018	218
1937 ...	45,086	5,748	577	462	735	971	1,944	2,176	3,559	6,770	11,168	8,591	2,187	198
1938 ...	40,041	5,146	541	432	729	802	1,774	2,055	3,102	5,993	10,070	7,418	1,795	184
1939 ...	41,717	4,830	491	347	696	819	1,748	1,909	3,221	6,137	10,862	8,531	1,951	175
Average, 1930-39 ...	41,822	5,492	634	471	769	978	1,906	2,169	3,462	6,143	10,229	7,295	2,069	205
1940 ...	41,885	4,826	469	387	738	906	1,826	1,982	3,202	6,066	10,823	8,559	1,922	179

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	3.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.83	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1930 ...	14.25	20.25	2.60	1.77	3.03	4.18	4.96	6.57	11.38	26.50	53.25	93.35	177.19
1931 ...	14.64	20.52	2.29	1.78	3.03	4.36	5.08	6.76	11.49	26.74	56.50	97.29	180.18
1932 ...	14.58	20.62	2.59	1.68	3.12	4.35	5.18	6.56	10.96	27.45	57.28	94.10	168.22
1933 ...	13.69	18.78	2.57	1.61	2.75	4.31	4.95	6.54	10.77	25.46	52.79	91.18	147.42
1934 ...	13.15	17.24	2.31	1.61	2.56	4.17	4.74	6.09	9.99	25.13	53.06	87.89	133.64
1935 ...	13.98	19.33	2.21	1.86	2.65	4.33	4.75	6.54	10.50	26.70	54.22	97.30	144.01
1936 ...	14.35	21.75	2.25	1.58	2.48	4.15	4.62	6.14	10.68	23.01	53.20	98.72	194.35
1937 ...	15.29	21.57	2.16	1.65	2.76	3.84	4.89	6.17	11.58	24.89	56.51	113.46	211.02
1938 ...	13.63	19.39	2.03	1.54	2.75	3.18	4.48	5.85	10.13	22.12	51.15	98.34	175.72
1939 ...	14.22	18.21	1.85	1.24	2.62	3.26	4.42	5.44	10.54	22.69	55.26	113.14	185.79
Average, 1930-39 ...	14.18	19.77	2.29	1.63	2.78	4.01	4.81	6.27	10.80	25.07	54.32	98.48	171.75
1940 ...	14.16	18.05	1.75	1.37	2.76	3.57	4.58	5.60	10.39	22.23	54.58	112.65	185.24

* During 1864-70 the ages at death were unspecified for an average annual number of 80 persons, and during 1871-80 for an average annual number of 44 persons.

TABLE 9.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, 1930-40.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940
ALL CAUSES	67.95	68.93	72.19	65.23	63.28	68.44	74.15	72.95	66.65	65.83	66.42
Scarlet Fever (8)	0.02	0.07	0.07	0.03	0.02	0.09	0.31	0.12	0.05	0.07	0.05
Whooping cough (9)	3.24	1.16	2.60	2.54	2.97	1.05	2.20	2.46	1.74	1.37	1.77
Diphtheria (10)	0.16	0.25	0.23	0.23	0.16	0.37	0.55	0.42	0.23	0.16	0.14
Tuberculosis of Nervous System (14).	0.45	0.35	0.32	0.31	0.40	0.53	0.50	0.35	0.32	0.29	0.27
Tuberculosis of Intestines and Peritoneum (15).	0.19	0.26	0.27	0.26	0.29	0.33	0.17	0.25	0.19	0.27	0.20
Other Tuberculous Diseases (13, 16-22).	0.72	0.93	0.35	0.30	0.40	0.48	0.60	0.50	0.12	0.43	0.28
Syphilis (30)	0.15	0.23	0.11	0.14	0.10	0.14	0.21	0.25	0.26	0.14	0.27
Influenza (33)	0.24	1.09	1.12	0.94	0.47	0.55	0.48	1.59	0.42	0.93	1.06
Measles (35)	0.46	1.40	1.00	0.30	0.22	0.96	0.93	0.56	0.35	0.39	0.35
Meningitis (81)	0.79	0.86	0.96	0.89	0.59	0.64	0.69	0.94	1.00	0.78	0.83
Convulsions (86)	6.34	6.78	6.54	5.61	5.41	4.50	5.32	4.99	4.43	4.48	3.55
Bronchitis (106)	3.77	3.17	3.96	2.79	3.26	3.40	2.96	2.92	2.71	2.35	2.62
Pneumonia (107-9)	7.35	7.72	8.44	6.99	6.72	8.08	8.96	8.34	8.43	7.67	7.70
Diarrhoea and Enteritis (119)	7.20	8.27	9.33	8.92	7.50	10.65	10.38	9.95	9.12	9.33	9.67
Congenital Malformations (157)	3.29	3.38	3.40	3.59	3.54	3.90	4.44	4.39	4.38	4.82	4.59
Congenital Debility (158) ...	17.20	16.00	16.46	14.38	13.78	14.19	14.44	13.65	12.79	12.68	13.25
Premature Birth (159)	8.48	8.58	8.53	9.59	8.05	9.76	11.31	12.16	10.96	11.02	10.67
Injury at Birth (160)	0.84	0.96	0.82	0.65	1.17	0.86	1.19	1.31	1.21	1.46	1.80
Other Diseases peculiar to first year of life (161) ...	1.20	1.49	1.69	2.06	2.07	2.30	2.70	2.46	3.14	2.68	2.86
Mechanical Suffocation (including Overlying) (182)	0.10	0.26	0.12	0.09	0.22	0.14	0.27	0.19	0.12	0.18	0.28
Other Accidents (including Lack of Care) (195)	0.45	0.47	0.43	0.40	0.29	0.38	0.53	0.28	0.30	0.36	0.46
Other Causes	5.31	5.25	5.44	4.22	5.65	5.14	5.01	4.87	4.38	3.97	3.75

TABLE 10.—DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1940.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year
ALL CAUSES	431	525	225	199	198	1,578	493	393	720	575	3,759
Scarlet Fever (8)	1	1	.	1	3
Whooping Cough (9)	3	3	16	17	34	30	100
Diphtheria (10)	1	1	3	1	.	3	8
Tuberculosis of Nervous System (14)	5	10	15
Tuberculosis of Intestines and Peritoneum (15)	3	1	4	3	11
Other Tuberculous Diseases (13, 16-22)	6	10	16
Syphilis (30)	1	.	1	1	1	4	2	1	6	2	15
Influenza (33)	1	2	1	2	6	6	9	18	21	60
Measles (35)	1	3	16	20
Meningitis (81)	1	1	.	2	2	3	12	28	47
Convulsions (86)	8	20	9	9	13	59	31	20	59	32	201
Bronchitis (106)	3	5	4	11	23	24	25	37	39	148
Pneumonia (107-9)	10	10	14	22	56	52	59	120	149	436
Diarrhœa and Enteritis (119)	.	1	20	22	27	70	106	96	173	102	547
Congenital Malformations (157)	29	55	29	15	17	145	33	26	29	27	280
Congenital Debility (158) ...	82	130	45	58	50	365	139	91	121	34	750
Premature Birth (159)	202	204	67	44	30	547	34	10	12	1	604
Injury at Birth (160)	40	40	11	6	1	98	2	1	1	.	102
Other Diseases peculiar to first year of life (161) ...	49	50	16	20	9	144	7	7	3	1	162
Mechanical suffocation (includ- ing Overlying) (182)	3	.	.	3	3	5	4	1	16
Other Accidents (including Lack of Care) (195)	16	8	.	.	.	24	.	1	1	.	26
Other Causes	4	3	6	4	11	28	29	18	72	65	212

TABLE 11. —INFANT MORTALITY RATE, by certain causes, for each of the undermentioned areas or groups of areas in 1940.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED										
	CITIES AND BOROUGHES.					Remaining Towns of 10,000 Population and upwards.	Total Towns of 10,000 Population and upwards	Urban Areas under 10,000 Population.	All Urban Areas.	All Rural Districts.	Éire
	Dublin.	Dun Laoghaire.	Cork.	Limerick.	Waterford.						
	(1)	(2)	(3)	(4)	(5)						
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
TOTAL CAUSES	90·74	96·50	91·62	70·12	110·78	72·03	88·14	70·01	84·82	55·23	66·42
Scarlet Fever (8)	0·27	0·17	.	0·14	.	0·05
Whooping Cough (9)	2·62	2·79	.	.	7·39	1·68	2·29	1·02	2·06	1·59	1·77
Diphtheria (10)	0·36	1·40	0·29	.	0·23	0·08	0·14
Tuberculosis of Nervous System (14)	0·54	1·40	1·20	1·02	.	0·42	0·63	0·51	0·61	0·06	0·27
Tuberculosis of Intestines and Peritoneum (15)	0·36	.	0·60	.	.	.	0·29	0·77	0·37	0·08	0·20
Other Tuberculous Diseases (13, 16-22)	0·72	1·40	0·60	.	.	.	0·57	.	0·47	0·17	0·28
Syphilis (30)	0·36	1·40	0·29	.	0·23	0·28	0·27
Influenza (33)	0·45	.	.	.	1·48	0·84	0·46	1·28	0·61	1·33	1·06
Measles (35)	0·45	.	4·79	.	.	1·68	0·97	.	0·79	0·08	0·35
Meningitis (81)	1·90	2·79	1·80	1·02	.	.	1·54	0·51	1·34	0·51	0·83
Convulsions (86)	1·72	2·79	4·79	8·13	5·91	2·95	2·75	5·62	3·27	3·72	3·55
Bronchitis (106)	2·62	4·20	2·99	6·10	7·39	1·26	2·92	1·79	2·71	2·56	2·62
Pneumonia (107-9)	15·01	8·39	8·98	3·05	7·39	8·85	12·35	7·41	11·45	5·43	7·70
Dysentery and Enteritis (119)	19·34	12·59	26·95	17·28	50·22	5·48	18·99	9·45	17·25	5·06	9·67
Congenital Malformations (157)	6·51	12·59	2·39	4·06	5·91	7·58	6·35	5·62	6·22	3·61	4·59
Congenital Debility (158)	9·13	12·59	10·18	15·24	4·43	15·59	10·41	16·35	11·50	14·32	13·25
Premature Birth (159)	16·18	19·58	14·97	5·08	10·33	9·27	14·41	12·52	14·07	8·61	10·67
Injury at Birth (160)	3·25	4·20	1·80	.	2·95	0·84	2·63	0·77	2·29	1·51	1·80
Other Diseases peculiar to first year of life (161)	4·52	1·40	2·39	2·03	1·48	5·48	4·06	1·79	3·65	2·39	2·86
Mechanical suffocation (including Overlying) (182)	0·27	.	.	.	2·95	0·42	0·34	0·25	0·33	0·26	0·28
Other Accidents (including Lack of Care) (195)	0·54	2·79	.	.	.	0·42	0·51	9·77	0·56	0·40	0·46
Other Causes	3·62	1·29	7·15	7·11	2·95	9·27	4·02	3·58	1·67	5·48	3·75

TABLE 12.—MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE, in 1940.

CAUSES OF DEATH.	NUMBER OF DEATHS OF ILLEGITIMATE INFANTS AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	Total under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.
ALL CAUSES	29	41	22	28	25	145	80	71	93	60	449
Scarlet Fever (8)	1	1
Whooping Cough (9)	3	2	6	3	14
Diphtheria (10)	1	.	.	.	1
Tuberculosis of Nervous System (14)	1	1	2
Tuberculosis of Intestines and Peritoneum (15)	2	1	3	.	6
Other Tuberculous Diseases (13, 16-22)	1	2	3
Syphilis (30)	1	.	1	2	2	1	2	2	9
Influenza (33)	1	.	1	4	8	14	12	39
Measles (35)	1	1
Meningitis (81)	1	1	7	9
Convulsions (86)	2	.	.	2	.	.	1	2	5
Bronchitis (106)	1	2	.	2	5	6	4	4	5	24
Pneumonia (107-9)	5	.	3	6	14
Diarrhoea and Enteritis (119)	.	.	2	3	3	8	21	16	23	6	74
Congenital Malformations (157)	1	2	3	1	3	10	2	3	1	1	17
Congenital Debility (158)	2	4	5	13	7	31	23	21	24	7	104
Premature Birth (159)	9	17	2	6	3	37	4	2	3	.	46
Injury at Birth (160)	4	6	4	1	.	15	2	.	.	.	17
Other diseases peculiar to first year of life (161)	2	2	.	1	2	7	1	2	.	.	11
Mechanical suffocation (includ- ing Overlying) (182)
Other Accidents (including Lack of Care) (195)	10	7	.	.	.	17	.	1	.	.	18
Other Causes	1	2	1	2	4	10	4	9	6	4	34

TABLE 13.—DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE
by age-periods in each county and county borough in 1940, distinguishing deaths in institutions.

COUNTIES AND COUNTY BOROUGH BY PROVINCES.	Under 24 Hours	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	Place of Occurrence.	
												Institu- tions.	Else- where.
EIRE	29	41	22	28	25	145	80	71	93	60	449	388	61
Carlow ...	1	.	.	.	1	2	.	2	2	.	6	5	1
Dublin Co.	4	.	4	.	8	4	6	5	4	27	23	4
City of Dublin ...	5	9	3	4	7	28	23	15	23	15	104	96	8
Kildare ...	1	.	.	1	1	3	1	4	2	3	13	12	1
Kilkenny ...	1	2	.	1	.	4	.	2	6	2	14	13	1
Laoighis ...	2	.	.	.	2	4	.	.	2	.	6	4	2
Longford	1	1	1	.	3	2	3	1	1	10	10	.
Louth	2	.	.	1	3	.	2	.	.	5	4	1
Meath ...	1	.	.	2	.	3	2	3	2	2	12	9	3
Offaly	3	2	1	2	8	7	1
Westmeath	1	2	4	2	9	.	3	2	2	16	14	2
Wexford	2	2	1	2	7	3	3	1	3	17	14	3
Wicklow	2	.	2	.	4	2	1	3	2	12	9	3
PROVINCE OF LEINSTER	11	23	8	20	16	78	40	46	50	36	250	220	30
Clare ...	1	1	2	2	2	2	9	8	1
Cork Co. ...	3	3	1	2	2	11	10	7	11	6	45	41	4
Cork Co. Borough	2	1	.	3	.	1	2	2	8	6	2
Kerry ...	1	1	1	1	2	6	.	3	1	.	10	9	1
Limerick Co. ...	2	2	.	.	.	4	3	2	1	1	11	5	6
Limerick Co. Borough	1	.	.	.	1	.	1	.	.	2	2	.
Tipperary N.R.	2	.	2	2	1	1	2	8	7	1
Tipperary, S.R. ...	1	1	1	1	.	4	1	2	2	.	9	7	2
Waterford Co.	1	1	.	2	3	1	4	.	10	8	2
Waterford Co. Borough	1	.	.	.	1	.	.	1	.	2	2	.
PROVINCE OF MUNSTER	8	9	6	8	4	35	21	20	25	13	114	95	19
Galway ...	1	2	1	.	.	4	2	1	3	5	15	14	1
Leitrim	1	1	2	1	2	1	7	7	.
Mayo ...	2	2	1	.	.	5	4	2	6	2	19	16	3
Roscommon ...	1	3	.	.	2	6	2	1	.	.	9	6	3
Sligo ...	1	.	1	.	.	2	4	.	1	.	7	7	.
PROVINCE OF CONNAUGHT	5	7	3	.	3	18	14	5	12	8	57	50	7
Cavan ...	1	1	1	.	1	4	2	.	1	1	8	7	1
Donegal ...	4	1	3	.	1	9	2	.	3	2	16	12	4
Monaghan	1	.	.	1	1	.	2	.	4	4	.
PROVINCE OF ULSTER (Part of)	5	2	5	.	2	14	5	.	6	3	28	23	5

TABLE 14.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1940.

PROVINCES AND COUNTIES.	MARRI- AGES	BIRTHS		DEATHS FROM						Deaths of Infants under One Year of age.
		Total.	Illegiti- mate Births.	All Causes.	Principal Epidemic Diseases.*	Tuber- culosis.	Cancer.	Puerperal Infection†	Other Diseases of Childbirth	
ÉIRE.	15,212	56,594	1,824	41,885	1,084	3,685	3,773	55	153	3,759
Carlow ...	160	678	33	480	4	39	36	2	1	49
Dublin Co. ...	822	2,367	75	1,654	46	200	159	1	2	189
City of Dublin ...	3,441	11,064	219	7,002	354	795	593	4	17	1,004
Kildare ...	284	1,271	59	802	14	84	87	1	5	75
Kilkenny ...	313	1,250	63	1,000	17	77	56	2	3	91
Laoighis ...	169	910	44	701	5	51	63	2	1	52
Longford ...	155	687	32	517	7	26	54	.	6	42
Louth ...	372	1,308	50	940	27	94	103	1	4	79
Meath ...	269	1,162	39	838	16	70	98	2	7	59
Offaly ...	270	928	45	723	16	58	67	1	2	55
Westmeath ...	223	967	58	808	15	68	69	2	4	66
Wexford ...	449	1,779	95	1,522	31	161	126	.	5	104
Wicklow ...	307	1,162	57	890	9	83	87	1	6	76
LEINSTER ...	7,234	25,533	869	17,877	561	1,806	1,598	19	63	1,941
Clare ...	394	1,473	40	1,158	9	88	103	3	8	63
Cork Co. ...	1,065	4,391	162	3,792	89	285	367	12	7	276
Cork Co. Borough ...	737	1,670	28	1,172	79	130	114	1	7	153
Kerry ...	687	2,458	64	1,776	30	164	169	1	8	120
Limerick Co. ...	438	1,986	102	1,307	27	104	110	4	6	119
Limerick Co. Borough	370	984	20	613	28	84	49	.	3	69
Tipperary N.R. ...	259	1,104	52	800	5	61	64	4	3	63
Tipperary S.R. ...	319	1,519	55	1,124	19	83	125	.	2	108
Waterford Co. ...	229	837	56	802	19	71	82	1	5	74
Waterford Co. Boro'	148	677	10	494	47	40	45	.	7	75
MUNSTER ...	4,646	17,099	589	13,038	352	1,110	1,228	26	56	1,120
Galway ...	679	3,366	71	2,252	41	227	183	7	10	186
Leitrim ...	188	793	23	729	16	40	59	.	1	46
Mayo ...	640	2,736	39	1,946	14	142	163	2	6	104
Roscommon ...	317	1,121	26	1,095	17	46	86	.	2	54
Sligo ...	263	1,053	16	967	8	64	99	.	3	52
CONNAUGHT ...	2,087	9,069	175	6,989	96	519	590	9	22	442
Cavan ...	311	1,267	50	1,126	18	52	111	1	2	71
Donegal ...	689	2,645	100	2,018	27	150	187	.	5	137
Monaghan ...	245	981	41	837	30	48	59	.	5	48
ULSTER (part of) ...	1,245	4,893	191	3,981	75	250	357	1	12	256

*Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, small-pox, measles, typhus and diarrhoeal diseases.

† See note, page 56.

TABLE 15. MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and County Boroughs in 1940.

PROVINCES AND COUNTIES.	Population, Census 1936.	MARRI- AGES.	BIRTHS.		DEATHS.						
		Rates per 1,000 of Popula- tion.	Rates per 1,000 of Popula- tion.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.		
					All Causes	Prin- cipal Epidem- ic Dis- eases.*	Tuber- culosis.	Cancer.	Puer- peral Infection	Other Diseases of Child- birth.	Deaths of Infants under One Year of age.
ÉIRE ...	2,968,420	5.14	19.13	3.22	14.16	0.37	1.25	1.28	0.97	2.70	66
Carlow ...	34,452	4.64	19.68	4.87	13.93	0.12	1.13	1.04	2.95	1.47	72
Dublin Co. ...	118,822	6.92	19.92	3.17	13.92	0.39	1.68	1.34	0.42	0.84	80
City of Dublin ...	468,103	7.06	22.70	1.98	14.36	0.73	1.63	1.22	0.36	1.54	91
Kildare ...	57,892	4.91	21.95	4.64	13.85	0.24	1.45	1.50	0.79	3.93	59
Kilkenny ...	68,614	4.56	18.22	5.04	14.57	0.25	1.12	0.82	1.60	2.40	73
Laois ...	50,109	3.37	18.16	4.84	13.99	0.10	1.02	1.26	2.20	1.10	57
Longford ...	37,847	4.10	18.15	4.66	13.66	0.18	0.69	1.43	.	8.73	61
Louth ...	64,339	5.78	20.33	3.82	14.61	0.42	1.46	1.60	0.76	3.06	60
Meath ...	61,405	4.38	18.92	3.36	13.65	0.26	1.14	1.60	1.72	6.02	51
Offaly ...	51,308	5.26	18.09	4.85	14.09	0.31	1.13	1.31	1.08	2.16	59
Westmeath ...	54,706	4.08	17.68	6.00	14.77	0.27	1.24	1.26	2.07	4.14	68
Wexford ...	94,245	4.76	18.88	5.34	16.15	0.33	1.71	1.34	.	2.81	58
Wicklow ...	58,569	5.24	19.84	4.91	15.20	0.15	1.42	1.49	0.86	5.16	65
LEINSTER ...	1,220,411	5.93	20.92	3.40	14.65	0.46	1.48	1.31	0.74	2.47	76
Clare ...	89,879	4.38	16.39	2.72	12.88	0.10	0.98	1.15	2.04	5.43	43
Cork Co. ...	275,192	3.87	15.96	3.69	13.78	0.32	1.04	1.33	2.73	1.59	63
Cork Co. Borough ...	80,765	9.13	20.68	1.68	14.51	0.98	1.61	1.11	0.60	4.19	92
Kerry ...	139,834	4.91	17.58	2.60	12.70	0.21	1.17	1.21	0.41	3.25	49
Limerick Co. ...	100,092	4.38	19.84	5.14	13.06	0.27	1.04	1.10	2.01	3.02	60
Limerick Co. Borough ...	41,061	9.01	23.96	2.03	14.93	0.68	2.05	1.19	.	3.05	70
Tipperary, N. R. ...	59,551	4.35	18.54	4.71	13.43	0.08	1.02	1.07	3.62	2.72	57
Tipperary, S. R. ...	78,284	4.07	19.40	3.62	14.36	0.24	1.06	1.60	.	1.32	71
Waterford Co. ...	49,646	4.61	16.86	6.69	16.15	0.38	1.43	1.65	1.19	5.97	88
Waterford Co. Boro. ...	27,968	5.29	24.21	1.48	17.66	1.68	1.43	1.61	.	10.34	111
MUNSTER ...	942,272	4.93	18.15	3.44	13.84	0.37	1.18	1.39	1.52	3.28	66
Galway ...	168,198	4.04	20.01	2.11	13.39	0.24	1.35	1.09	2.08	2.97	55
Litrim ...	50,908	3.69	15.58	2.90	14.32	0.31	0.79	1.16	.	1.26	58
Mayo ...	161,349	3.97	16.96	1.43	12.06	0.09	0.88	1.01	0.73	2.19	38
Roscommon ...	77,566	4.09	14.45	2.32	14.12	0.22	0.59	1.11	.	1.78	48
Sligo ...	67,447	3.90	15.61	1.52	14.34	0.12	0.95	1.47	.	2.85	49
CONNAUGHT ...	525,468	3.97	17.26	1.93	13.30	0.18	0.99	1.12	0.99	2.43	49
Sligo ...	76,670	4.06	16.53	3.95	14.69	0.23	0.68	1.45	0.79	1.58	56
Longford ...	142,310	4.84	18.59	3.78	14.18	0.19	1.05	1.31	.	1.89	52
Louth ...	61,289	4.00	16.01	4.18	13.66	0.49	0.78	0.96	.	5.10	49
ULSTER (part of) ...	280,269	4.44	17.46	3.90	14.20	0.27	0.89	1.27	0.20	2.45	52

NOTE—The rates for Éire and the City of Dublin are calculated on the population estimated to the middle of 1940.

* See note, page 20.

TABLE 16.-- BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1940.

URBAN AND RURAL AREAS.	Births	DEATHS FROM						
		All Causes.	Principal Epidemic Diseases.*	Tuber- culosis.	Cancer.	Puer- peral Infection.†	Other Diseases of Childbirth.	Infants under One Year of Age.
ÉIRE	56,594	41,885	1,084	3,685	3,773	55	153	3,759
ALL COUNTY BOR- OUGHS AND URBAN DISTRICTS ...	21,398	14,060	635	1,591	1,305	9	50	1,816
ALL RURAL DISTRICTS	35,196	27,825	449	2,094	2,468	46	103	1,943
COUNTY BOROUGH AND URBAN DIS- TRICTS, over 10,000 Population ...	17,484	11,352	567	1,313	1,019	7	39	1,542
CITY OF DUBLIN ...	11,064	7,002	354	795	593	4	17	1,004
Borough of Dun Laoghaire ...	715	583	14	50	66	1	1	69
Cork County Borough	1,670	1,172	79	130	114	1	7	153
Limerick County Borough ...	984	613	28	84	49	.	3	69
Waterford County Borough ...	677	494	47	40	45	.	7	75
Galway U.D. ...	518	253	8	45	23	.	.	49
Dundalk U.D. ...	295	207	6	28	18	.	2	16
Drogheda U.D. ...	414	215	9	26	34	.	.	27
Sligo U.D. ...	221	174	2	21	14	.	.	17
Wexford U.D. ...	273	196	5	35	27	.	.	18
Tralee U.D. ...	206	142	5	29	11	.	1	11
Kilkenny U.D. ...	216	164	9	12	11	.	.	20
Bray U.D. ...	231	137	1	18	14	1	1	14
URBAN DISTRICTS, under 10,000 Popu- lation	3,914	2,708	68	278	286	2	11	274
ALL COUNTY BOR- OUGHS AND URBAN DISTRICTS IN :—								
Province of Leinster	14,605	9,389	420	1,074	846	8	26	1,250
Province of Munster	5,259	3,786	190	407	381	1	22	454
Province of Connaught	1,092	610	16	92	56	.	1	84
Province of Ulster (part of)	442	275	9	18	22	.	1	28
ALL RURAL DISTRICTS IN :—								
Province of Leinster	10,928	8,488	141	732	752	11	37	691
Province of Munster	11,840	9,252	162	703	847	25	34	666
Province of Connaught	7,977	6,379	80	427	534	9	21	358
Province of Ulster (part of)	4,451	3,706	66	232	335	1	11	228

* See note, page 20.

† See note, page 56.

TABLE 17.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1940.

URBAN AND RURAL AREAS.	Population Census 1936.	Birth Rate, per 1,000 Population.	DEATHS.						
			RATE PER 1,000 POPULATION.				RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection.	Other Diseases of Child-birth.	Infants under One Year of Age.
ÉIRE ...	2,968,420	19·13	14·16	0·37	1·25	1·28	0·97	2·70	66
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	965,269	21·71	14·26	0·64	1·61	1·32	0·42	2·34	85
ALL RURAL DISTRICTS	2,003,151	17·84	14·11	0·23	1·06	1·25	1·31	2·93	55
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	760,599	22·39	14·54	0·73	1·68	1·30	0·40	2·23	88
CITY OF DUBLIN ...	468,103	22·70	14·36	0·73	1·63	1·22	0·36	1·54	91
Borough of Dun Laoghaire ...	39,785	17·52	14·29	0·34	1·23	1·62	1·40	1·40	97
Cork County Borough	80,765	20·68	14·51	0·98	1·61	1·41	0·60	4·19	92
Limerick County Borough ...	41,061	23·96	14·93	0·68	2·05	1·19	·	3·05	70
Waterford County Borough ...	27,968	24·21	17·66	1·68	1·43	1·61	·	10·34	111
Galway U.D. ...	18,294	28·32	13·83	0·44	2·46	1·26	·	·	95
Dundalk U.D. ...	14,684	20·09	14·10	0·41	1·91	1·23	·	6·78	54
Drogheda U.D. ...	14,494	28·56	14·83	0·62	1·79	2·35	·	·	65
Sligo U.D. ...	12,565	17·59	13·85	0·16	1·67	1·11	·	·	77
Wexford U.D. ...	12,247	22·29	16·00	0·41	2·86	2·20	·	·	66
Tralee U.D. ...	10,285	20·03	13·81	0·49	2·82	1·07	·	4·85	53
Kilkenny U.D. ...	10,237	21·10	16·02	0·88	1·17	1·07	·	·	93
Bray U.D. ...	10,111	22·85	13·55	0·10	1·78	1·38	4·33	4·33	61
URBAN DISTRICTS, under 10,000 Population ...	204,670	19·12	13·23	0·33	1·36	1·40	0·51	2·81	70
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	636,466	22·95	14·75	0·66	1·69	1·33	0·55	1·78	86
Province of Munster	254,689	20·65	14·87	0·75	1·60	1·50	0·19	4·18	86
Province of Connaught	50,656	21·56	12·04	0·32	1·82	1·11	·	0·92	77
Province of Ulster (part of)	23,458	18·84	11·72	0·38	0·77	0·94	·	2·26	63
ALL RURAL DISTRICTS IN :—									
Province of Leinster	583,945	18·71	14·54	0·24	1·25	1·29	1·01	3·39	63
Province of Munster	687,583	17·22	13·46	0·24	1·02	1·23	2·11	2·87	56
Province of Connaught	474,812	16·80	13·43	0·17	0·90	1·12	1·13	2·63	45
Province of Ulster (part of)	256,811	17·33	14·13	0·26	0·90	1·30	0·22	2·47	51

NOTE—The rates for Éire, the City of Dublin, and the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1940.

* See note, page 20.

TABLE 18.—BIRTHS and DEATHS registered during the YEAR 1940, for the Thirteen Principal Towns and for each URBAN DISTRICT.

AREA.	Popula- tion Census 1936.	Annual Rate per 1,000 persons represented by		BIRTHS.		DEATHS.														Caused by										Violence.	No. Uncertified.
		All causes.	Principal epidemic diseases.	Total Number.	Under 1 year of Age.	At 65 years and up-wards.	Principal Epidemic Diseases.										Tuber- culosis.				Pneumonia Infection.*	Other Diseases of (Childbirth.									
							Typhoid fever	Scarlet fever	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.	Dysentery & In- fectious (children under 2 years).	Pulmonary.	Other forms.	Influenza.													
ÉIRE	2,968,420	19.1	14.2	56,594	41,885	3,759	21,483	31	33	163	178	2		77	2	598	2,907	778	828	3,773	55	153	1,067	6,272							
Total Rural Districts	2,003,151	17.8	14.1	35,156	27,825	1,913	15,881	23	23	95	88	2		19	1	198	1,648	446	617	2,468	46	103	669	5,971							
Total Urban Districts	965,269	21.7	14.3	21,398	14,060	1,846	5,602	8	10	68	90			58	1	400	1,259	332	211	1,305	9	50	398	298							
Total 13 Principal Towns	769,599	22.1	14.5	17,481	11,352	1,512	4,317	7	8	61	77			55		359	1,043	270	163	1,019	7	39	324	167							
City of Dublin	408,103	22.7	14.1	11,064	7,002	1,004	2,611	4	6	42	56			25		221	642	153	96	593	4	17	194	105							
Toro of Dun Laoghaire	39,785	17.5	14.3	715	583	69	281			2	1					11	38	12	12	66	1	1	15								
Cork Co. Borough	89,765	20.7	14.5	1,679	1,172	153	438		1		6			21		51	97	33	8	114	1	7	25								
Limerick	41,061	24.0	14.9	984	613	69	227	3	1	2	3					19	68	16	9	49		3	25	14							
Waterford	27,968	24.2	17.7	677	494	75	216			10	1					26	30	10	17	45		7	12	2							
Galway U. D.	18,294	28.3	13.8	518	253	49	81				1					7	32	13	1	23			8	10							
Dumalk	11,881	20.1	11.1	295	207	16	82				2					2	20	8	4	18		2	18	8							
Drogheda	14,494	28.6	14.8	414	215	27	84			2	2			3		2	22	4	2	34			8	3							
Sligo	12,565	17.6	13.8	221	174	17	84			1						1	17	4	3	14			2	2							
Wexford	12,247	22.3	16.0	273	196	18	83				1					4	30	5	2	27			6	3							
Tralee	10,285	20.0	13.8	206	142	11	45				2			3			22	7		11		1	1	6							
Kilkenny	10,237	21.1	16.0	216	161	20	65				1					5	12		8	11			6	6							
Bray	10,111	22.8	13.5	231	137	14	50				1						13	5	1	14		1	6								

Total Urban Districts under 10,000 Population	191	13.2	0.3	3,914	2,708	274	1,255	1	2	7	13	3	1	41	216	62	48	286	2	11	71	131
I. LEINSTER.																						
An Uaimh ...	4,123	18.2	0.5	75	53	.	17	.	.	1	.	1	.	.	8	1	2	2	.	2	71	131
Arklow ...	4,680	23.3	0.2	109	61	4	39	1	4	5	.	6	.	.	71	131
Athlone ...	7,257	21.8	0.3	158	97	11	39	2	11	2	2	8	.	.	71	131
Athy ...	3,628	19.8	0.3	72	42	2	18	1	3	1	4	3	.	.	71	131
Birr ...	3,297	14.0	.	46	38	.	22	3	2	1	3	.	.	71	131
Carlow ...	7,649	19.5	.	149	71	8	30	6	2	2	8	1	.	71	131
Ceanannus Mór ...	2,304	19.1	0.4	44	26	2	13	1	2	.	1	4	.	.	71	131
Enniscorthy ...	5,873	22.1	0.3	130	88	13	30	2	6	1	.	7	.	1	71	131
Granard ...	1,236	27.5	.	34	14	2	4	1	.	1	1	.	.	71	131
Howth ...	4,832	15.3	0.4	74	65	6	28	.	.	1	.	.	.	1	9	1	.	7	.	.	71	131
Longford ...	3,807	22.9	0.3	87	54	12	20	1	2	.	1	5	.	2	71	131
Naas ...	3,240	29.2	.	96	42	4	17	4	1	2	4	1	.	71	131
New Ross ...	5,056	19.4	1.4	98	90	7	39	.	1	.	4	.	.	2	13	3	2	6	.	.	71	131
Trim ...	1,455	16.5	0.7	24	24	2	13	1	2	2	.	6	.	.	71	131
Tullamore ...	5,135	22.8	0.4	117	69	4	28	1	1	7	3	2	8	.	.	71	131
Wicklow ...	3,183	26.4	.	84	51	5	22	5	.	.	5	.	.	71	131

NOTE.—The rates for Éire, the City of Dublin, and the Borough of Dun Laoghaire are calculated on the estimated population in the middle of 1940.

* See note page 56.



TABLE 18.—URBAN DISTRICTS, 1940 (continued).

AREA.	Popula- tion Census 1936.	BIRTHS.		DEATHS.										Total Number.	Under 1 year of Age.	At 65 years and up- wards.	Caused by										Violence.	No. Uncertified.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		BIRTHS.	Principal epidemic diseases.	DEATHS.													Principal Epidemic Diseases.												Tuber- culosis		Influenza.	Cancer.	Puerperal Infection.	Other Diseases of (Childbirth.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				All Causes.	Principal epidemic diseases.	Typhoid fever.	Scarlet fever.	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.				Diarrhoea & En- teritis (children under 2 years).	Pulmonary.	Other Forms.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
II. MUNSTER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

Skibbereen	...	2,541	13.0	16.1	.	33	41	3	26	3	1	
Templemore	...	1,981	26.2	16.7	.	52	33	3	21	2	1	
Thurles	...	5,648	23.0	12.7	0.2	130	72	14	37	1	1	10	
Tipperary	...	5,384	24.3	15.2	0.2	131	82	6	42	6	2	1	1	
Youghal	...	5,131	12.5	14.6	0.2	64	75	4	35	4	1	1	3	
III. CONNAUGHT.																										
Pallina	...	5,728	21.6	11.5	0.2	124	66	6	32	14	2	9	
Pallinasloe	...	5,854	15.1	6.9	0.7	86	49	6	18	1	2	1	2	
Castlebar	...	4,826	15.5	8.7	0.2	75	42	4	23	1	2	
Westport	...	3,409	19.4	10.3	.	66	35	2	11	3	1	1	1	
IV. ULSTER (part of).																										
Belturbet	...	1,341	18.6	14.2	0.7	25	19	2	9	2	
Buncrana	...	2,295	25.3	10.5	.	58	24	1	15	2	1	1	6	
Bundoran	...	1,352	20.7	13.3	.	28	18	1	10	1	.	1	
Carriknacross	...	2,095	17.2	11.9	.	36	25	1	13	2	1	
Castledowney	...	1,725	21.4	16.8	1.2	37	29	3	13	1	1	
Cavan	...	3,393	22.7	12.4	.	77	42	6	20	3	.	2	1	
Clones	...	2,255	17.9	11.2	0.4	40	25	3	15	1	
Cootehill	...	1,593	16.3	12.6	0.6	26	20	3	10	2	1	1	4	
Letterkenny	...	2,649	19.6	8.3	0.8	52	22	4	2	1	.	2	6	
Monaghan	...	4,780	13.2	10.7	0.4	63	51	4	26	3	2	1	2	

TABLE 19.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1940.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.		TUBERCULOSIS (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ...	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ...	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918 ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927 ...	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928 ...	23.11	18.80	14.41	14.10	0.97	0.38	1.71	1.23	91	56
1929 ...	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	53
1930 ...	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931 ...	22.56	18.07	15.03	14.47	0.93	0.33	1.76	1.14	88	58
1932 ...	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933 ...	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	54
1934 ...	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935 ...	23.43	17.79	14.00	13.97	0.91	0.39	1.62	1.10	87	57
1936 ...	23.11	17.90	14.22	14.45	0.99	0.37	1.49	1.02	99	59
1937 ...	23.11	17.23	14.76	15.56	0.85	0.35	1.53	1.09	91	61
1938 ...	22.65	17.76	13.13	13.88	0.71	0.30	1.42	0.93	84	55
1939 ...	21.93	17.69	13.35	14.65	0.71	0.25	1.37	1.00	83	55
1940 ...	21.71	17.84	14.26	14.11	0.64	0.23	1.61	1.06	85	55

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

PART III.

Abstracts.

ABSTRACT I.

MARRIAGES, BIRTHS AND DEATHS registered during the year 1940, in each Province, County, and County Borough.

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHES.	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
EIRE	17,024,485	2,968,420	15,212	56,594	—	—	56,594	1,824	—	—	1,824	41,885	—	—	41,885	14,709
PROVINCES																
I.—LEINSTER	4,851,340	1,220,411	7,231	25,856	556	233	25,333	930	166	105	869	18,159	381	99	17,877	7,656
II.—MUNSTER	5,962,595	942,272	4,616	17,141	213	171	17,099	633	97	53	589	12,947	82	173	13,038	4,061
III.—CONNAUGHT	4,230,822	525,468	2,087	8,816	31	284	9,069	125	5	55	175	6,872	29	146	6,989	2,080
IV.—ULSTER (part of)	1,979,728	280,269	1,215	4,781	25	137	4,893	136	—	55	191	3,907	14	88	3,981	912

PROVINCE OF LEINSTER.

1. CARLOW	221,485	34,452	160	618	10	70	678	14	—	19	33	453	22	49	480	198
2. DUBLIN CO.	208,984	118,822	822	1,210	98	1,255	2,367	107	66	34	75	1,411	246	489	1,654	713
3. CITY OF DUBLIN	18,740	468,103	3,441	13,461	2,565	105	11,061	428	247	38	219	7,966	1,152	188	7,002	4,062
4. KILDARE	418,644	57,892	284	1,077	17	211	1,271	22	—	37	59	721	19	100	802	469
5. KILKENNY	509,470	68,614	313	1,179	28	99	1,250	30	—	33	63	982	22	40	1,000	250
6. LAOIGHIS	424,892	50,109	169	825	12	97	910	18	1	27	44	699	27	29	701	209
7. LONGFORD	257,935	37,847	155	685	50	52	687	22	—	10	32	464	2	55	517	170
8. LOUTH	202,814	64,339	372	1,265	44	87	1,308	43	6	13	50	898	5	47	940	368
9. MEATH	577,824	61,405	269	1,007	7	162	1,162	12	—	27	39	775	15	78	838	324
10. OFFALY	493,636	51,308	270	855	14	87	928	17	—	28	45	664	2	61	723	203
11. WESTMEATH	435,605	54,706	223	999	115	83	967	105	67	20	58	847	87	48	808	159
12. WEXFORD	581,061	94,245	449	1,731	17	65	1,779	74	1	22	95	1,497	11	36	1,522	257
13. WICKLOW	500,250	58,569	307	941	18	239	1,162	38	2	21	57	782	26	134	890	272

14. CLARE	787,756	89,879	394	1,394	19	98	1,473	20	.	20	40	1,118	6	46	1,158	315
15. CORK CO.	1,840,908	275,192	1,065	3,933	158	616	4,391	184	40	18	162	3,934	447	305	3,792	599
16. CORK CO. BOROUGH	2,685	80,565	737	2,193	629	106	1,670	20	7	15	28	1,076	315	411	1,172	498
17. KERRY	1,161,705	139,834	687	2,423	16	51	2,458	53	2	13	64	1,733	5	48	1,776	682
18. LIMERICK CO.	661,585	100,092	438	1,785	34	235	1,986	101	17	18	102	1,357	212	162	1,307	679
19. LIMERICK CO.	2,386	41,061	370	1,183	238	39	984	3	1	18	20	532	150	231	613	371
20. TIPPERARY, N.R.	493,258	59,551	259	1,190	152	66	1,104	170	130	12	52	808	65	57	800	304
21. TIPPERARY, S.R.	538,034	78,284	319	1,542	78	55	1,519	34	3	24	55	1,116	30	38	1,124	395
22. WATERFORD CO.	452,840	49,646	229	725	20	132	837	35	5	26	56	686	26	142	802	35
23. WATERFORD CO. BOROUGH	1,438	27,968	148	773	117	21	677	13	7	4	10	587	120	27	494	183

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,660	163,198	679	3,335	56	87	3,366	80	29	20	71	2,285	77	44	2,252	1,114
25. LEITRIM	376,764	50,908	188	741	10	62	793	5	.	18	23	665	3	67	729	64
26. MAYO	1,333,941	161,349	640	2,655	13	94	2,736	6	1	34	39	1,879	3	70	1,946	790
27. ROSCOMMON	608,540	77,566	317	1,046	28	103	1,121	20	3	9	26	1,061	29	63	1,095	26
28. SLIGO	443,917	67,447	263	1,039	10	24	1,053	14	.	2	16	982	30	15	967	86

PROVINCE OF ULSTER (Part of).

29. CAVAN	467,162	76,670	311	1,185	6	88	1,267	18	.	32	50	1,052	4	78	1,126	141
30. DONEGAL	1,193,581	142,310	689	2,645	20	20	2,645	95	1	6	100	2,012	10	16	2,018	627
31. MONAGHAN	318,985	61,289	245	951	7	37	981	23	1	19	41	843	28	22	837	144

* Exclusive of the larger rivers, lakes and tideways.

MARRIAGES, BIRTHS AND DEATHS, 1940.—Superintendent Registrars' Districts, by Counties.—LEINSTER.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
1. Carlow Co.																
No.																
1. CARLOW ...	221,485	34,452	160	618	10	70	678	14	.	19	83	453	22	49	480	198
2. Dublin Co.																
2. BALBOTHERRY ...	84,405	20,997	83	232	2	218	448	2	.	8	10	246	78	107	275	173
3. DUBLIN (part of) ...	97,619	38,481	333	445	98	412	759	104	79	15	40	410	122	211	499	260
4. RATHDOWN ...	26,960	59,344	406	533	14	641	1,160	1	.	24	25	755	89	214	880	280
3. City of Dublin.																
5. DUBLIN (part of) ...	18,740	468,103	3,441	13,464	2,505	105	11,064	428	247	38	219	7,966	1,169	205	,002	4,062
4. Kildare Co.																
6. ATHY ...	130,460	16,552	85	330	20	37	347	9	4	11	16	231	46	57	242	105
7. CELBRIDGE ...	53,703	8,233	29	107	1	49	155	1	.	5	6	73	.	42	115	40
8. NAAS ...	234,481	33,107	170	640	13	142	769	12	.	25	37	417	64	92	445	324
5. Kilkenny Co.																
9. CALLAN ...	62,169	7,112	20	107	1	24	130	.	.	4	4	72	.	24	96	34
10. CASTLECOMER ...	57,867	8,247	27	93	.	34	127	1	.	11	12	104	.	24	128	—1
11. KILKENNY ...	133,462	23,377	150	537	126	34	445	6	1	15	20	411	92	32	351	94
12. THOMASTOWN ...	225,444	26,660	104	393	12	103	484	23	8	9	24	354	47	61	368	116
13. URLINGFORD ...	30,528	3,218	12	49	.	15	64	.	.	3	3	41	.	16	57	7
6. Laoighis Co.																
14. ABBEYLEIX ...	200,641	21,319	79	357	22	37	372	8	2	15	21	279	29	34	284	88
15. MOUNTMELLICK ...	224,251	28,790	90	468	9	79	538	10	2	15	23	420	51	48	417	121

7. Longford Co.														
16. BALLYMAHON ...	69,834	7,272	29	102	.	35	137	2	.	3	5	78	.	26
17. GRANARD ...	84,678	12,532	38	154	.	53	207	2	.	7	9	95	.	41
18. LONGFORD ...	103,423	18,043	88	429	108	22	343	18	5	5	18	291	39	23
8. Louth Co.														
19. ARDEE ...	67,239	11,218	45	174	8	36	202	2	.	10	12	163	34	27
20. DROGHEDA ...	41,979	19,674	133	551	60	16	507	14	6	3	11	303	21	29
21. DUNDALK ...	93,596	33,447	194	540	21	80	599	27	11	11	27	432	7	48
9. Meath Co.														
22. DUNSHAUGHLIN ...	106,757	7,724	38	111	1	50	160	.	.	5	5	72	.	35
23. KELLS ...	103,420	12,837	47	205	1	41	245	.	.	5	5	118	.	55
24. NAVAN ...	182,161	22,209	115	325	2	108	431	4	.	11	15	300	65	56
25. OLDCASTLE ...	44,099	4,596	7	78	1	8	85	2	.	2	4	56	.	11
26. TRIM... ..	141,387	14,039	62	288	82	35	241	6	4	8	10	229	65	36
10. Offaly Co.														
27. BIRR ...	218,865	23,462	113	322	7	61	376	3	.	16	19	249	.	68
28. EDENDERRY ...	81,156	6,563	32	112	5	21	128	2	.	8	10	92	1	14
29. TULLAMORE ...	163,615	21,283	125	421	31	34	424	12	4	8	16	323	44	22
11. Westmeath Co.														
30. ATHLONE ...	98,984	18,109	99	311	39	60	332	2	.	18	20	216	1	64
31. DELVIN ...	110,987	10,087	26	212	89	41	164	94	89	4	9	149	33	46
32. MULLINGAR ...	225,634	26,510	98	476	55	50	471	9	5	25	29	482	136	21
12. Wexford Co.														
33. ENNISCORTHY ...	193,391	29,566	132	506	29	63	540	49	18	6	37	554	131	37
34. GOREY ...	130,202	13,850	70	239	7	30	262	7	.	5	12	181	.	45
35. NEW ROSS ...	124,426	19,417	91	336	3	52	385	7	.	15	22	259	8	60
36. WEXFORD... ..	133,042	31,412	156	650	90	32	592	11	1	14	24	503	50	72
13. Wicklow Co.														
37. BALTINGLASS ...	154,966	9,854	65	177	36	34	175	3	.	2	5	155	16	37
38. RATHDRUM ...	262,206	41,443	211	697	18	186	865	33	7	12	38	543	67	133
39. SHILLELAGH ...	83,078	7,272	31	67	1	56	122	2	.	12	14	84	.	21

See Note () on page 31.

MARRIAGES, BIRTHS AND DEATHS, 1940.—Superintendent Registrars' Districts, by Counties.—MUNSTER.

MARRIAGES, BIRTHS AND DEATHS, 1936.																
SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
14. Clare Co.																
No. 40. BALLYVAUGHAN	71,629	3,263	12	52	2	4	54	27	.	8	35	19
41. COROFIN ...	61,381	3,865	12	54	.	5	59	.	.	2	2	32	.	8	40	19
42. ENNIS ...	113,312	18,634	103	384	54	30	360	15	7	5	13	368	130	16	254	106
43. ENNISTYMON ...	99,600	14,390	62	261	16	11	256	2	.	3	5	189	6	31	214	42
44. KILLADYSERT ...	62,615	6,824	13	68	.	8	76	.	.	3	3	69	.	15	84	—8
45. KILRUSH ...	137,507	22,300	113	331	5	37	363	3	.	8	11	232	3	43	272	91
46. SCARRIFF ...	241,712	20,603	79	244	8	69	305	.	.	6	6	201	5	63	259	46
15. Cork Co.																
47. BANDON ...	101,482	14,866	62	256	57	49	248	3	.	19	22	153	4	55	204	41
48. BANTRY ...	107,277	10,335	48	134	8	14	140	.	.	3	3	113	2	27	138	2
49. CASTLETOWN ...	74,299	7,833	17	110	.	10	120	.	.	2	2	60	.	19	79	41
50. CLONAKILTY ...	80,994	14,716	63	181	8	43	216	11	8	2	5	206	15	36	227	—11
51. CORK (part of)	167,841	59,391	260	895	213	306	988	134	112	7	29	1,430	755	164	839	149
52. DUNMANWAY ...	103,920	10,343	26	169	28	24	165	2	.	3	5	114	.	16	130	35
53. FERMOY ...	196,733	24,735	105	424	26	32	430	10	1	8	17	319	32	46	333	97
54. KANTURK ...	185,659	20,455	95	349	14	34	369	5	.	8	13	212	2	36	246	123
55. KINSALE ...	80,129	11,613	36	112	3	42	151	3	.	3	6	122	.	50	172	—21
56. MACROOM ...	179,153	17,760	67	225	10	58	273	.	.	5	5	310	1	60	369	—96
57. MALLOW ...	169,102	24,511	86	354	4	104	454	6	.	13	19	186	10	77	253	201
58. MIDDLETON ...	109,380	16,608	62	200	4	47	243	5	.	11	16	203	7	42	238	5
59. MILLSTREET ...	74,939	8,992	22	110	5	27	132	2	.	7	9	108	1	11	118	14
60. SKIBBEREEN ...	115,371	18,041	61	243	4	27	266	1	1	3	3	219	9	30	240	26
61. SKULL ...	57,669	6,312	19	50	.	14	64	1	.	2	3	65	.	19	81	—20

16. Cork Co. Borough 63. CORK (part of) ...	2,655	80,765	737	2,193	629	106	1,670	20	7	15	28	1,076	315	411	1,172	198
17. Kerry Co.																
64. CAHERCIVEEN ...	198,101	15,371	82	224	5	21	240	3	.	6	9	152	1	28	179	61
65. DINGLE ...	126,454	13,838	63	164	.	18	182	1	.	5	6	121	.	39	160	22
66. KENMARE ...	198,416	10,143	30	138	2	17	153	.	.	5	5	92	.	18	110	43
67. KILLARNEY ...	251,430	31,660	192	533	27	19	525	31	21	2	12	479	91	45	433	92
68. LISTOWEL... ..	165,503	29,407	129	545	8	51	588	3	.	10	13	303	.	64	367	221
69. TRALEE ...	221,801	39,415	191	819	77	28	770	15	7	11	19	586	121	62	527	243
18. Limerick Co																
70. CROOM ...	83,369	10,007	38	388	239	21	170	64	61	2	5	150	67	20	103	67
71. KILMALLOCK ...	164,344	23,057	123	352	9	151	494	7	.	27	34	244	.	106	350	144
72. LIMERICK (part of) ...	142,828	26,625	94	416	29	156	543	22	15	23	30	487	238	82	331	212
73. NEWCASTLE ...	143,842	23,666	112	395	6	84	473	4	1	16	19	322	64	59	317	156
74. RATHKEALE ...	127,202	16,737	71	234	1	73	306	4	.	10	14	154	.	52	206	100
19. Limerick Co. Borough																
75. LIMERICK (part of) ...	2,386	41,061	370	1,183	238	39	984	3	1	18	20	532	154	235	613	371
20. Tipperary N.R.																
76. BORRISOKANE ...	109,667	8,842	35	130	2	37	165	.	.	7	7	75	.	25	100	65
77. NENAGH ...	183,395	20,688	64	393	40	21	374	3	.	10	13	245	18	48	275	99
78. ROSCREA ...	57,541	7,950	29	261	160	13	114	156	150	5	11	181	93	18	106	8
79. THURLES ...	142,655	22,071	131	406	8	53	451	11	2	12	21	307	39	51	319	132
21. Tipperary S.R.																
80. CARRICK-ON-SUIR ...	26,118	6,870	41	113	2	12	123	.	.	3	3	74	.	18	92	31
81. CASHEL ...	222,782	24,962	80	428	29	69	468	25	14	9	20	404	72	48	380	88
82. CLOGHEEN ...	117,415	11,500	47	184	11	25	198	1	.	5	6	142	1	29	170	28
83. OLONMEL ...	47,305	13,774	80	303	39	15	279	7	2	6	11	232	60	18	190	89
84. TIPPERARY ...	144,414	21,178	71	514	94	31	451	1	.	14	15	264	25	53	292	159
22. Waterford Co.																
85. DUNGARVAN ...	144,342	17,431	64	301	53	21	269	24	17	5	12	305	47	22	280	—11
86. KILMACTHOMAS... ..	64,590	5,798	35	59	.	37	96	2	.	11	13	72	.	19	91	5
87. LISMORE ...	97,186	10,172	53	133	2	43	174	3	.	13	16	114	2	50	162	12
88. WATERFORD (part of)	146,722	16,245	77	232	12	78	298	6	.	9	15	195	19	93	269	29
23. Waterford Co. Borough 89. WATERFORD (part of) ...	1,438	27,968	148	773	117	21	677	13	7	4	10	587	120	27	494	183

* See note (*) on page 31.

MARRIAGES, BIRTHS AND DEATHS, 1940.—Superintendent Registrars' Districts, by Counties.—CONNAUGHT.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Population, Census 1936	Total Number of Marriages Registered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Numbers)
				Registered	Transferred from Area	Transferred to Area	Net Number	Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
24. Galway Co.																
90. BALLINASLOE ...	155,542	18,442	77	228	1	66	293	2	.	14	16	242	91	61	212	81
91. CLIFDEN ...	193,692	12,434	42	229	4	16	241	2	.	5	7	154	2	35	187	54
92. GALWAY ...	198,506	38,297	183	1,165	248	24	941	19	11	8	16	774	277	53	550	391
93. GLENAMADDY ...	82,958	10,889	34	143	1	15	157	120	.	32	152	5
94. GORT ...	106,312	10,034	24	133	.	37	170	1	.	4	5	94	.	51	145	25
95. LOUGHREA ...	214,111	19,690	81	299	3	65	361	1	.	5	6	335	95	56	296	65
96. MOUNTBELLEW ...	72,439	8,562	25	138	1	12	149	1	.	1	2	57	.	36	93	56
97. OUGHTERARD ...	173,440	13,393	72	342	5	34	371	3	.	4	7	149	.	42	191	180
98. PORTUMNA ...	62,086	7,178	24	111	.	12	123	.	.	1	1	73	.	19	92	31
99. TUAM ...	208,574	29,279	117	547	46	59	560	51	44	4	11	287	33	80	331	226
25. Leitrim Co.																
100. CARRICK-ON-SHANNON	63,577	9,651	45	118	6	41	153	1	.	4	5	154	36	23	141	12
101. MANORHAMILTON ...	177,423	19,556	62	295	6	21	310	1	.	9	10	272	10	38	300	10
102. MOHILL ...	135,764	21,701	81	328	23	25	330	3	.	5	8	239	1	50	288	12
26. Mayo Co.																
103. BALLINA ...	251,108	28,142	144	490	6	32	516	1	.	13	14	303	2	55	356	160
104. BALLINROBE ...	147,105	17,371	75	273	2	21	292	.	1	6	5	168	.	62	230	62
105. BELMÚLLET ...	179,761	13,447	52	316	2	5	319	3	.	.	3	96	2	21	115	204
106. CASTLEBAR ...	141,211	22,531	59	392	66	5	331	1	.	4	5	523	259	8	272	59
107. CLAREMORRIS ...	110,789	19,300	62	267	2	28	293	1	.	5	6	172	.	53	225	68

109. WESTPORT ...	347,904	27,855	147	455	1	32	486	.	3	3	236	.	71	307	179
27. Roscommon Co.															
110. BOYLE ...	122,372	16,729	65	245	13	25	257	1	.	8	199	7	28	220	37
111. CASTLEREAGH ...	163,690	24,724	104	310	2	27	335	1	.	2	254	.	85	339	—4
112. ROSCOMMON ...	322,478	36,113	148	491	33	71	529	18	9	5	608	99	27	536	—7
28. Sligo Co.															
113. DROMORE WEST ...	97,543	9,980	19	136	2	14	148	.	.	1	104	.	30	134	14
114. SLIGO ...	220,505	43,234	190	710	31	20	699	14	2	2	743	101	15	657	42
115. TOBERCURREY ...	125,869	14,233	54	193	.	13	206	.	.	1	135	.	41	176	30

MARRIAGES, BIRTHS AND DEATHS, 1940.—Superintendent Registrars' Districts, by Counties.—ULSTER (part of).

29. Cavan Co.															
116. BAILLEBOROUGH ...	113,901	19,845	87	298	2	53	349	1	.	15	16	248	.	78	23
117. BAWNBOY ...	102,420	11,047	49	142	1	24	165	.	.	1	1	123	.	37	5
118. CAVAN ...	250,841	45,778	175	745	43	51	753	17	5	21	33	681	92	51	113
30. Donegal Co.															
119. BALLYSHANNON ...	41,628	7,976	29	145	13	7	139	3	1	3	5	127	17	11	18
120. DONEGAL ...	160,449	14,780	78	251	26	7	232	3	.	3	6	208	17	25	16
121. DUNFANAGHY ...	126,123	13,555	45	236	1	5	240	1	.	2	3	167	.	14	59
122. GLENTIES ...	258,505	27,569	121	424	4	34	454	6	.	11	17	360	6	52	48
123. INISHOWEN ...	160,021	23,240	129	456	1	11	466	9	.	7	16	295	4	28	147
124. LETTERKENNY ...	160,377	18,540	108	380	13	7	374	14	.	2	16	277	79	14	162
125. MILLFORD ...	112,089	15,513	57	269	.	13	282	13	.	7	20	216	.	20	46
126. STRANORLAR ...	174,389	21,137	122	484	40	14	458	46	30	1	17	362	57	22	131
31. Monaghan Co.															
127. CARRICKMACROSS ...	65,680	12,862	51	143	.	35	178	3	.	7	10	131	.	41	6
128. CASTLEBLAYNEY ...	63,834	13,205	61	183	9	44	218	13	9	6	10	214	52	20	36
129. CLONES ...	64,288	11,291	40	184	2	29	211	3	.	6	9	127	.	33	51
130. MONAGHAN ...	125,183	23,931	93	441	79	12	374	4	1	9	12	371	70	22	51

* See note (*) on page 31.

ABSTRACT II.—MARRIAGES

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
EIRE	15,212	14,252	960	681	147	75	49	5	3	3,503	3,808	4,592	3,309
PROVINCES.													
LEINSTER	7,234	6,651	583	456	35	46	39	4	3	1,411	1,734	2,494	1,595
MUNSTER	4,646	4,526	120	91	10	11	7	1	.	1,267	1,141	1,235	1,003
CONNAUGHT	2,087	2,041	46	40	1	3	2	.	.	526	608	527	426
ULSTER (part of)	1,245	1,034	211	94	101	15	1	.	.	299	325	336	285

PROVINCE OF

CARLOW	160	154	6	5	.	.	1	.	.	40	39	45	36
DUBLIN CO.	822	730	92	82	1	8	.	1	.	156	157	327	182
CITY OF DUBLIN	3,441	3,119	322	222	30	32	35	.	3	587	853	1,296	705
KILDARE	284	269	15	13	.	1	1	.	.	55	68	86	75
KILKENNY	313	301	12	11	1	75	70	97	71
LAOIGHIS	169	151	18	17	1	39	38	42	50
LONGFORD	155	151	4	4	60	38	33	24
LOUTH	372	355	17	15	1	1	.	.	.	75	76	123	98
MEATH	269	258	11	11	49	74	79	67
OFFALY	270	256	14	12	.	1	.	1	.	52	75	82	61
WESTMEATH	223	215	8	8	53	48	66	56
WEXFORD	449	425	24	19	1	2	1	1	.	108	123	127	91
WICKLOW	307	267	40	37	.	1	1	1	.	62	75	91	79

PROVINCE OF

CLARE	394	393	1	1	107	116	72	99
CORK CO.	1,065	1,015	50	43	2	1	4	.	.	295	240	294	236
CORK CO. BOROUGH	737	707	30	15	7	6	1	1	.	167	152	255	163
KERRY	687	683	4	3	.	1	.	.	.	269	153	149	116
LIMERICK CO.	438	430	8	5	.	2	1	.	.	138	123	82	95
LIMERICK CO. BOROUGH	370	367	3	2	.	.	1	.	.	82	102	109	77
TIPPERARY, N.B.	259	249	10	9	.	1	.	.	.	57	69	75	58
TIPPERARY, S.B.	319	312	7	7	67	82	93	77
WATERFORD CO.	229	225	4	4	50	63	67	49
WATERFORD CO. BOROUGH	148	145	3	2	1	35	41	39	33

PROVINCE OF

GALWAY	679	675	4	3	.	.	1	.	.	176	168	196	139
LEITRIM	188	175	13	12	.	1	.	.	.	50	46	19	43
MAYO	640	636	4	3	1	145	251	141	103
ROSCOMMON	317	314	3	3	88	81	78	70
SLIGO	263	241	22	19	.	2	1	.	.	67	62	63	71

PROVINCE OF

CAVAN	311	272	39	26	10	3	.	.	.	80	75	89	67
DONEGAL	689	566	123	49	64	9	1	.	.	158	181	187	163
MONAGHAN	245	196	49	19	27	3	.	.	.	61	69	60	55

REGISTERED IN THE YEAR 1940.

MARRIAGES.								PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age		
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	
4,317	187	613	95	708	282	258	1,248	ÉIRE.
								PROVINCES.
6,723	92	363	56	419	148	145	765	LEINSTER.
4,416	56	149	25	174	81	81	310	MUNSTER.
1,993	22	63	9	72	31	15	81	CONNAUGHT.
1,185	17	38	5	43	22	17	92	ULSTER (part of).
LEINSTER								
152	1	6	1	7	2	5	19	CARLOW.
771	6	38	7	45	13	14	87	DUBLIN CO.
3,174	45	188	34	222	79	78	353	CITY OF DUBLIN.
267	9	6	2	8	11	4	43	KILDARE.
285	6	20	2	22	8	3	20	KILKENNY.
163	1	5		5	1	1	13	LAOIGHIS.
140	2	11	2	13	4	2	13	LONGFORD.
354	4	12	2	14	6	5	40	LOUTH.
251	1	16	1	17	2	5	29	MEATH.
255	2	11	2	13	4	7	33	OFFALY.
206	6	11		11	6	5	18	WESTMEATH.
420	4	23	2	25	6	12	60	WEXFORD.
285	5	16	1	17	6	4	37	WICKLOW.
MUNSTER								
378	5	9	2	11	7	5	17	CLARE.
1,008	14	37	6	43	20	11	58	CORK CO.
695	10	29	3	32	13	26	70	CORK CO. BOROUGH.
659	7	19	2	21	9	5	20	KERRY.
419	5	12	2	14	7	10	33	LIMERICK CO.
348	6	11	5	16	11	10	33	LIMERICK CO. BOROUGH.
244	2	13		13	2	5	15	TIPPERARY, N.R.
306	3	7	3	10	6	1	20	TIPPERARY, S.R.
220	2	7		7	2	3	24	WATERFORD CO.
139	2	5	2	7	4	5	20	WATERFORD CO. BOROUGH.
CONNAUGHT								
652	7	19	1	20	8	3	24	GALWAY.
176	3	8	1	9	4	4	8	LEITRIM.
618	6	16		16	6	3	26	MAYO.
300	1	11	5	16	6	4	13	ROSCOMMON.
247	5	9	2	11	7	1	10	SLIGO.
ULSTER (part of)								
293	6	11	1	12	7	3	20	CAVAN.
663	5	19	2	21	7	10	55	DONEGAL.
229	6	8	2	10	8	4	17	MONAGHAN.

TOTAL BIRTHS		AGES AT DEATH.															85—	95 & up wards							
		TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—			45—	50—	55—	60—	65—	70—	75—
Provinces and Counties.																									
ÉIRE	{ Persons	56,594	3,759	494	244	195	134	4,826	469	387	738	906	932	894	948	1,034	1,320	1,882	2,488	3,578	4,559	6,264	8,559	1,922	179
	{ Males	29,029	2,094	276	119	114	77	2,680	251	186	351	447	468	448	476	503	718	998	1,328	1,882	2,531	3,241	4,171	866	66
	{ Females	27,565	1,665	218	125	81	57	2,146	218	201	387	387	459	464	472	531	602	884	1,160	1,696	2,028	3,023	4,388	1,056	113
LEINSTER	{ Persons	25,533	1,941	234	124	93	80	2,472	241	187	349	423	398	424	425	455	660	912	1,175	1,628	1,906	2,467	3,087	614	54
	{ Males	13,239	1,097	140	66	54	44	1,401	129	98	156	198	197	221	205	227	375	494	636	838	1,028	1,262	1,429	238	17
	{ Females	12,294	844	94	58	39	36	1,071	112	89	193	225	203	203	220	228	285	418	539	790	878	1,205	1,658	376	37
MUNSTER	{ Persons	17,099	1,120	155	72	53	31	1,431	127	110	225	284	277	288	308	329	393	592	768	1,126	1,468	2,017	2,676	559	60
	{ Males	8,661	604	85	32	29	19	769	69	55	112	144	133	140	153	158	196	304	409	588	824	1,042	1,325	256	22
	{ Females	8,438	516	70	40	24	12	662	58	55	113	140	144	148	155	171	197	288	359	538	644	975	1,351	303	38
CONNAUGHT	{ Persons	9,069	442	50	19	25	17	553	77	63	112	133	180	123	151	164	167	239	341	506	690	1,067	1,858	519	46
	{ Males	4,621	246	28	9	17	10	310	42	20	55	67	101	62	82	81	92	122	178	283	398	555	946	249	20
	{ Females	4,448	196	22	10	8	7	243	35	43	57	66	79	61	69	83	75	117	163	223	292	512	912	270	26
ULSTER (part of)	{ Persons	4,893	256	55	29	24	6	370	24	27	52	66	77	59	64	86	100	139	204	318	495	713	938	230	19
	{ Males	2,508	147	23	12	14	4	200	11	13	28	38	37	25	36	37	55	78	105	173	281	382	471	123	7
	{ Females	2,385	109	32	17	10	2	170	13	14	24	28	40	34	28	49	45	61	99	145	214	331	467	107	12
LEINSTER.																									
CARLOW	{ Persons	678	49	5	2	1	3	60	6	5	12	11	12	10	8	11	13	18	32	36	54	89	82	21	.
	{ Males	323	26	4	1	1	1	33	2	5	4	4	6	3	2	5	5	5	19	26	34	50	40	11	.
	{ Females	355	23	1	1	.	2	27	4	.	8	7	6	7	6	6	8	13	13	10	20	39	42	10	.
DUBLIN Co.	{ Persons	2,367	189	28	9	6	4	236	28	25	37	40	52	39	39	42	43	90	111	149	182	189	284	60	9
	{ Males	1,250	108	17	3	2	3	133	19	15	21	28	22	20	23	21	25	46	58	65	96	87	129	23	2
	{ Females	1,117	81	11	6	4	1	103	9	10	16	12	12	18	16	21	18	44	53	84	86	102	155	37	7
CITY OF DUBLIN	{ Persons	11,064	1,004	117	53	51	38	1,263	111	76	146	173	136	171	184	210	336	411	528	646	693	871	854	178	15
	{ Males	5,703	575	66	30	31	20	722	56	39	64	75	69	86	88	102	204	247	304	338	361	394	294	52	1
	{ Females	5,361	429	51	23	20	18	541	55	37	82	98	67	85	96	108	132	164	224	308	332	477	560	126	14
KILDARE	{ Persons	1,271	75	5	6	1	4	91	17	13	13	26	31	27	22	16	24	37	46	71	94	100	150	23	1
	{ Males	640	42	2	3	1	2	50	12	9	4	12	21	13	11	9	14	22	27	35	56	63	75	8	1
	{ Females	631	33	3	3	.	2	41	5	4	9	14	10	14	11	7	10	15	19	36	38	37	75	15	.
KILKENNY	{ Persons	1,250	91	14	8	2	3	118	3	8	13	23	15	16	16	29	32	37	61	87	117	152	221	47	5
	{ Males	618	40	7	5	2	2	56	.	3	4	11	10	9	8	14	15	20	28	47	58	79	111	19	3
	{ Females	632	51	7	3	.	1	62	3	5	9	9	5	7	8	15	17	17	33	40	59	73	110	28	3
LAOIGHIS	{ Persons	910	52	2	3	1	5	63	4	7	10	10	17	10	17	20	28	32	32	64	95	105	165	16	6
	{ Males	482	33	2	1	1	3	40	1	4	5	7	5	7	8	9	17	17	15	32	54	46	88	7	3
	{ Females	428	19	.	2	.	2	23	3	3	5	5	12	3	9	11	11	15	17	32	41	59	77	9	3
LONGFORD	{ Persons	687	42	3	.	.	1	46	3	.	4	8	5	16	10	10	20	14	35	41	65	93	126	20	1
	{ Males	378	22	2	.	.	.	24	3	.	2	4	4	12	2	5	11	7	16	22	33	58	71	6	1
	{ Females	309	20	1	.	.	1	22	.	.	2	2	4	1	8	5	9	11	19	15	32	35	55	14	1

LOUTH	{ Persons Males Females	1,308	940	79	12	8	8	8	110	11	9	16	25	24	25	26	21	31	50	48	93	84	157	167	41	2	
		701 607	469 471	37 42	10 8	3 3	4 4	1 1	57 53	4 7	6 3	4 12	11 14	7 17	14 11	18 8	13 8	19 12	26 24	27 21	43 50	46 38	83 71	72 95	18 23	1	
MEATH	{ Persons Males Females	1,162	838	59	10	8	1	5	83	9	7	10	25	19	25	15	20	33	43	47	79	98	136	156	45	1	
		586 576	470 368	29 30	7 8	4 4	1	2	45 38	6 3	2 5	6 4	7 5	10 9	14 11	7 8	10 8	17 16	20 23	23 24	46 33	62 36	83 53	90 66	21 24	1	
OFFALY	{ Persons Males Females	928	723	55	9	5	3	2	81	8	2	20	18	11	13	20	13	17	28	18	68	87	97	165	23	4	
		483 445	364 359	39 16	5 4	4 6	3 2	2	51 30	3 5	2	12 8	7 11	1 7	5 8	13 7	2 11	6 11	17 11	25 23	33 35	38 49	46 51	85 80	11 9	3	
WEST- MEATH	{ Persons Males Females	967	808	66	7	2	7	1	83	16	5	15	24	17	10	20	21	21	34	49	73	82	126	175	34	3	
		504 463	441 367	35 31	5 2	1 1	3 4	1	44 39	7 9	3 2	7 8	12 12	10 7	7 3	9 11	11 10	13 8	17 17	34 15	37 36	52 30	67 59	86 89	22 12	3	
WEXFORD	{ Persons Males Females	1,579	1,522	104	10	11	8	8	141	18	20	31	34	33	38	30	20	35	75	86	125	168	240	359	63	6	
		963 816	776 716	62 42	6 4	7 4	3 5	7	85 56	11 7	5 15	13 18	18 22	44 19	18 20	11 19	11 9	14 21	29 46	37 49	68 57	91 77	143 97	193 166	20 13	1	
WICKLOW	{ Persons Males Females	1,162	890	76	12	4	2	3	97	7	10	22	19	26	25	18	22	27	43	52	96	87	112	183	43	1	
		608 554	465 425	49 27	7 5	2 2	2 2	1	61 36	5 2	5 5	10 12	8 11	15 11	13 12	5 13	15 7	15 12	21 22	23 29	46 50	47 40	63 49	95 88	17 26	1	
MUNSTER.																											
CLARE	{ Persons Males Females	1,473	1,158	63	9	2	4	2	80	6	8	22	35	25	25	20	26	26	42	48	93	120	234	281	61	6	
		728 715	616 542	33 30	7 2	1 1	3 1	1	16 34	4 2	7 1	12 10	19 16	12 13	13 12	8 12	9 17	14 12	21 18	28 20	41 52	71 49	128 106	151 130	27 34	2	
CORK CO.	{ Persons Males Females	4,391	3,792	276	37	21	18	7	359	30	33	58	86	69	74	82	82	117	167	230	341	458	590	822	170	24	
		2,205 2,186	1,918 1,844	154 122	18 19	9 12	12 6	3	197 162	16 14	17 16	29 29	41 45	32 37	34 40	40 12	37 45	58 59	87 80	129 101	181 160	254 204	314 276	403 419	69 101	10	
CORK CO. BOROUGH	{ Persons Males Females	1,670	1,172	153	35	5	5	5	203	16	10	24	23	22	31	38	46	40	75	86	120	108	144	155	28	3	
		861 809	566 606	82 71	21 14	1 4	3 2	4	111 92	8 8	2 8	11 13	12 11	9 13	12 19	13 25	23 23	17 23	38 37	53 33	65 55	51 57	64 80	65 90	11 17	1	
KERRY	{ Persons Males Females	2,458	1,776	120	14	12	6	3	155	22	16	34	43	48	42	46	52	52	62	100	137	212	266	399	79	11	
		1,206 1,252	941 835	62 58	5 9	6 6	4 2	3	77 78	16 6	10 6	16 18	25 18	28 20	23 19	29 17	33 19	28 24	25 37	45 55	82 55	130 82	142 124	191 208	38 41	3	
LIMERICK OO.	{ Persons Males Females	1,986	1,307	119	11	8	3	4	145	14	10	22	22	29	25	26	36	31	63	68	119	152	197	280	62	6	
		1,024 962	678 629	58 61	7 4	3 5	1 2	3	72 73	7 7	3 7	7 15	9 13	12 17	16 9	18 8	19 17	16 15	35 28	36 32	61 58	78 74	100 97	153 127	34 28	2	
LIMERICK CO. BOROUGH	{ Persons Males Females	984	613	69	15	6	6	2	96	11	7	16	16	15	27	25	24	18	34	52	45	56	78	71	21	1	
		505 479	304 312	36 33	7 8	5 1	2 2	1	50 46	4 7	4 3	11 5	9 7	9 6	11 16	13 12	13 11	9 9	22 12	23 29	21 24	27 29	33 45	34 37	8 13	1	
TIPPERARY, N.R.	{ Persons Males Females	1,104	800	63	4	4	3	3	76	8	6	11	10	20	17	16	9	31	32	42	63	90	159	170	37	3	
		549 555	418 382	33 30	2 2	4	2 1	1	38 38	5 3	2 4	5 6	3 7	10 10	9 8	8 8	4 5	11 20	18 14	16 26	35 28	58 32	81 78	88 82	24 13	3	
TIPPERARY, S.R.	{ Persons Males Females	1,519	1,124	108	8	3	2	4	125	8	11	16	21	25	15	21	23	30	53	69	105	127	171	254	47	3	
		783 736	591 533	64 44	4 4	1 2	2 2	3	72 53	4 4	6 5	8 8	12 9	11 14	8 7	13 8	10 13	15 15	23 30	41 28	48 57	75 52	95 76	124 130	26 21	3	

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages registered in the year 1940.

Provinces and Counties.	TOTAL BIRTHS.	AGES AT DEATH.														95 & up- wards									
		TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—		40—	45—	50—	55—	60—	65—	70—	75—	85—
WATERFORD CO.	{ Persons Males Females }	837	74	8	3	4	3	92	7	6	10	18	15	21	21	18	35	30	48	73	88	116	165	36	3
		449	41	3	3	2	2	51	1	3	6	11	6	10	6	6	22	19	25	38	49	65	82	12	1
WATERFORD CO.BOROUGH	{ Persons Males Females }	388	33	5		2	1	41	6	3	4	7	9	11	15	12	13	11	23	35	39	51	83	24	2
		677	75	14	8	2	1	100	5	3	12	10	9	11	13	13	13	34	25	30	57	62	79	18	
	{ Persons Males Females }	351	41	11	3			55	4	1	7	3	4	4	5	4	6	13	13	16	31	20	34	7	
		326	34	3	5	2	1	45	1	2	5	7	5	7	8	9	7	21	12	14	26	42	45	11	
CONNAUGHT.																									
GALWAY	{ Persons Males Females }	3,366	186	26	6	10	11	239	23	29	47	61	76	53	55	45	60	72	98	142	185	306	568	176	17
		1,741	104	11	3	7	8	133	14	13	22	27	40	28	27	23	34	38	50	77	110	167	303	85	9
LEITRIM	{ Persons Males Females }	1,625	82	15	3	3	3	106	9	16	25	34	36	25	28	22	26	34	48	65	75	139	265	91	8
		729	46	7	3	1	2	59	9	5	10	9	12	11	17	18	15	24	33	52	92	125	188	49	1
MAYO	{ Persons Males Females }	398	29	5	1	1		36	5		5	6	10	6	12	9	5	11	20	26	52	65	102	26	1
		395	17	2	2		2	23	4	5	5	3	2	5	5	9	10	13	13	26	40	60	86	23	
ROSCOMMON	{ Persons Males Females }	2,736	104	9	6	6	3	128	25	15	31	35	60	32	42	52	37	67	106	142	201	276	517	161	19
		1,392	53	8	4	4	2	71	14	4	17	19	34	12	23	25	22	32	53	85	114	148	250	82	7
SLIGO	{ Persons Males Females }	1,344	51	1	2	2	1	57	11	11	14	16	26	20	19	27	15	35	53	57	87	128	267	79	12
		1,121	54	3	2	5	1	65	12	9	9	12	16	13	14	27	29	40	54	84	109	207	318	71	6
	{ Persons Males Females }	545	31	1	1	2		35	5	2	4	7	7	7	7	12	17	23	27	51	63	97	172	36	3
		576	23	2	1	3	1	30	7	7	5	5	9	6	7	15	12	17	27	33	46	110	146	35	3
	{ Persons Males Females }	1,053	52	5	2	3		62	8	5	15	16	16	14	23	22	26	36	50	86	103	153	267	62	3
		545	29	3		3		35	4	1	7	8	10	9	13	12	14	18	28	44	59	78	119	20	
ULSTER (part of).	{ Persons Males Females }	508	23	2	2			27	4	4	8	8	6	5	10	10	12	18	22	42	44	75	148	42	3
		1,267	71	12	6	5	1	95	7	6	9	17	12	18	13	29	28	40	63	112	147	218	260	50	2
OAVAN	{ Persons Males Females }	665	38	5	4	1		48	4	1	6	11	5	9	6	16	12	20	34	60	82	115	136	31	2
		602	33	7	2	4	1	47	3	5	3	6	7	9	7	13	16	20	29	52	65	103	124	19	
DONEGAL	{ Persons Males Females }	2,645	137	31	19	11	2	200	10	17	32	35	51	27	42	43	55	71	97	137	227	344	477	137	16
		1,374	77	13	5	9	1	105	4	10	18	20	26	11	27	15	31	39	50	68	130	183	230	69	5
MONAGHAN	{ Persons Males Females }	1,271	60	18	14	2	1	95	6	7	14	15	25	16	15	28	24	32	47	69	97	161	247	68	11
		981	48	12	4	8	3	75	7	4	11	14	14	14	9	14	17	28	44	69	121	151	201	43	1
	{ Persons Males Females }	469	32	5	3	4	3	47	3	2	4	7	6	5	3	6	12	19	21	45	69	84	105	23	
		512	16	7	1	4		28	4	2	7	7	8	9	6	8	5	9	23	24	52	67	96	20	1

ABSTRACT IV.

Causes of Death.

ABSTRACT IV—CAUSES OF DEATH

[illegible]

ferent Periods of Life in the Year 1940.

10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards	Detailed International List Nos.	Intermediate International List Nos.
186 201	351 387	447 459	468 464	448 446	476 472	503 531	718 602	998 884	1,328 1,160	1,882 1,696	2,531 2,028	3,241 3,023	4,171 4,388	866 1,056	66 113		
61 98	181 266	281 290	268 285	214 196	200 140	164 126	184 115	176 99	136 87	143 91	119 101	124 118	96 92	12 12	1 1	(1-44)	(1-17)
3	1	4	3	1	3	2	3	1	1	2	2	1	.	.	.	1	1
.	.	.	2	1	1	2	1
.	3	2
.	4	17
.	5	17
2	1	3	1	.	1	6	17
.	1	.	.	.	7	17
1	1	.	.	1	1	1	8	3
1	.	1	9	4
5	2	.	2	1	.	1	1	4	1	10	5
8	5	.	1	1	.	1	1	.	1	11	17
.	.	.	.	1	1	4	1	1	1	.	.	12	17
4	.	3	.	1	.	1	.	2	2	13- 22	(6-7)
39 48	167 246	263 282	251 270	192 181	178 129	144 108	153 95	139 74	98 60	92 52	49 31	24 26	11 4	1	.	13	6
13 33	117 197	220 234	223 238	166 164	164 107	124 93	135 74	127 66	81 48	81 40	43 25	23 22	9 4	1	.	14- 22	7
26 45	50 49	43 48	28 32	26 21	14 22	20 15	18 21	12 8	17 12	8 12	6 6	1 4	2	.	.	15	7
15 28	20 26	19 16	5 7	2 3	1 2	3 1	2 4	2 1	1 3	16	7
3 5	8 12	5 19	4 4	3 1	1 4	5 4	5 6	3 1	1 2	2 4	3 1	1	.	.	.	17	7
3 4	5 2	4 2	5 7	5 10	2 3	3 2	1 5	3 2	1	1 2	2 3	18	7
1	5 2	3	2 3	3 1	2 4	1 1	2	1	6 3	1 3	.	1 2	1	.	.	19	7
.	2	.	3	1	.	.	.	20	7
4	.	1	1	.	.	.	1	.	1	1 1	1 1		
1	1	2 1	2 5	3 1	5 4	1	3 1	1	3 1	1	.	.	1	.	.		

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	T UN yo
		Infective And Parasitic Diseases—continued.												
7	21	Tuberculosis of Other {M. Organs. {F.	1
7	22	Disseminated Tubercu- {M. losis. {F.	82 63	.	.	.	3 1	3 1	6 2	3 2	.	3 4	1	.
17	23	Leprosy ... {M. {F.
8	24	Purulent Infection, and {M. Septicaemia. {F.	47 36	1 1	2 2	.	.	.	3 5	2 .	.	1 .	1	.
17	25	Gonococcal Infections {M. {F.	2	.	1	.	.	.	1
17	26	Other Bacterial {M. Diseases (Dysentery {F. excepted).
9	27	Dysentery ... {M. {F.	2
10	28	Malaria ... {M. {F.	5 1
17	29	Other Diseases due to {M. Parasitic Protozoa, {F. except Spirochaetes
11	30	Syphilis* ... {M. {F.	42 14	4 .	2	1	4 2	1 1	9 6	.	.	1	.	.
17	31	Relapsing Fever ... {M. {F.
17	32	Other Diseases due to {M. Spirochaetes {F.	4 3	1	.	.	.
12	33	Influenza ... {M. {F.	421 407	3 3	3 3	6 3	6 12	8 13	26 34	12 3	5 2	.	3	.
13	34	Smallpox ... {M. {F.
14	35	Measles ... {M. {F.	39 38	.	.	1	2 1	10 6	13 7	15 14	3 8	3 2	2 1	.
17	36	Acute Poliomyelitis and {M. Polioencephalitis {F.	8 4	1	1	1	.	.
17	37	Acute Infectious En- {M. cephalitis (Lethargic {F. or Epidemic).	15 8	1	1	.	.
17	38	Other Diseases due to {M. Viruses. {F.	1 3	.	.	.	1	.	1
15	39	Typhus and Typhus-like {M. Diseases (Ricketts- {F. ioses).	1 1
16	40	Ankylostomiasis ... {M. {F.
16	41	Hydatid Disease ... {M. {F.
16	42	Other Diseases due to {M. Helminths. {F.	3 1	1	.	1	.	.
17	43	Mycoses ... {M. {F.	3	1	1
17	44	Other Infective or Para- {M. sitic Diseases. {F.	25 18	.	.	.	1	.	1	.	.	.	1 1	.

* Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta.

Different Periods of Life in the Year 1940.

H.																95 & up- wards	Detailed International List Nos.	Intermediate International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
.	.	.	1	}	21	7
4 6	11 7	9 10	9 5	10 5	3 3	8 3	4 2	3 3	4 3	2 2	1	}	22	7
.	}	23	17
3 2	3 4	1	.	4	3	1 2	5 1	1 5	2	3 5	3 3	7 2	2	.	.	}	24	8
.	.	.	.	1	}	25	17
.	}	26	17
.	1	.	.	.	1	}	27	9
.	.	.	1	.	.	1	.	1	.	1 1	1	}	28	10
.	}	29	17
.	.	.	1	1	2 1	3	6	4	6 1	3	4 1	2 2	.	1	.	}	30	11
.	}	31	17
.	1	.	.	1	.	2	1	.	1	}	32	17
3 2	3 5	4 3	7 7	9 7	8 4	9 12	10 13	23 14	25 19	34 33	59 60	87 84	81 85	10 12	1 1	}	33	12
.	}	34	13
2	1	.	1	.	1	.	1	1	}	35	14
.	1 1	.	1	.	.	.	1	.	.	.	1	}	36	17
.	2 1	1	2	1	1 1	1	1 1	4 1	1	2	1	}	37	17
.	2	1	.	.	}	38	17
.	.	.	1 1	}	39	15
.	}	40	16
.	}	41	16
.	}	42	16
.	1	.	1	}	43	17
2	1	4 2	2	1 2	4	2	2 3	2 1	2 1	2	2 1	1 2	.	.	.	}	44	17

ABSTRACT IV.—*continued.*—CAUSES OF DEATH

[illegible]

erent Periods of Life in the Year 1940.

	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
5 2	3 10	10 11	11 15	19 23	25 46	45 81	92 101	158 178	220 241	378 314	410 302	355 289	282 221	25 21	1 2	(45-57)	(18-24)
4 1	2 6	7 6	9 12	16 20	22 42	44 77	82 95	157 170	211 233	362 304	404 297	351 286	273 213	24 21	1 2	(45-55*)	18-23
	2	3	1	2	2	3	4	3	4 1	2 6	1 2	1 2	5 4	1 .	.	56	24
1 1	1 2	3 2	2 2	3 1	3 2	1 1	10 2	1 5	5 7	14 4	5 3	3 1	4 4	.	.	57	24
12 8	16 11	15 10	8 17	10 7	7 12	12 19	16 22	16 30	25 40	29 64	50 66	57 73	37 51	6 4	.	(58-71)	(25-30)
6 6	6 8	4 5	4 5	5 2	1 4	6 4	3 3	2 2	3 1	2 4	4 2	1 1	.	1 .	.	58	25
	.	.	1	1	1 2	1 6	3 4	2 9	5 16	8 24	26 34	38 37	18 39	3 .	1	59	26
	60	26
5 2	6 2	5 2	4 5	3 3	4 1	4 3	7 7	9 10	16 14	14 22	19 23	15 30	18 17	5 1	.	61	27
	1	1	62	29
1	3 1	3 3	5	1 2	1	6	6	2 7	1 8	2 11	5	3	2	.	.	63	28
	64	29
	.	3	1	.	.	1	2 2	1 2	1	3 3	1	2 1	1 1	.	.	65	29
.	1	.	.	.	1	.	1	.	.	.	1	1	.	.	.	66	29
.	1	.	.	67-71	30
.	67	30
.	68	30
.	1	.	.	69	30
.	70	30
.	71	30

ABSTRACT IV.—continued.—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES										
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—
(31-32)	(72-76)	IV. Diseases Of The Blood And Blood-Forming Organs. { M. F.	197 248	3 1	· 1	· ·	5 ·	1 1	9 3	1 3	2 3	2 1	4 1
32	72	Hæmorrhagic Conditions. { M. F.	19 20	2 1	· 1	· ·	1 ·	· ·	3 2	1 ·	1 2	· ·	1 ·
31	73	Anaemias ... { M. F.	138 201	1 ·	· ·	· ·	4 ·	1 1	6 1	· 3	1 ·	2 1	1 ·
32	74	Leukæmias and Aleukæmias. { M. F.	30 13	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· ·	1 1
32	75	Diseases of the Spleen { M. F.	8 10	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·
32	76	Other Diseases of the Blood and Blood-forming Organs. { M. F.	2 4	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
(33-34)	(77-79)	V. Chronic Poisoning And Intoxication { M. F.	5 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
33	77	Alcoholism (Ethylism) { M. F.	5 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
34	78	Lead Poisoning ... { M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
34	79	Chronic Poisoning by other Mineral and Organic Substances. { M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
(35-41)	(80-89)	VI. Diseases Of The Nervous System And Sense Organs. { M. F.	1,718 1,989	38 25	20 16	11 13	38 38	42 27	149 119	24 23	5 11	15 8	6 5
40	80	Encephalitis (non-epidemic). { M. F.	21 24	· ·	· ·	· ·	1 1	1 ·	2 1	1 2	1 1	· ·	· ·
35	81	Meningitis (non-meningococcal). { M. F.	120 75	2 ·	1 1	1 2	8 4	17 11	29 18	11 8	3 5	11 7	2 2
36	82	Diseases of the Medulla and Spinal Cord. { M. F.	49 34	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·
37	83	Intra-cranial Lesions of Vascular Origin. { M. F.	1,157 1,530	· ·	· ·	· ·	· 1	· ·	· 1	· ·	· ·	· ·	· ·
38	84	Mental Disorders and Deficiency. { M. F.	57 69	· ·	3 ·	· ·	· ·	· ·	3 ·	· ·	· ·	· ·	· ·
39	85	Epilepsy ... { M. F.	71 45	· ·	· ·	· ·	· ·	· ·	· ·	1 1	· ·	· ·	1 1
40	86	Convulsions (under 5 years). { M. F.	118 112	35 24	16 15	10 10	27 32	20 12	108 93	5 12	1 5	2 1	2 1
40	87	Other Diseases of the Nervous System. { M. F.	94 81	1 ·	· ·	· ·	· ·	· 1	1 1	4 ·	· ·	1 ·	· ·
41	88	Diseases of the Organs of Vision. { M. F.	1 2	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· 1
41	89	Diseases of the Ear and of the Mastoid Antrum. { M. F.	30 17	· 1	· ·	· 1	2 ·	4 3	6 5	2 ·	· ·	· ·	1 ·

different Periods of Life in the Year 1940.

H.

10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
3 4	3 5	3 10	5 6	6 10	7 9	12 9	13 20	9 23	22 26	28 42	25 30	22 29	14 14	.	.	(72-76)	(31-32)
1 2	1	1	1	2 1	2 1	2	2	2	1 1	1 1	1 2	.	1 3	.	.	72	32
1	1 5	8	2 5	3 6	4 8	8 8	10 16	6 16	18 23	25 35	19 25	20 29	11 11	.	.	73	31
2 1	1	2	1	1 2	1	1	3 2	1 2	3 1	1 1	4 2	.	2	.	.	74	32
.	.	1 1	1	1	.	1	.	1 3	1	1 2	1 1	2	.	.	.	75	32
.	.	.	1	.	.	1	.	1	.	3	76	32
.
.	.	.	1	.	.	.	1	.	1	2	(77-79)	(33-34)
.	.	.	1	.	.	.	1	.	1	2	77	33
.	78	34
.	79	34
22 19	21 20	27 16	28 14	29 28	24 27	23 54	56 60	80 122	148 143	155 238	246 283	307 337	285 387	38 57	1 4	(80-89)	(35-41)
4	1 2	1 2	3 1	3 3	1 1	.	1	.	2 1	1 3	1	.	1 1	.	.	80	40
11 7	7 6	5 3	9	1 1	2 1	5 1	1 2	2 1	1	1	.	1 1	.	.	.	81	35
.	1 1	2	2 1	4	3 4	1	4 2	4 5	10 2	8 5	11 1	1 3	1 6	.	.	82	36
1	2 1	3 4	3 3	6 7	9 11	7 36	31 43	54 90	110 122	120 202	214 266	283 314	274 370	38 56	1 4	83	37
.	1 2	5 2	1 2	2 3	1 4	5 6	7 8	7 12	8 5	8 15	4 5	4 4	1 1	.	.	84	38
4 1	8 3	6 2	8 3	7 6	4 2	4 6	3 1	5 4	2 7	6 1	1 2	7 3	1 1	1	.	85	39
.	86	40
3 3	1 4	1 3	2 3	7 4	3 3	1 5	7 4	7 9	15 6	10 11	14 7	8 11	7 6	.	.	87	40
.	1 1	.	.	.	88	41
3 4	1	4	1	3	1 1	.	2	1 1	.	1 1	1 1	2	1	.	.	89	41

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	To un- der 5 years
(42-48)	(90-103)	VII. Diseases Of The Circulatory System. { M. F.	5,003 4,660	.	1	.	2 1	1	4 1	1 1	1 3	1	1	
42-46	90-95	<i>Heart Diseases</i> ... { M. F.	<i>4,596 4,312</i>	.	.	.	1	.	1	1	1 3	1	1	
42	90	Pericarditis ... { M. F.	24 17	
46	91	Acute Endocarditis ... { M. F.	55 43	1	.	1	
43	92	Chronic Affection of the Valves and Endocardium. { M. F.	768 768	1	1	.	.	
44	93	Diseases of the Myocardium. { M. F.	2,698 2,695	.	.	.	1	.	1	.	.	1	.	
45	94	Diseases of the Coronary Arteries : Angina Pectoris. { M. F.	416 213	
46	95	Other Diseases of the Heart. { M. F.	725 666	1 1	.	.	
48	96	Aneurysm (except of Heart and Aorta). { M. F.	8 2	
47	97	Arterio-sclerosis (excl. Coron. or Renal Sclerosis or Cereb. Hæm.) { M. F.	233 174	
47	98	Gangrene ... { M. F.	63 54	.	1	.	.	.	1	1	.	.	.	
48	99	Other Diseases of the Arteries. { M. F.	15 6	
48	100	Diseases of the Veins { M. F.	11 20	
48	101	Diseases of the Lymphatic System. { M. F.	5 2	.	.	.	2	1	3	
48	102	High Blood Pressure (Idiopathic). { M. F.	70 90	
48	103	Other Diseases of the Circulatory System. { M. F.	2	
(49-52)	(104-114)	VIII. Diseases Of The Respiratory System. { M. F.	2,378 2,172	42 39	47 34	50 36	90 72	122 72	351 253	89 74	32 34	16 13	10 8	
52	104	Diseases of the Nasal Fossæ and Annexa. { M. F.	8 3	.	1	.	.	.	1	
52	105	Diseases of the Larynx { M. F.	10 12	.	.	.	1 1	3	4 2	1 5	4	.	.	
49	106	Bronchitis ... { M. F.	996 1,015	14 9	12 12	17 8	22 15	25 14	90 58	14 9	3 6	3 1	1 1	
50	107-9	<i>Pneumonia, All Forms</i> { M. F.	<i>983 878</i>	<i>27 29</i>	<i>33 19</i>	<i>32 27</i>	<i>65 55</i>	<i>91 58</i>	<i>248 188</i>	<i>73 58</i>	<i>24 27</i>	<i>10 10</i>	<i>6 6</i>	
50	107	Broncho-pneumonia ... { M. F.	498 453	17 17	26 14	23 15	42 38	66 41	174 125	55 44	20 20	7 8	4 4	
50	108	Lobar Pneumonia ... { M. F.	135 108	2 2	1 2	.	4 3	2	9 10	5 1	2 1	1	.	
50	109	Pneumonia (un-specified). { M. F.	350 317	8 10	6 3	9 9	19 14	23 17	65 53	13 13	2 6	3 1	2 2	

different Periods of Life in the Year 1940.

H.																35 & up-wards	Detailed International List Nos.	Intermediate International List Nos.																									
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—																													
18 17	28 25	20 27	25 30	38 54	59 66	68 80	113 142	239 211	377 340	603 513	923 691	1,160 1,041	1,154 1,176	159 214	3 13				}	(90-103)	(42-48)																						
16 17	28 24	20 27	24 29	35 50	56 63	61 78	107 133	227 196	350 313	550 475	851 644	1,058 955	1,052 1,081	147 195	3 12					}	90-95	42-46																					
3 3	1 1	1 .	3 1	3 .	1 .	2 2	. 1	2 .	. 1	. 1	. 2	6 3						}	90	42																				
2 3	5 10	6 5	5 2	4 5	5 1	6 2	1 1	3 2	2 1	4 1	2 1	4 4	2							}	91	46																			
7 6	11 8	6 10	5 12	8 13	16 27	11 20	16 41	41 38	81 62	111 99	150 124	164 149	127 144	11 10	. .								}	92	43																		
1 1	3 4	4 4	2 3	13 20	20 26	25 38	53 58	105 104	154 175	292 273	457 377	642 600	722 756	113 149	1 10									}	93	44																	
. .	1 .	2 .	2 5	4 .	5 3	7 2	18 11	40 21	54 21	66 34	97 43	70 34	45 31	4 8	1 .										}	94	45																
3 4	7 1	1 8	7 6	3 12	9 6	10 14	19 21	36 31	59 53	77 67	145 97	172 165	156 150	19 28	1 2											}	95	46															
. .	1	1 .	. .	1 .	. 1	1 .	1 .	1 .	3												}	96	48														
1	1 .	. .	1 .	3 1	8 5	7 4	28 20	43 23	68 49	65 63	8 9	. .													}	97	47													
1 1	. 1 1	2 3	4 2	14 8	15 11	21 18	4 8	. 1														}	98	47												
.	1 1	1 1	2 .	. 1	. .	2 .	3 .	1 1	3 .	2 2															}	99	48											
. 1	. .	1 .	1 .	1 .	. 1	1 3	2 2	2 3	1 6	2 3	. 1	. .																}	100	48										
.	1 .	. .	1 .	. 1	1																	}	101	48									
. 1	. 2	1 1	1 1	2 6	2 8	14 16	15 14	9 12	14 20	11 9	. 1	. .																		}	102	48								
.	1	1																			}	103	48							
10 17	19 15	14 28	25 26	34 26	49 49	64 54	91 54	121 89	169 118	207 195	275 242	331 357	384 420	69 70	1 7																				}	(104-114)	(49-52)						
1 .	. 1	. 1	. .	1 .	. .	1 .	1 .	1	1 1																					}	104	52					
. 1	1 1	. 1	. .	. 1																						}	105	52				
1 .	1 .	. 5	6 2	6 7	11 15	18 20	36 16	53 35	60 50	90 94	145 138	191 235	236 270	29 42	. 5																							}	106	49			
8 14	11 11	7 15	11 15	15 13	26 23	25 24	30 25	44 35	63 50	74 66	75 72	92 85	100 104	28 20	1 1																								}	107-9	50		
4 5	3 3	4 6	1 8	5 5	8 3	7 7	9 11	18 14	24 21	27 28	28 30	32 39	46 49	14 14	. 1																									}	107	50	
2 5	2 2	. 2	4 3	4 2	5 8	7 6	8 5	9 6	13 8	17 13	15 17	17 6	14 10	2 1	. .																										}	108	50
2 4	6 6	3 7	6 4	6 6	13 12	11 11	13 9	17 15	26 21	30 25	32 25	43 40	40 45	12 5	1 .																											}	109

ABSTRACT IV.—Continued—CAUSES OF DEATH

			AGES AT DEATH											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	To under 5 years
VIII. Diseases Of The Respiratory System—contd.														
51	110	Pleurisy ... {M. F.	60 36 1	. .	1 .
52	111	Congestion, Oedema {M. F. Haemorrhagic Infarc- tion and Thrombosis of the Lungs.	138 110	1 1	1 2	1 1	2 1	3 .	8 5	1 1	. .	2 .	1 1	1 .
52	112	Asthma ... {M. F.	144 86 1	1 1	. 1	. .	1 .
52	113	Pulmonary Emphysema {M. F.	8 4
52	114	Other Diseases of the Respiratory System. {M. F.	31 28	1
53-60	(115-129)	IX. Diseases Of The Digestive System. {M. F.	1,237 904	41 32	68 46	62 43	104 99	63 66	338 286	37 25	15 9	10 10	8 3	40 33
60	115	Diseases of the Buccal Cavity and Annexe and of the Pharynx and Tonsils. {M. F.	30 23	. .	1 1	. .	1 1	. 1	2 3	1 1	. .	1 1
60	116	Diseases of the Oesophagus. {M. F.	5 2
53	117	Ulcer of the Stomach and Duodenum. {M. F.	295 77	1
60	118	Other Diseases of the Stomach. {M. F.	99 104	. 1	1 4	2 3	7 9	3 8	13 25	2 .	1 1	. 1	. .	3 .
54-55	119-120	Enteritis and Diarrhoea {M. F.	384 340	40 30	66 40	58 38	91 82	47 55	302 245	29 22	9 4	1 4	3 .	3 2
56	121	Appendicitis ... {M. F.	104 86	4 .	4 .	1 1	3 1	3 1	. 1	. .
57	122	Hernia, Intestinal Obstruction. {M. F.	151 120	. 1	. .	2 2	3 5	9 1	14 9	4 .	2 1	2 1
60	123	Other Diseases of the Intestines. {M. F.	36 30	. .	. 1	. .	1 1	. .	1 2	. 1	. 1	. 1
58	124	Cirrhosis of the Liver {M. F.	47 12
59	125	Other Diseases of the Liver. {M. F.	31 19	1 .	. 1	1 1	. .	. 1	1 1
59	126	Biliary Calculi ... {M. F.	9 31
59	127	Diseases of the Gall Bladder and Ducts. {M. F.	23 41
60	128	Diseases of the Pancreas (other than Diabetes). {M. F.	6 2
60	129	Peritonitis, without stated cause. {M. F.	17 14	1 1	. .	1 1	1 .	. 1	. .

ifferent Periods of Life in the Year 1940.

H.																95 & up- wards	Detailed International List Nos.	Intermediate International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
1	5	4	5	1	3	3	4	1	7	9	7	4	4	1	.	}	110	51
	.	2	2	2	2	4	3	.	4	3	4	5	4	.	.			
2	1	.	3	2	3	3	5	6	10	15	15	25	28	9	.	}	111	52
	.	1	2	2	2	2	3	8	5	17	12	14	25	7	1			
.	.	1	.	7	4	9	10	12	24	17	24	18	14	2	.	}	112	52
.	.	2	3	1	4	4	3	8	8	10	10	16	12	1	.			
.	1	.	.	1	.	.	1	2	1	.	1	1	1	.	.	}	113	52
.	1	1	.	.	1	.	1	.	.	.			
.	1	2	.	1	2	5	4	2	4	1	7	.	1	.	.	}	114	52
.	1	2	1	1	3	.	3	3	1	3	.	1	3	.	.			
14	25	20	28	38	32	34	49	70	83	97	120	106	75	14	.	}	(115	(53-60)
9	14	14	10	15	15	24	26	47	55	74	72	80	75	14	.		-129	
.	1	1	1	4	3	.	3	1	2	3	2	1	.	.	.	}	115	60
.	.	.	1	1	.	.	2	1	.	1	3	2	3	.	.			
.	2	.	1	.	1	.	.	.	}	116	60
.	2			
.	1	7	13	20	17	17	20	39	36	32	41	32	17	2	.	}	117	53
.	2	.	1	1	3	6	8	13	12	7	12	8	3	1	.			
.	2	2	3	1	1	3	1	5	9	15	12	16	8	3	.	}	118	60
.	1	.	1	1	1	1	3	2	8	13	12	12	15	5	.			
1	1	1	.	1	.	1	1	3	3	4	6	6	4	1	.	}	119-	54-55
3	.	5	.	1	1	3	.	2	4	10	8	13	7	2	.		120	
10	14	4	8	5	3	5	7	5	6	4	4	5	4	.	.	}	121	56
3	10	7	2	3	2	4	3	7	8	10	7	4	1	.	.			
2	4	3	.	1	5	2	9	6	11	14	19	22	23	5	.	}	122	57
1	.	1	2	4	3	7	4	8	10	13	9	21	24	.	.			
.	1	1	1	1	.	.	.	2	3	6	9	3	7	.	.	}	123	60
.	1	.	1	1	.	.	.	5	1	3	3	4	5	1	.			
.	.	1	.	.	2	3	3	1	4	9	13	8	4	1	.	}	124	58
.	1	.	1	2	2	2	.	1	1	.			
1	1	.	1	1	2	2	3	3	2	.	6	2	3	1	.	}	125	59
1	.	.	.	1	.	.	.	1	3	3	4	1	2	.	.			
.	1	1	2	1	2	2	.	.	.	}	126	59
.	.	.	.	1	1	.	2	4	4	3	7	5	5	2	.			
.	.	.	1	1	1	1	.	1	1	4	3	6	5	1	.	}	127	59
.	1	4	2	2	7	3	9	9	2	.			
.	.	.	1	1	.	.	1	.	1	1	1	}	128	60
.	1			
1	.	1	1	2	1	1	.	1	3	3	2	2	.	.	.	}	129	60
.	.	.	.	1	.	1	.	.	1	1	.	1	.	.	.			

ABSTRACT IV.—Continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES										
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—
61-67)	(130-139)	X. Diseases of The Urinary and Genital Systems (not Venereal or connected with Pregnancy or The Puerperium) { M. F.	1,103 567	1 .	1 .	1 2	. 1	1 .	4 3	3 3	3 1	4 .	1 .
61	130-132	Nephritis (All Forms) { M. F.	683 500	1 .	. .	1 1	. 1	. .	2 2	1 3	3 1	4 .	. .
61	130	Acute Nephritis ... { M. F.	79 56	1 .	. .	1 1	. 1	. .	2 2	1 3	3 1	4 .	. .
61	131	Chronic Nephritis ... { M. F.	339 241
61	132	Nephritis, not stated to be acute or chronic (over 10 years of age). { M. F.	265 203
62	133	Other Diseases of the Kidney and Ureters. { M. F.	52 43	. .	1 .	. 1	. .	1 .	2 1	1
63	134	Calculi of the Urinary Passages. { M. F.	9 2
64	135	Diseases of the Bladder { M. F.	80 9	1 .
65	136	Diseases of the Urethra, Urinary Abscess, etc. { M. F.	15
66	137	Diseases of the Prostate M.	262
67	138	Diseases of Other Male Genital Organs ... M.	2	1
67	139	Diseases of the Female Genital Organs ... F.	13
(68-72)	(140-150)	XI. Diseases Of Pregnancy, Childbirth, And The Puerperal State F.	208
70	140	Post-abortive Infection F.	3
69	141	Abortion without mention of septic conditions F.	1
68	142	Ectopic Gestation ... F.	6
68	143	Hæmorrhage of Pregnancy ... F.	9
68	144	Toxæmias of Pregnancy F.	28
68	145	Other Diseases and Accidents of Pregnancy ... F.	3
72	146	Hæmorrhage of Childbirth and the Puerperium' ... F.	57
71	147	Infection during Childbirth and the Puerperium ... F.	52*
72	148	Puerperal Toxæmias ... F.	19
72	149	Other Accidents of Childbirth ... F.	22
72	150	Other or Unspecified Conditions of Childbirth and the Puerperal State ... F.	8

* Including 6 deaths from Puerperal thrombophlebitis and 20 from Puerperal embolism and sudden death.

Different Periods of Life in the Year 1940.

H.																95 & upwards	Detailed International List Nos.	Intermediate International List Nos.		
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—						
5 5	5 5	5 14	14 15	17 19	25 26	27 27	44 31	57 42	72 55	133 80	178 79	221 80	255 70	27 7	1	}	(130-139)	(61-67)		
5 5	4 5	5 12	13 11	16 16	22 17	22 24	38 30	43 39	56 52	78 72	117 70	121 73	122 60	10 1	.		}	130-132	61	
2 1	2 1	1 .	5 3	6 4	3 2	3 2	4 3	2 5	6 1	3 7	6 6	13 5	12 3	.	.			}	130	61
3 1	1 1	1 5	4 3	6 10	9 7	10 13	18 19	23 20	27 23	46 35	69 33	55 34	59 34	8 3	.				}	131
3 3	1 3	3 7	4 5	4 2	10 8	9 9	16 8	18 14	23 25	29 30	42 31	53 34	51 23	2 1	.	}				132
.	.	.	1 2	1 3	2 1	3 2	3 1	4 1	3 3	5 7	3 7	10 3	11 5	2 2	.		}			133
.	1 1	1 .	1 .	1 .	1 .	1 .	2 1	1 .	.	.			}		134
.	1	.	.	.	1 1	.	.	1 1	.	10 .	9 1	19 2	32 3	6 1	.				}	135
.	3 .	3 .	2 .	5 .	1 .	1 .	.	}				136
.	1 .	2 .	8 .	9 .	35 .	46 .	64 .	88 .	8 .	1		}			137
.	1			}		138
.	.	1	2	.	1	.	.	1	.	1	1	1	2	.	.				}	139
.	.	15	34	58	64	29	8	}				(140-150)
.	.	.	2	.	1		}			140
.	.	.	.	1			}		141
.	.	.	.	2	4				}	142
.	.	.	1	3	1	4	}				143
.	.	2	5	8	8	4	1		}			144
.	.	.	1	.	.	1	1			}		145
.	.	3	7	13	19	11	4				}	146
.	.	4	11	17	15	3	2	}				147
.	.	2	1	6	9	1		}			148
.	.	3	6	6	6	1			}		149
.	.	1	.	2	1	4				}	150

ABSTRACT IV.—continued—CAUSES OF DEATH

[illegible]

Different Periods of Life in the Year 1940.

[illegible]

ABSTRACT IV.—continued—CAUSES OF DEATH

		AGES											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—
		XVII. Deaths from Violence											
		— <i>contd.</i>											
84	174	Accidents in Mines and Quarries. { M. F.	9
84	175	Agricultural and Forestry Accidents. { M. F.	4
84	176	Accidents caused by Machinery. { M. F.	5
84	177	Food Poisoning ... { M. F.	1
84	178	Accidental Absorption of Poisonous Gas. { M. F.	5 2	1
84	179	Other Acute Accidental Poisoning (not by Gas). { M. F.	1 1
84	180	Conflagration ... { M. F.	5 4	. .	. 1 1	1 .	. .	1 .	. 1
84	181	Accidental Burns (Conflagration excepted). { M. F.	56 102	1 1	1 1	11 7	6 7	9 6	2 6
84	182	Accidental Mechanical Suffocation. { M. F.	16 9	. 3	1 2	4 1	2 2	. 1	7 9	. .	1
84	183	Accidental Drowning ... { M. F.	125 34	2 2	1 1	3 .	. .
84	184	Accidental Injury by Firearms. { M. F.	20 2	1
84	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.	1
84	186	Accidental Injury by Fall, Crushing, Landslide, etc. { M. F.	59 22	1 1	2 1	. .
84	187	Cataclysm ... { M. F.
84	188	Injury by Animals ... { M. F.	10 1	1
84	189	Hunger or Thirst ... { M. F.
84	190	Excessive Cold ... { M. F.	. 1
84	191	Excessive Heat ... { M. F.	1 1	1
84	192	Lightning ... { M. F.
84	193	Other Accidents due to Electric Currents { M. F.	2
84	194	Attack by Venomous Animals. { M. F.
84	195	Other Accidents ... { M. F.	117 101	15 9	. .	1 .	1 .	. .	17 9	1 .	1 .	. .	2 .
85	196	Deaths of Persons in Military Service during Operations at War { M. F.	8
85	197	Deaths of Civilians due to Operations of War. { M. F.	1 3
86	198	Legal Executions ... { M. F.	2
87	(199-200)	XVIII. Ill-defined Causes of Death. { M. F.	251 246	3 1	. .	. 1	1 2	2 .	6 4	3 5	1 4	3 1	1 2
87	199	Sudden Death { M. F.	12 7	2
87	200	Causes of Death Unstated or Ill-defined. { M. F.	239 239	3 1	. .	. 1	1 2	2 .	6 4	3 3	1 4	3 1	1 2

fferent Periods of Life in the Year 1940.

0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
			2		1	1	1	2		1		1				174	84
		1							2	1						175	84
			1	1		2					1					176	84
									1							177	84
	1							1		1	1					178	84
						1	1									179	84
			2	1												180	84
1 4	1 3	2	1	1	2 3	1 2	1 1	1 3	2 5	6	5 8	6 12	3 14	1 2		181	84
	1		2		1				2		1	1				182	84
12 2	15	15 7	12 1	4 2	6 3	9 4	10 2	3 2	6 2	3 1	7	5	2 1			183	84
1 1	3	3	6		1	2 1	2		1							184	84
					1											185	84
2	3	3	2	1	1	2 2	6 1	11 1	4 1	6 3	8 1	4 5	3 3	1	1	186	84
																187	84
	1						2	2	1	1		1	1			188	84
																189	84
												1				190	84
1																191	84
																192	84
						1										193	84
																194	84
5 1	2	2	2 1	4	4 1	3 1	3	4 2 3	6 4 1	3 6	12 13	15 22 1	24 30	6 7	3	195	84
																196	85
		1														197	85
			2	1												198	86
1 4	7 1	3 2	3 3	5 3	3 2	3 7	7 13	15 24	29 37	58 60	98 70	1 1	1 1			(199-200)	87
						2	1	1	1	3	4					199	87
1 4	7	3	3	5 3	3 2	1 7	6 12	14 24	28 36	55 59	94 69	1 1	1			200	87

ABSTRACT V.

ABSTRACT V.—Causes of Death in ÉIRE, by Sexes, Ages, and Places of Occurrence during the Year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE					Un-certified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
ALL CAUSES</

15	Intra-cranial Lesions of Vascular M. F.	2,687 {	1,157 1,530	1	.	2	3	9	16	85	230	497	313	84	235	811	115
16	Diseases of the Heart	8,908 {	4,596 4,312	1	2	25	48	59	117	334	900	1,909	1,202	237	1,004	3,149	270
					5	51	51	79	141	329	788	1,599	1,288	212	754	3,118	239
17	Other Diseases of the Circulatory System.	755 {	407 348	4	1	2	.	4	10	18	80	174	114	38	131	219	12
					.	.	1	5	5	24	65	133	115	23	106	211	20
18	Bronchitis ...	2,011 {	996 1,015	90	21	3	1	12	29	89	150	326	265	64	189	732	108
				58	17	5	6	9	35	51	144	373	317	36	136	834	131
19	Pneumonia ...	1,861 {	983 878	248	113	20	18	26	51	74	137	167	129	121	151	691	32
				188	101	30	26	28	47	60	116	157	125	102	91	661	49
20	Other Diseases of the Respiratory System.	678 {	399 279	13	13	4	14	21	33	49	89	103	60	54	88	245	21
				7	11	5	11	15	21	32	53	69	55	24	41	208	8
21	Ulcer of the Stomach or Duodenum.	372 {	295 77	.	1	.	8	33	34	59	68	73	19	81	103	111	8
				.	.	.	2	2	9	21	19	20	4	12	16	47	3
22	Diarrhea and Enteritis	724 {	384 340	392	42	8	2	1	1	4	7	12	5	140	68	175	6
				245	33	6	5	1	4	2	14	21	9	98	54	185	11
23	Appendicitis ...	190 {	104 86	4	9	17	18	13	8	12	10	9	4	37	55	12	5
				.	3	15	17	5	6	10	18	11	1	29	47	10	.
24	Cirrhosis of the Liver	59 {	47 12	.	.	.	1	.	3	4	13	21	5	2	15	50	.
				3	1	4	2	2	1	4	7	.
25	Diseases of the Liver and Biliary Passages.	157 {	63 94	1	1	2	1	3	5	9	10	21	10	17	13	31	4
				1	2	1	.	3	3	13	22	29	20	21	17	53	2
26	Other Diseases of the Digestive System.	639 {	344 295	31	17	11	15	16	15	31	72	90	46	71	101	170	23
				40	9	14	4	14	14	26	52	69	53	44	73	175	20
27	Nephritis ...	1,183 {	683 500	2	8	6	9	29	44	81	134	238	132	90	177	402	17
				2	4	9	17	27	41	69	124	143	64	52	88	348	12
28	Puerperal Infection. ...	55 {	55	.	.	.	4	30	19	2	.	.	.	10	25	20	.
29	Other Diseases of Childbirth	153 {	153	.	.	.	11	62	74	6	.	.	.	45	50	58	3
30	Concussion, Fracture, etc. (Nos. 157-161).	1,931 {	1,078 853	1,044	17	7	6	1	2	1	.	.	.	321	195	561	154
				834	10	7	1	.	1	234	170	449	129
31	Senility ...	5,788 {	2,625 3,163	523	2,102	12	200	2,367	1,711
				619	2,544	16	204	2,883	1,992
32	Suicide ...	99 {	77 22	.	.	.	2	10	18	17	14	13	3	9	2	64	.
				.	.	.	5	2	6	6	2	1	.	4	.	17	.
33	Other Violence	968 {	640 328	25	53	50	78	75	71	83	68	89	48	137	168	333	5
				25	32	30	26	14	23	15	32	66	65	76	98	152	5
34	Other Causes	3,565 {	1,971 1,594	200	102	111	101	101	109	177	371	487	221	321	443	1,106	335
				153	87	82	92	91	123	200	538	319	109	198	281	1,025	341

ABSTRACT V.—continued—Causes of Death in PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	17,877 {	9,149 8,728	1,097 844	304 227	227 201	354 418	418 404	432 448	869 703	1,474 1,329	2,290 2,083	1,684 2,071	1,875 1,501	273 260	1,877 1,407	5,124 5,560	612 578
1	Typhoid Fever (including Para-typhoid).	9 {	5 4	1 2	1	1	1 1	1 1	.	1 .	3 2	1 2	.	.
2	Cerebro-spinal Fever	15 {	9 6	2 1	2 2	3 1	2 1	.	.	.	1	.	.	4 1	.	3 5	2	.
3	Scarlet Fever	14 {	8 6	2 1	2 3	3 2	1	2 3	.	3 2	3 1	.
4	Whooping-cough	75 {	31 41	23 26	8 16	1 1	1	16 22	.	2	13 22	1 1
5	Diphtheria	101 {	46 55	4 2	21 24	20 22	3	1 1	.	3	.	.	.	29 34	.	15 18	2 3	.
6	Tuberculosis of the Respiratory System.	1,423 {	764 659	2 3	5 2	10 20	154 227	187 192	142 96	145 64	80 37	32 17	7 1	222 177	36 19	183 124	323 339	6 4
7	All other forms of Tuberculosis	383 {	205 178	11 8	40 16	46 40	47 50	23 25	9 17	14 10	12 10	2 2	1	91 75	3 1	46 50	65 52	1
8	Dysentery	1 {	1	1	.	.	.
9	Influenza	293 {	119 111	16 18	7 1	4 5	1 2	5 6	5 6	16 8	23 28	43 39	29 31	14 17	4 7	10 7	121 113	13 7
10	Measles	36 {	19 17	4 2	13 15	1	.	.	1	11 6	.	1 1	7 10	.
11	Acute Infectious Encephalitis	8 {	5 3	.	1	1	1	2	.	1	1	1	.	2	1	1	3 1	.
12	Typhus
13	Cancer	1,598 {	788 810	1	3 2	3 1	3 7	14 13	25 44	97 126	226 245	305 261	111 111	164 171	3 3	198 135	423 501	9 5
14	Diabetes Mellitus	110 {	47	1	.	1	2	3	3	8	11	9	9	12	3	8	24 26	1

13	Intra-cranial Lesions of Origin.	M. F.	1,199 {	480 719	1	.	1	.	2	8	48	93	208	113	61	21	96	302	21
16	Diseases of the Heart	... M. F.	4,073 {	2,069 2,004	.	18 15	23 26	26 37	26 37	51 60	175 163	441 361	829 717	506 623	172 155	107 116	429 308	1,361 1,425	71 58
17	Other Diseases of the Circulatory System.	M. F.	430 {	228 202	3	.	1	3	3	4	14 16	49 39	90 65	64 76	23 20	9 3	92 91	104 88	4 3
18	Bronchitis M. F.	961 {	452 509	32 30	11 10	2	5	5	18 18	52 27	79 92	147 178	107 147	46 26	5 7	108 89	293 387	16 22
19	Pneumonia M. F.	923 {	505 418	143 112	59 48	6 12	11	11	32 20	43 29	76 61	67 60	57 55	105 82	14 15	73 44	313 277	7 7
20	Other Diseases of the Respiratory System.	M. F.	353 {	197 156	5 3	8 5	6 7	8	8	16 16	31 18	49 27	44 40	30 32	43 20	5 4	36 25	113 107	3 1
21	Ulcer of the Stomach or Duodenum.	M. F.	130 {	98 32	.	.	1	6	6	10 5	26 8	28 9	23 6	5 2	38 10	1 3	26 3	31 18	1 1
22	Diarrhea and Enteritis ... M. F.	... M. F.	380 {	215 165	177 127	22 10	2	1	1	.	1 2	5 7	5 8	2 5	124 83	1 1	25 15	65 66	.
23	Appendicitis M. F.	65 {	33 32	.	2 1	6 7	3	3	3 3	5 6	6 6	2 4	1	16 18	.	15 9	2 5	2
24	Cirrhosis of the Liver ... M. F.	... M. F.	35 {	29 6	.	.	1	.	.	2 1	3 1	7 1	15 2	1 1	2 1	.	11	16 5	.
25	Diseases of the Liver and Biliary Passages.	M. F.	63 {	22 41	.	1	.	2	2	1 3	4 4	4 11	6 11	3 8	9 14	1 2	4 5	8 20	1
26	Other Diseases of the Digestive System.	M. F.	253 {	131 122	11 20	7 6	5 1	6	6	4 4	16 17	33 18	25 27	18 15	46 35	2 2	31 22	52 63	5 6
27	Nephritis M. F.	522 {	322 200	2 .	2 4	5 7	15	11	17 18	46 24	70 52	108 57	53 26	56 30	7 5	102 26	157 139	7 1
28	Puerperal Infection F.	19	19	.	.	2	8	8	8	1	.	.	.	6	.	6	7	.
29	Other Diseases of Childbirth ...	F.	63	63	.	.	4	24	24	34	1	.	.	.	25	.	14	24	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	1,005 {	565 440	550 428	7 7	4 3	.	.	.	1	.	.	.	256 185	.	65 74	244 181	46 30
31	Senility M. F.	1,404 {	606 798	125 149	481 649	4 8	5 11	75 79	522 700	291 329
32	Suicide M. F.	41 {	33 8	.	.	1	5	2	9 2	8 3	5	.	.	8 3	2	.	23 5	.
33	Other Violence M. F.	483 {	307 176	13 14	27 17	39 13	43	11	26 11	40 12	29 16	41 33	19 32	107 66	1 1	68 45	131 64	2
34	Other Causes M. F.	1,409 {	781 628	95 47	54 35	43 39	46	33	45 51	74 84	144 137	158 121	67 46	193 128	40 29	150 86	398 385	106 77

68

[illegible]

ABSTRACT V—continued—Causes of Death in Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.		Else-where.	
	ALL CAUSES	1,654 {	833 821	108 81	25 22	34 19	49 28	42 48	44 37	71 62	123 137	183 188	154 199	240 182	25 34	113 101	455 504	3 3
1	Typhoid Fever (including Para-typhoid).	{ M. F. }
2	Cerebro-spinal Fever	{ M. F. }
3	Scarlet Fever	{ M. F. }
4	Whooping-cough	{ M. F. }	1 6	1 3	1 1	1 1	1 1	3	.	.	1 3	.
5	Diphtheria	{ M. F. }	4 2	1 1	3 1	3 2	.	1	.	.
6	Tuberculosis of the Respiratory System.	{ M. F. }	93 59	.	3 2	24 15	22 28	16 5	15 3	8 6	3	2	17 14	5 2	14 9	57 34	.	.
7	All other forms of Tuberculosis	{ M. F. }	24 24	2 1	5 6	5 6	2	2 2	2 2	.	.	.	14 15	.	3 5	7 4	.	.
8	Dysentery	{ M. F. }
9	Influenza	{ M. F. }	14 12	.	1 1	3 1	2 4	4 2	5 2	.	.	.	1	.	5 2	8 10	.	.
10	Measles	{ M. F. }
11	Acute Infectious Encephalitis	{ M. F. }
12	Typhus	{ M. F. }
13	Cancer	{ M. F. }	73 86	.	.	2	1 1	1 5	13 17	15 25	29 21	12 17	28 22	1	8 10	37 53	.	.

ABSTRACT V—continued.—Causes of Death in CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infirm- aries.	Else- where.	
			3,496 3,506	575 429	147 112	95 92	139 180	155 152	190 204	451 296	642 532	755 809	347 700	1,290 1,008	101 102	691 567	1,414 1,829	54 51
1	Typhoid Fever (including Para- typhoid).	4	3 1	1 1	.	1 .	1 .	.	.	1 .	2 1	.	.	.
2	Cerebro-spinal Fever...	5	4 1	1 1	1 .	1 .	1	4 1
3	Scarlet Fever	6	3 3	2 1	2 .	1	2 3	.	.	1	.
4	Whooping-cough	42	19 23	15 14	4 9	13 13	.	.	6 10	.
5	Diphtheria ...	56	25 31	4 .	11 17	9 12	1 .	1 .	.	1	24 31	.	1	.	.
6	Tuberculosis of the Respiratory System.	642	374 268	2 2	1 2	5 10	60 93	72 65	70 52	92 23	47 16	18 5	4 .	129 79	16 8	109 60	120 121	1
7	All other forms of Tuberculosis ...	153	90 63	9 5	14 5	22 18	20 19	9 8	4 5	5 2	5 1	1 .	1 .	64 47	1 1	12 9	13 6	.
8	Dysentery
9	Influenza ...	96	47 49	2 3	.	2 3	1 .	1 2	5 4	10 4	9 8	10 16	8 .	2 3	.	3	42 43	1
10	Measles ...	25	14 11	4 1	8 10	1 .	.	.	1	10 6	.	1	4 4	.
11	Acute Infectious Encephalitis...	4	1 3	.	1 .	1 .	.	1	1	1	1	.
12	Typhus
13	Cancer ...	593	272 321	1 .	2 2	1 1	3 .	6 5	11 19	39 48	92 108	98 94	22 41	106 112	2 .	61 47	103 162	.
14	Diabetes Mellitus ...	36	14 22	1 .	1 .	1 .	1 .	1 .	.	4 3	4 5	1 8	3 2	8 8	.	2	4 13	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	438 {	161 277	1	2	1	1	3 15	22 28	36 60	77 99	21 72	44 42	4 9	36 45	77 181	1 1
16	Diseases of the Heart	... M. F.	1,514 {	690 824	.	10 8	1	13 14	11 20	18 29	82 76	163 121	263 286	130 266	145 151	127 121	130 266	44 51	145 151	371 501	16 12	
17	Other Diseases of the Circulatory System.	M. F.	222 {	107 115	2	1 1	5 10	27 22	46 44	26 38	59 71	15 12	30 30	3 2	59 71	30 30	.	
18	Bronchitis M. F.	519 {	248 271	18 16	8 2	8	1 1	3 3	15 12	38 17	56 36	77 90	38 72	65 67	38 21	142 179	3 4	65 67	142 179	1 7	
19	Pneumonia M. F.	466 {	244 222	93 73	30 28	3 5	3 8	6 6	15 12	30 16	34 29	21 29	9 16	22 18	22 72	135 130	1 2	22 18	135 130	3 3	
20	Other Diseases of the Respiratory System.	M. F.	177 {	107 70	3 1	2 1	1	5 5	4 4	12 7	21 8	30 10	17 22	13 11	24 13	32 17	49 38	2 2	24 13	49 38	1	
21	Ulcer of the Stomach or Duodenum.	M. F.	41 {	31 10	.	.	.	1	.	3	10 3	10 3	7 1	1 2	2 1	23 6	6 3	.	2 1	6 3	1	
22	Diarrhoea and Enteritis	... M. F.	235 {	139 96	127 87	8 1	1	.	1	1	1 1	1 3	1 2	.	9 9	108 69	22 18	.	9 9	22 18	.	
23	Appendicitis M. F.	26 {	11 15	.	2 1	1	2 2	.	3 3	2 3	4 3	3 3	.	2 2	9 11	2 2	.	2 2	2 2	.	
24	Cirrhosis of the Liver	... M. F.	16 {	16	2	3	3	8	.	8	1	7	.	.	7	.	
25	Diseases of the Liver and Biliary Passages.	M. F.	25 {	8 17	.	1 1	.	.	1 1	2	2 1	1 5	1 1	2 3	1 1	6 7	1 7	.	1 1	1 7	.	
26	Other Diseases of the Digestive System.	M. F.	86 {	50 36	6 6	4 2	3 1	2	2 3	3 3	5 8	17 6	5 5	6 2	1 3	30 22	15 11	1 1	1 3	15 11	1 1	
27	Nephritis M. F.	210 {	128 82	.	2	1 1	2 2	6 4	6 8	24 11	41 23	37 25	10 8	48 9	39 23	40 49	1 1	48 9	40 49	.	
28	Puerperal Infection. F.	4 {	4	2	2	4
29	Other Diseases of Childbirth F.	17 {	17	9	8	11	6	.	.	6	.	
30	Congenital Debility, etc. (Nos. 157—161).	M. F.	456 {	258 198	249 189	4 5	2 2	2 1	.	1	1	.	.	.	19 22	169 124	70 52	.	19 22	70 52	4	
31	Scalds M. F.	189 {	41 148	9 22	32 126	1 5	1 1	39 135	.	1 5	39 135	5 4	
32	Suicide M. F.	13 {	11 2	.	.	.	1	1	4	4 1	1	1	.	.	7 1	3 1	.	.	3 1	.	
33	Other Violence	... M. F.	181 {	108 73	6 5	12 8	11 10	14 6	7 1	9 2	14 6	11 8	12 12	9 15	9 9	75 52	24 12	.	9 9	24 12	.	
34	Other Causes	... M. F.	505 {	272 233	37 24	30 14	19 11	13 20	19 16	12 18	36 26	49 42	45 41	12 18	48 24	120 84	87 111	17 11	48 24	87 111	20 22	

ABSTRACT V—continued.—Causes of Death in Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	802 { M. ... F. ...	442 360	42 33	8 8	21 9	16 23	34 24	20 18	36 25	62 55	119 75	84 90	65 55	12 10	96 51	269 244	20 9
1	Typhoid Fever (including Para-typhoid).	. { M. ... F.
2	Cerebro-spinal Fever	1 { M. ... F. ...	1	.	1	1	.	.
3	Scarlet Fever	. { M. ... F.
4	Whooping-cough	1 { M. ... F. ...	1	1	1	.	.
5	Diphtheria	7 { M. ... F. ...	4 3	.	2	4 1	2	.	2 3	.	.
6	Tuberculosis of the Respiratory System.	66 { M. ... F. ...	39 27	.	.	2	10 10	18 10	6 2	4 2	1	1	.	20 12	.	2 2	17 13	1
7	All other forms of Tuberculosis	18 { M. ... F. ...	8 10	.	1	3 1	5	3 2	.	.	1	.	.	3 3	.	1 3	4 4	.
8	Dysentery	. { M. ... F.
9	Influenza	19 { M. ... F. ...	8 11	3 2	.	1	.	.	.	1	2 3	1 1	1 4	2 2	1 1	.	5 8	.
10	Measles	. { M. ... F.
11	Acute Infectious Encephalitis	. { M. ... F.
12	Typhus	. { M. ... F.
13	Cancer	87 { M. ... F. ...	48 39	.	1	1	1	1 3	1 1	5 5	13 11	18 13	8 5	10 11	.	9 4	29 24	.
14	Diabetes Mellitus	4 { M. ... F. ...	3 1	1	.	.	1	1	.	1	.	1 1	1 1	.

No.	Disease	M.	F.	Total
15	Intra-cranial Lesions of Vascular Origin.	18	21	39
16	Diseases of the Heart	105	75	180
17	Other Diseases of the Circulatory System.	10	10	20
18	Bronchitis	15	21	36
19	Pneumonia	15	15	30
20	Other Diseases of the Respiratory System.	3	5	8
21	Ulcer of the Stomach or Duodenum.	3	2	5
22	Diarrhea and Enteritis	5	3	8
23	Appendicitis	1	2	3
24	Cirrhosis of the Liver			
25	Diseases of the Liver and Biliary Passages.	2	4	6
26	Other Diseases of the Digestive System.	6	7	13
27	Nephritis	18	7	25
28	Puerperal Infection	1	1	2
29	Other Diseases of Childbirth	5		5
30	Congenital Deformity, &c. (Nos. 157-161)	30	16	46
31	Scalding	29	32	61
32	Sulphide			
33	Other Violence	26	10	36
34	Other Causes	45	32	77

ABSTRACT V—continued.—Causes of Death in Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	1,000 {	494 506	40 51	16 11	3 8	15 21	19 12	22 23	35 34	75 73	137 132	26 33	16 20	110 82	342 371	59 75	
1	Typhoid Fever (including Para-typhoid).	1 {	1	1	.	.	1	.	.	.	
2	Cerebro-spinal Fever ...	2 {	1 1	.	1	1 1	.	.	
3	Scarlet Fever	{	
4	Whooping-cough	2 {	1 1	1	1 1	1	
5	Diphtheria ...	3 {	1 2	.	1 1	1 1	.	.	
6	Tuberculosis of the Respiratory System.	65 {	27 38	.	.	.	8 12	7 6	3 8	2 6	5 4	1 2	10 13	4 1	2	13 22	1 1	
7	All other forms of Tuberculosis ...	12 {	3 9	.	1	2	1 3	2 1	.	.	2	.	.	1	2 3	.	1	
8	Dysentery ...	{	
9	Influenza ...	35 {	13 22	2 5	2	1	4	5 7	1 5	1	2	12 14	2 2	
10	Measles ...	4 {	2 2	.	2 2	1	.	.	1 2	.	
11	Acute Infectious Encephalitis ...	{	
12	Typhus ...	{	
13	Cancer ...	56 {	25 31	.	.	.	1	.	1	7	9 6	6 3	2	1	8 6	17 22	1	
14	Diabetes Mellitus ...	7 {	3 4	.	.	1	.	.	2	1	1 1	.	1	.	2	3 1	.	

ABSTRACT V—continued.—Causes of Death in Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	701 {	365 336	33 19	7 4	5 6	12 8	12 15	17 20	34 26	47 49	100 89	26 13	16 7	77 61	246 255	38 44
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Fever	1 {	.	.	1	1	.	.
3	Scarlet Fever
4	Whooping-cough	3 {	1 2	1 2	1
5	Diphtheria	1 {	.	.	1	1	.	.
6	Tuberculosis of the Respiratory System.	42 {	23 19	.	.	1 4 4	4 4	6 8	5 4	5 3	1	.	10 7	.	2 2	11 9	.
7	All other forms of Tuberculosis	9 {	5 4	.	2	1 2	1	.	.	1	.	.	1	.	1 2	4 1	.
8	Dysentery	{
9	Influenza	11 {	6 5	2	.	1	.	.	.	1	.	3 3	2	1	1	4 3	1
10	Measles	{
11	Acute Infectious Encephalitis	1 {	1	.	.	1	1	.
12	Typhus
13	Cancer	63 {	27 36	4	1 7	7 8	6 5	1	.	8 10	19 25	.
14	Diabetes Mellitus	5 {	2 3	1	1	1	1	.	.	2 2	.

ABSTRACT V—*contd.*—Causes of Death in Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries		Else-where.	
	ALL CAUSES	517 { M. ... F. ...	280 237	22 20	2 2	3	6 6	16 5	7 13	18 16	38 38	91 67	77 70	16 11	8 12	65 38	191 176	76 80
1	Typhoid Fever (including Para-typhoid).	. { M. ... F.
2	Cerebro-spinal Fever { M. ... F.
3	Scarlet Fever { M. ... F.
4	Whooping-cough { M. ... F. 1	. 1 1
5	Diphtheria { M. ... F.
6	Tuberculosis of the Respiratory System.	. 24 { M. ... F. ...	12 12	.	.	1 4	4 3	.	2	3 2	3 1	1 .	.	1 1	3 .	3 7	5 4	2
7	All other forms of Tuberculosis 2 { M. ... F. ...	2	.	.	1	1	1	1	.	1	.	.
8	Dysentery { M. ... F.
9	Influenza 14 { M. ... F. ...	10 4	1	1	8 1	2 1	.	.	.	10 4	7 2
10	Measles { M. ... F.
11	Acute Infectious Encephalitis { M. ... F.
12	Typhus { M. ... F.
13	Cancer 54 { M. ... F. ...	32 22	.	.	1	1	1	1	4	9 7	14 12	3 1	2 2	.	11 5	19 15	2 1
14	Diabetes Mellitus 3 { M. ... F. ...	2 1	2	1 1	1 1	1

[illegible]

ABSTRACT V—continued.—Causes of Death in Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.		County Homes and Hospls. District Hospls. and Co. Infirm- aries.	Else- where.
	ALL CAUSES	940	469 471	37 42	20 11	10 10	15 26	21 28	31 16	45 36	70 71	129 112	91 119	31 27	24 6	99 87	315 351	37 35
1	Typhoid Fever (including Para-M. typhoid).																	
2	Cerebro-spinal Fever																	
3	Scarlet Fever	1	1	1													1	
4	Whooping-cough	7	5 2	2 1	3 1									1		1	3 2	
5	Diphtheria	6	3 3		3	1	1			1						2 1		
6	Tuberculosis of the Respiratory System.	71	34 37			1	7 15	8 15	9 3	8 3	1	1		3 1	2 1	9 14	20 21	
7	All other forms of Tuberculosis	23	14 9		2 1	4 2	4 2	1 2	1 2	1	1			2 2		5 3	7 4	
8	Dysentery																	
9	Influenza	14	11 3							1	1	7 1	2 2		2		9 3	
10	Measles	4	2 2	1	2 1											1	1 2	
11	Acute Infectious Encephalitis																	
12	Typhus																	
13	Cancer	103	47 56					2	3 4	7 4	11 20	17 16	9 10	3 6		12 10	32 40	
14	Diabetes Mellitus	8	4 4			1	1			1	1 2		1 1		2		2 4	

ABSTRACT V—continued.—Causes of Death in Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	838 {	470 368	29 30	16 8	8 8	13 9	24 20	17 18	37 39	69 57	145 89	112 90	22 23	18 7	115 78	315 260	48 26
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Fever ...	{
3	Scarlet Fever ...	2 {	.	.	1	1	2	.
4	Whooping-cough ...	6 {	2 4	1 2	1 2	.	.	1 2	.
5	Diphtheria ...	{
6	Tuberculosis of the Respiratory System.	51 {	25 26	.	.	1	3 6	8 8	6 4	4 5	2 1	2 1	.	.	1 1	8 5	16 18	.
7	All other forms of Tuberculosis ...	19 {	10 9	.	5 1	1 3	1 1	1 1	.	2 1	1 1	.	.	1	.	5 4	4 5	.
8	Dysentery ...	{
9	Influenza ...	11 {	5 6	2	1	.	.	1	.	1 1	2	1 2	.	1	.	.	5 5	.
10	Measles ...	1 {	1	.	1	1	.
11	Acute Infectious Encephalitis ...	{
12	Typhus ...	{
13	Cancer ...	98 {	53 45	1	1 2	2 7	16 13	24 17	9 6	2 2	1	24 13	26 30	1
14	Diabetes Mellitus ...	6 {	2 4	2 1	.	.	.	2 4	.

ABSTRACT V—continued.—Causes of Death in Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals,	County Homes and District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES	723 {	364 359	39 16	12 14	5 5	19 19	9 15	15 18	23 22	58 58	84 100	100 92	21 20	7 8	68 51	268 280	55 55
1	Typhoid Fever (including Para-M. typhoid).	{																
2	Cerebro-spinal Fever	{																
3	Scarlet Fever	3 {	2 1			1 1	1									2 1		
4	Whooping-cough	2 {	2	1	1									1			1	
5	Diphtheria	5 {	1 4	1	1 2	1										1 4		
6	Tuberculosis of the Respiratory System.	47 {	17 30				5 11	3 7	3 4	2 6	2	2 2		7 10	1 3	3	6 17	1
7	All other forms of Tuberculosis	11 {	5 6		1 1	1	3 2		2	1				1		2 4	2 2	
8	Dysentery	{																
9	Influenza	27 {	14 13	4 1	2				1	2	2 4	2 4	2 3	4 1		1 2	9 10	1 1
10	Measles	2 {	2		2												2	
11	Acute Infectious Encephalitis	3 {	3					1		1	1				1		2	
12	Typhus	{																
13	Cancer	67 {	35 32				1		2	7 1	7 13	11 12	7 5	1 1		8 3	26 28	1 2
14	Diabetes Mellitus	6 {	1 5							2	1					1	1 4	

ABSTRACT V—continued.—Causes of Death in Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.		Else-where.	
	ALL CAUSES	1,522 {	776 746	62 42	23 14	16 22	25 40	32 39	22 28	43 67	105 106	234 174	214 214	34 45	15 18	167 123	560 560	83 76
1	Typhoid Fever (including Para-typhoid).	{ M. F. }
2	Cerebro-spinal Fever	{ M. F. }	1	1	1	.	.
3	Scarlet Fever	{ M. F. }	1 1	.	1	1	1 1	.	.
4	Whooping-cough	{ M. F. }
5	Diphtheria	{ M. F. }	7 5	.	3	4 3	.	1	.	1	7 4	1	.
6	Tuberculosis of the Respiratory System.	{ M. F. }	56 72	1	1	4	16 28	17 22	13 4	2 5	4 6	3 2	.	18 26	2	5 5	31 41	1 2
7	All other forms of Tuberculosis...	{ M. F. }	16 17	.	4 2	4 5	3 3	1 2	.	2 2	2 2	1	.	1	.	4 6	11 11	.
8	Dysentery	{ M. F. }	1	1	1	.	.	.
9	Influenza	{ M. F. }	3 5	1 1	.	.	.	1	.	2	1 1	.	1	1 2	.	.	2 3	.
10	Measles	{ M. F. }
11	Acute Infectious Encephalitis...	{ M. F. }
12	Typhus	{ M. F. }
13	Cancer	{ M. F. }	75 51	1 1	1 3	8 11	20 16	35 15	10 5	1 2	.	21 12	53 37	1
14	Diabetes Mellitus	{ M. F. }	5	2	1	1	1	1	.	1	3	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	83 {	40	1	1	3	11	12	11	7	32	1
16	Diseases of the Heart	M. F.	201 {	43	1	1	8	13	12	15	10	31	.
17	Other Diseases of the Circulatory System.	M. F.	10 {	103	1	1	3	8	23	37	33	16	75	3
18	Bronchitis	M. F.	31 {	98	1	1	6	6	22	30	35	11	73	2
19	Pneumonia	M. F.	51 {	5	1	1	2	1	1	4	.
20	Other Diseases of the Respiratory System.	M. F.	28 {	5	1	2	.	2	.	5	.
21	Ulcer of the Stomach or Duodenum.	M. F.	12 {	16	1	2	1	1	1	1	2	2	1	4	4	4	11	3
22	Diarrhea and Enteritis	M. F.	7 {	15	.	1	.	.	2	2	1	1	2	6	3	3	11	1
23	Appendicitis	M. F.	6 {	27	3	3	1	1	1	3	3	5	4	3	7	4	19	.
24	Cirrhosis of the Liver	M. F.	.	24	5	3	1	.	1	1	3	4	3	3	4	1	21	1
25	Diseases of the Liver and Biliary Passages.	M. F.	2 {	11	1	1	.	.	1	2	3	3	3	3	6	1	9	1
26	Other Diseases of the Digestive System.	M. F.	13 {	17	1	1	2	3	3	2	7	.	17	.
27	Nephritis	M. F.	24 {	3	2	1	2	1	1	3	.
28	Puerperal Infection	M. F.	1	4	2	1	6	7	8	1	1
29	Other Diseases of Childbirth	M. F.	6	2	1	1	.
30	Congenital Deformity etc. (Nos. 157-161).	M. F.	42 {	5	1	1	1	1	2	1	2	3	.
31	Senility	M. F.	70 {	8	1	1	2	1	1	.	3	.
32	Suicide	M. F.	4 {	17	1	2	1	3	6	7	8	24	9
33	Other Violence	M. F.	24 {	7	3	35	6	36	16
34	Other Causes	M. F.	81 {	1	1	1	.	2	.	.	4	.
				15	1	1	1	3	2	2	2	2	1	2	1	4	6	.
				9	1	.	.	.	1	2	1	2	6	.
				51	9	4	3	1	2	2	2	7	8	8	6	11	26	9
				30	.	3	2	.	.	3	3	1	.	7	4	3	19	3

15	Intra-cranial Lesions of Vascular Origin.	798	339	459	1,464	1,431	90	78	303	280	276	243	119	82	110	24	133	133	36	23	12	1	26	33	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492
16	Diseases of the Heart	2,895	1,464	1,431	90	78	303	280	276	243	119	82	110	24	133	133	36	23	12	1	26	33	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492		
17	Other Diseases of the Circulatory System.	168	90	78	303	280	276	243	119	82	110	24	133	133	36	23	12	1	26	33	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492				
18	Bronchitis	583	303	280	276	243	119	82	110	24	133	133	36	23	12	1	26	33	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492						
19	Pneumonia	519	276	243	119	82	110	24	133	133	36	23	12	1	26	33	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492								
20	Other Diseases of the Respiratory System.	201	119	82	110	24	133	133	36	23	12	1	26	33	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492										
21	Ulcer of the Stomach or Duo- denum.	134	110	24	133	133	36	23	12	1	26	33	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492												
22	Diarrhea and Enteritis	266	133	133	36	23	12	1	26	33	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492														
23	Appendicitis	59	36	23	12	1	26	33	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492																
24	Cirrhosis of the Liver	16	12	1	26	33	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492																		
25	Diseases of the Liver and Biliary Passages.	59	26	33	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492																				
26	Other Diseases of the Digestive System.	208	115	93	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492																						
27	Nephritis	364	192	172	26	56	285	251	866	1,026	20	7	192	91	637	492																								
28	Puerperal Infection	26	26	56	285	251	866	1,026	20	7	192	91	637	492																										
29	Other Diseases of Childbirth	56	56	285	251	866	1,026	20	7	192	91	637	492																											
30	Congenital Debility, etc. (Nos. 157-161).	536	285	251	866	1,026	20	7	192	91	637	492																												
31	Senility	1,892	866	1,026	20	7	192	91	637	492																														
32	Suicide	27	20	7	192	91	637	492																																
33	Other Violence	283	192	91	637	492																																		
34	Other Causes	1,129	637	492																																				

ABSTRACT V—continued.—Causes of Death in Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	1,158 {	616 542	33 30	13 4	11 3	31 26	25 25	17 29	38 30	69 72	199 155	180 168	33 28	21 18	138 93	424 403	113 129
1	Typhoid Fever (including Para-typhoid).	2 {	2	.	.	.	1	.	1	2	.	.
2	Cerebro-spinal Fever {
3	Scarlet Fever	. {
4	Whooping-cough	. {
5	Diphtheria ...	3 {	2 1	.	.	2 1	2 1	.	.
6	Tuberculosis of the Respiratory System.	74 {	39 35	.	.	.	18 12	7 11	4 6	4 2	4 2	2 2	.	12 13	.	9 5	18 17	2 2
7	All other forms of Tuberculosis ...	14 {	9 5	.	2	1 1	4 1	1	1	2	1	.	.	1 1	1	5 2	2 2	.
8	Dysentery {
9	Influenza ...	24 {	10 14	2 3	.	.	1	2 7	6 3	1 3	.	1	9 10	6 3
10	Measles {
11	Acute Infectious Encephalitis...	. {
12	Typhus {
13	Cancer ...	103 {	57 46	.	.	.	1	1	2 4	8 6	14 9	19 20	14 5	3 1	.	16 15	38 30	1
14	Diabetes Mellitus ...	9 {	7 2	.	.	1	1	1	.	.	2	1	1	1	.	1	5 2	.

ABSTRACT V—continued.—Causes of Death in Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.		Else-where.	
	ALL CAUSES	3,792 {	1,948 1,844	154 122	43 40	33 30	70 74	66 77	77 87	145 139	310 261	568 480	482 534	257 199	55 63	420 319	1,216 1,263	225 282
1	Typhoid Fever (including Para-M. typhoid).	. {
2	Cerebro-spinal Fever	1 {	.	.	1	1	.
3	Scarlet Fever	6 {	4 2	.	3 1	1	.	.	1	2 1	2 1	.
4	Whooping-cough	14 {	7 7	7 6	1	1 1	.	1	6 3	2
5	Diphtheria	16 {	8 8	.	2	5 4	1	1	1	1 1	.	.	.	2 1	.	6 6	1	.
6	Tuberculosis of the Respiratory System.	227 {	106 121	.	1	1	25 33	30 33	20 18	16 17	7 13	7 5	1	44 44	13 17	14 13	35 47	2 4
7	All other forms of Tuberculosis	58 {	28 30	.	2 6	3 5	9 9	4 4	5 4	1 2	3	1	.	6 9	2	15 15	7 4	.
8	Dysentery	. {
9	Influenza	49 {	27 22	1	.	.	.	2	3	1 2	5 4	10 8	6 7	1	.	.	26 22	2 2
10	Measles	6 {	3 3	2	1 2	.	1	3 1	2	.
11	Acute Infectious Encephalitis	. {
12	Typhus	. {
13	Cancer	367 {	205 162	.	1 1	.	1 1	3 1	7 12	23 27	70 48	73 53	27 19	46 31	2 3	51 33	106 95	1 3
14	Diabetes Mellitus	33 {	17 16	.	.	.	2 1	1	2 1	3 1	4 5	3 6	3 1	1 4	1	4 3	11 9	1

[illegible]

ABSTRACT V—continued.—Causes of Death in Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.
			941 835	62 58	15 20	26 12	41 36	51 39	62 36	53 61	127 110	272 206	232 257	81 68	29 28	187 124	644 615	234 232
1	ALL CAUSES	1,776 {	3 1	2 1	.	1	2	1 1	.	.
2	Typhoid Fever (including Para-M. typhoid).	4 {	1	1	.	1
3	Cerebro-spinal Fever	1 {
4	Scarlet Fever	2 {	1 1	.	.	1 1	1	.	.
5	Whooping-cough	4 {	1 3	2	1 1	1 3	1
6	Diphtheria	3 {	7 1	.	3	4 1	5 1	2	.
7	Tuberculosis of the Respiratory System.	140 {	80 60	1	2	1	20 24	19 14	17 6	10 7	9 4	3 2	1	36 33	6 7	5 4	33 16	3
8	All other forms of Tuberculosis	24 {	13 11	1 1	1	3 1	2 4	1 2	3 1	2	2	.	.	2 1	2	3 5	6 5	.
9	Dysentery
10	Influenza	32 {	19 13	1	3	1	3 2	12 7	1 2	.	1 1	2	16 12	10 5
11	Measles	3 {	2 1	2 1	2 1	.
12	Acute Infectious Encephalitis	2 {	2	1	.	1	1	1	.
13	Typhus
14	Cancer	169 {	89 80	1 1	3 5	13 14	17 18	37 31	18 11	7 6	1	21 20	61 53	4 2
15	Diabetes Mellitus	17 {	10 7	.	.	.	3	.	1	1	2 3	2 3	2	.	.	2 2	8 5	.

15	Intra-cranial Lesions of Vascular Origin.	102	42	60	183	171	13	19	26	30	44	13	13	11	9	7	3	22	19	30	22	1	8	28	32	160	163	4	2	23	11	93	65
16	Diseases of the Heart	354	183	171	13	19	26	30	44	13	13	11	9	7	3	22	19	30	22	1	8	28	32	160	163	4	2	23	11	93	65		
17	Other Diseases of the Circulatory System.	23	13	19	26	30	44	13	13	11	9	7	3	22	19	30	22	1	8	28	32	160	163	4	2	23	11	93	65				
18	Bronchitis	56	26	30	44	13	13	11	9	7	3	22	19	30	22	1	8	28	32	160	163	4	2	23	11	93	65						
19	Pneumonia	87	44	13	13	11	9	7	3	22	19	30	22	1	8	28	32	160	163	4	2	23	11	93	65								
20	Other Diseases of the Respiratory System.	18	13	19	26	30	44	13	13	11	9	7	3	22	19	30	22	1	8	28	32	160	163	4	2	23	11	93	65				
21	Tumor of the Stomach or Duodenum.	14	11	9	7	3	22	19	30	22	1	8	28	32	160	163	4	2	23	11	93	65											
22	Perforated Intestines	12	9	7	3	22	19	30	22	1	8	28	32	160	163	4	2	23	11	93	65												
23	Appendicitis	12	9	7	3	22	19	30	22	1	8	28	32	160	163	4	2	23	11	93	65												
24	Cirrhosis of the Liver	3	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
25	Diseases of the Liver and Biliary Passages.	6	2	4	22	19	30	22	1	8	28	32	160	163	4	2	23	11	93	65													
26	Other Diseases of the Digestive System.	41	22	19	30	22	1	8	28	32	160	163	4	2	23	11	93	65															
27	Nephritis	52	30	22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
28	Puerperal Infection	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
29	Other Diseases of Childbirth	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	
30	Congenital Debility, etc. (Nos. 157-161).	60	28	32	160	163	4	2	23	11	93	65																					
31	Senility	323	160	163	4	2	23	11	93	65																							
32	Suicide	6	4	2	23	11	93	65																									
33	Other Violence	34	23	11	93	65																											
34	Other Causes	158	93	65																													

ABSTRACT V—*contd.*—Causes of Death in Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.
			678 629	58 61	14 12	10 14	16 28	28 26	37 25	51 43	97 90	178 171	189 159	42 32	25 28	134 100	477 469	87 104
1	ALL CAUSES	1,307 {																
	Typhoid Fever (including Para-typhoid).	{																
2	Cerebro-spinal Fever ...	{																
3	Scarlet Fever	{																
4	Whooping-cough	1 {	1	1													1	
5	Diphtheria ...	3 {	3			2										3		
6	Tuberculosis of the Respiratory System.	75 {	45 30			1	5 10	10 9	14 5	4 3	9 3	2 1		2 6	7 10	7 10	29 14	1
7	All other forms of Tuberculosis ...	29 {	16 13	1 1	1 1	2 4	4 1	4 1	3 1		2 1	1 2		1 1	2 1	8 3	5 8	
8	Dysentery ...	{																
9	Influenza	39 {	23 16	1	1 2				1 1	2 1	3 1	8 6	8 4	1		5	18 15	1 1
10	Measles	{																
11	Acute Infectious Encephalitis ...	1 {	1				1									1		
12	Typhus	{																
13	Cancer	110 {	61 49			1			1 1	8 7	16 18	23 16	12 7	9 3		10 5	42 40	3
14	Diabetes Mellitus	16 {	8				1			2	1	3	1		4		4	

[illegible]

ABSTRACT V—continued.—Causes of Death in Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1940.

[illegible]

19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100																		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96				

ABSTRACT V—continued.—Causes of Death in Administrative County of TIPPERARY, S.R., by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospla.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	ALL CAUSES</

[illegible]

ABSTRACT V—continued—Causes of Death in Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un- certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up	General and Special Hospitals.	Mental Hos- pitals.	County Homes and District Hospitals. and Co. Infir- maries.		Else- where.	
	ALL CAUSES	802 { ... M. ... F.	413 389	41 33	10 8	4 9	17 11	16 20	12 27	41 24	63 58	114 90	95 109	22 13	13 20	123 82	255 274	29 46
1	Typhoid Fever (including Para-typhoid).	{ M. F.																
2	Cerebro-spinal Fever ...	{ M. F.																
3	Scarlet Fever ...	2 { ... M. ... F.	1 1		1		1									1 1		
4	Whooping-cough ...	{ M. F.																
5	Diphtheria ...	1 { ... M. ... F.	1								1						1	
6	Tuberculosis of the Respiratory System.	52 { M. F.	24 28				7 4	8 9	1 9	5 2	3 2	2		3	1 1	9 9	11 18	1
7	All other forms of Tuberculosis ...	19 { M. F.	7 12	1 1	1 1	4	3 1	1 2	1 1					1 2	1 5	2 5	3 4	
8	Dysentery ...	{ M. F.																
9	Influenza ...	16 { ... M. ... F.	10 6	1	1			1	1	1	2	3 3	2		1	2 1	8 4	
10	Measles ...	{ M. F.																
11	Acute Infectious Encephalitis ...	{ M. F.																
12	Typhus ...	{ M. F.																
13	Cancer ...	82 { ... M. ... F.	45 37			1		1	2 3	7 6	11 9	18 11	6 7	7 3		14 13	24 21	1
14	Diabetes Mellitus ...	7 { ... M. ... F.	6 1							1	1 1	4				3	3 1	

15	Intra-cranial Lesions of Vascular Origin.	M. F.	56 {										13 {									
			21	35	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
16	Diseases of the Heart	M. F.	85	88	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
17	Other Diseases of the Circulatory System.	M. F.	5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
18	Bronchitis	M. F.	16	21	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
19	Pneumonia	M. F.	15	16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
20	Other Diseases of the Respiratory System.	M. F.	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
21	Ulcer of the Stomach or Duodenum.	M. F.	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
22	Diarrhea and Enteritis	M. F.	12	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
23	Appendicitis	M. F.	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
24	Cirrhosis of the Liver	M. F.			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Diseases of the Liver and Biliary Passages.	M. F.	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Other Diseases of the Digestive System.	M. F.	7	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Nephritis	M. F.	9	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
28	Puerperal Infection	M. F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Other Diseases of Childhood	M. F.	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Congenital Deformity, etc. (Nos. 157-161).	M. F.	16	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31	Senility	M. F.	59	60	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32	Suicide	M. F.	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Other Violence	M. F.	16	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other Causes	M. F.	12	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

ABSTRACT V—continued.—Causes of Death in PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	6,989	3,663 3,326	246 196	64 47	62 78	122 123	163 140	163 152	214 192	461 386	953 804	1,215 1,208	165 100	115 116	740 520	2,643 2,590	1,039 1,213
1	Typhoid Fever (including Para-typhoid).	9	8 1	.	.	1 .	3 .	.	3 .	1 .	.	1 .	.	.	1 .	6 1	1	.
2	Cerebro-spinal Fever ...	1	1	.	.	1	1	.
3	Scarlet Fever	4	2 2	.	1	2 1	2	2	1
4	Whooping-cough	21	12 9	8 5	3 3	1 1	1 2	.	1 1	10 6	4
5	Diphtheria ...	26	16 10	2	6 3	7 4	1 1	1	.	1	.	.	.	2	.	13 9	1 1	1
6	Tuberculosis of the Respiratory System.	410	230 180	.	1	5 11	49 59	63 50	48 19	31 18	24 12	10 8	.	59 46	26 23	45 38	100 73	12 6
7	All other forms of Tuberculosis ...	109	51 58	2	5 4	4 9	10 18	14 10	6 4	5 2	3 7	1 4	1	6 2	4 2	24 29	17 25	1 1
8	Dysentery
9	Influenza ...	173	74 99	1 5	3 1	4 .	2 3	4 6	3 4	7 4	5 9	23 35	22 32	1 2	3 4	12 6	58 87	27 55
10	Measles
11	Acute Infectious Encephalitis ...	2	2	1	1	1	1	.
12	Typhus
13	Cancer ...	590	335 255	.	2 1	1 1	2	1 1	11 22	35 32	101 81	127 75	55 42	12 13	4 6	113 51	206 185	14 12
14	Diabetes Mellitus ...	36	15 21	.	.	2 1	2	.	.	.	3 3	6 10	2 2	.	2	6 5	7 16	2

15	Intra-cranial Lesions of Vascular Origin.	M. F.	185	210	643	504	54	39	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
16	Diseases of the Heart	M. F.	1,147	1	1	3	1	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
17	Other Diseases of the Circulatory System.	M. F.	93	1	1	3	1	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
18	Bronchitis	M. F.	276	12	5	2	2	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
19	Pneumonia	M. F.	277	12	5	2	2	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
20	Other Diseases of the Respiratory System.	M. F.	78	3	2	3	1	2	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
21	Ulcer of the Stomach or Duodenum.	M. F.	65	1	1	2	1	2	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
22	Diarrhea and Enteritis	M. F.	51	4	5	2	3	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
23	Appendicitis	M. F.	55	2	1	6	5	4	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
24	Cirrhosis of the Liver	M. F.	6	1	1	1	1	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
25	Diseases of the Liver and Biliary Passages.	M. F.	27	1	1	1	1	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
26	Other Diseases of the Digestive System.	M. F.	108	5	4	3	2	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
27	Nephritis	M. F.	181	1	1	2	2	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
28	Puerperal Infection	M. F.	9	1	1	1	1	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
29	Other Diseases of Childbirth	M. F.	22	1	1	1	1	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	235	133	96	2	1	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
31	Senility	M. F.	1,754	816	938	2	1	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
32	Subade	M. F.	20	16	1	1	1	1	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
33	Other Violence	M. F.	132	93	39	6	5	3	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309
34	Other Causes	M. F.	677	368	309	13	12	16	146	130	133	144	53	25	49	16	23	28	28	11	17	30	25	4	2	10	17	57	51	102	79	9	22	136	99	816	938	16	1	93	39	368	309

ABSTRACT V—continued—Causes of Death in Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.		
	ALL CAUSES	2,252 {	1,200 1,052	104 82	29 24	27 25	49 59	68 61	50 50	72 60	127 113	277 214	397 364	62 39	39 31	286 195	813 787	299 343	
1	Typhoid Fever (including Para-typhoid).	3 {	2 1	.	.	.	1	.	.	1	.	1	.	.	1	1	.	.	.
2	Cerebro-spinal Fever
3	Scarlet Fever	3 {	1 2	.	1	1	2	1	.	.
4	Whooping-cough	4 {	3 1	3 1	1	2	1	.
5	Diphtheria	12 {	8 4	1	6 1	1 2	.	.	.	1	.	.	.	1	.	6 3	1 1	1	1
6	Tuberculosis of the Respiratory System.	169 {	92 77	.	.	2 5	21 31	24 24	21 4	12 5	7 4	5 3	1	29 23	12 7	15 18	36 29	2 3	2
7	All other forms of Tuberculosis	58 {	27 31	1	5 4	3 3	5 9	7 5	2 1	1 2	3 4	3	.	4 1	1	14 19	8 11	.	3
8	Dysentery	1
9	Influenza	42 {	20 22	.	3	2	2	1 2	1 1	3	1	2 4	8 12	.	.	6 1	14 21	10 13	2
10	Measles	3
11	Acute Infectious Encephalitis	5
12	Typhus	1
13	Cancer	183 {	102 81	.	1	1	1	.	4 7	17 11	22 22	36 25	22 14	3 6	1 2	39 15	59 58	4 5	5
14	Diabetes Mellitus	12 {	7 5	.	.	.	1	.	.	.	2	3 4	1 1	.	1	3	3 5	.	1

15	Intra-cranial Lesions of Vascular Origin.	M. F.	117 {	57 60	1	1	2	1	10 13	24 18	19 20	.	.	17 15	10 15	8 13
16	Diseases of the Heart	M. F.	365 {	204 161	1	.	1	4	2	.	4	1	5	9	27 19	82 48	72 65	1	7	28 28	165 127	14 15
17	Other Diseases of the Circulatory System.	M. F.	43 {	27 16	1	1	1	.	6 3	11 9	7 3	.	2	11 3	14 12	4
18	Bronchitis ...	M. F.	76 {	41 35	5	1	.	1	.	.	1	.	1	.	5 3	12 10	16 18	.	1	10 1	30 31	8 8
19	Pneumonia ...	M. F.	97 {	51 46	15 5	3 5	2 1	1 3	.	1	4 1	1 5	3 4	5 6	5 6	9 8	8 8	2	.	10 7	39 39	6 8
20	Other Diseases of the Respiratory System.	M. F.	20 {	15 5	.	1	1	.	.	.	1 1	1 1	2	.	4	3 1	3 1	.	.	3 1	12 4	4 1
21	Ulcer of the Stomach or Duodenum.	M. F.	15 {	11 1	.	.	.	2 1	.	.	4 1	1 .	1	1	1 1	1 2	1 .	1	.	9 1	1 3	1 .
22	Diarrhea and Enteritis	M. F.	27 {	13 14	6 9	1 3	3 1	1	1	1 1	1 .	1	.	2 2	10 12	1 .
23	Appendicitis	M. F.	20 {	14 6	.	.	5 1	3 2	.	3	.	.	1	.	1	1 1	2 .	3	.	10 5	1 1	.
24	Cirrhosis of the Liver	M. F.	3 {	1 2	1 1	1 1	.	.
25	Diseases of the Liver and Biliary Passages.	M. F.	11 {	4 7	1	1	1	.	1 1	2 2	1 2	.	.	1 1	3 4	1 .
26	Other Diseases of the Digestive System.	M. F.	41 {	24 17	3	2	.	2 3	.	.	2 3	1 3	3 3	5 3	1 2	7 4	1 4	.	.	15 8	9 9	3
27	Nephritis ...	M. F.	49 {	28 21	.	.	.	1 1	1	1	2 2	3 1	3 1	1 2	1 2	9 10	10 5	1 2	.	9 6	18 13	2 1
28	Puerperal Infection ...	F.	7 {	7	.	.	.	1	.	1	2	3	1	2	.	.
29	Other Diseases of Childbirth ...	F.	10 {	10	.	.	.	1	.	1	4	5	2	.	3	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	96 {	53 43	51 42	2 1	6 3	.	15 11	32 29	16 15
31	Senility ...	M. F.	473 {	232 241	31 13	201 198	.	9 5	1 1	222 235	197 213
32	Suicide ...	M. F.	9 {	6 3	.	.	.	1	.	1	.	1 1	1 1	2 1	.	1	6 3	.	.
33	Other Violence ...	M. F.	53 {	38 15	2	2	3 3	1 2	.	1	1 2	4 2	5 .	3 2	3 2	7 1	1 1	1	.	11 1	23 10	.
34	Other Causes ...	M. F.	234 {	119 115	16 23	4 6	3 5	8 7	3	3	8 8	10 8	22 26	30 16	20 8	64 78	45 27	4 8	.	64 78	21 29	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	44 {	22 22	2	1	2	2	9 12	1	1	1	18 17	8 6
16	Diseases of the Heart	... M. F.	115 {	65 50	2	2 1	1 5	10 11	30 20	20 13	5 4	10 4	10 4	50 41	7 7
17	Other Diseases of the Circulatory System.	M. F.	9 {	5 1	1	3 3	1 1	.	2	3 4	.	.
18	Bronchitis M. F.	25 {	11 14	2	3 3	4 9	.	1	11 13	7 13	
19	Pneumonia M. F.	34 {	15 19	2 3	1	.	3	1	1	.	2	1 1	3 2	5 3	2 2	.	2 2	13 16	2 6	
20	Other Diseases of the Respiratory System.	M. F.	4 {	3 1	1	1	2	.	.	3	1	
21	Ulcer of the Stomach or Duodenum.	M. F.	6 {	5 1	2	.	.	1	1 1	1	2	.	1 1	1	.
22	Diarrhoea and Enteritis	... M. F.	6 {	2 4	1 2	1 1	1	.	.	2 4	2 2	
23	Appendicitis M. F.	3 {	1 2	.	.	.	1	.	.	.	1	.	1	.	.	.	1 2	.	.	.
24	Cirrhosis of the Liver	... M. F.	{
25	Diseases of the Liver and Biliary Passages.	M. F.	2 {	2	1	.	.	1	.	.	1	1	.
26	Other Diseases of the Digestive System.	M. F.	7 {	4 3	1	1 2	1	1	.	2	4 1	4 1	1
27	Nephritis M. F.	27 {	19 8	1	.	3 1	2 1	2	8 2	4 3	.	1 3	11 4	1	.
28	Puerperal Infection F.
29	Other Diseases of Childbirth	... F.	1	1	1	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	23 {	16 7	16 7	3 1	3 1	12 1	8 3	
31	Senility M. F.	191 {	95 96	24 27	71 69	2	11 8	22 28	75 82	
32	Suicide M. F.	1 {	1	1	1	.	.
33	Other Violence	... M. F.	9 {	8 1	.	.	.	1	.	2	1	2 1	.	2	.	.	.	1	7 1	.	.
34	Other Causes	... M. F.	82 {	44 38	4 2	1 3	1	.	2 1	2 1	4 2	2 4	10 11	13 11	5	2 3	4 2	4 2	33 32	17 13	

ABSTRACT V—continued.—Causes of Death in Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	1,946 {	1,012 934	53 51	18 6	18 22	36 30	46 46	48 46	54 50	138 110	262 215	339 358	43 21	33 35	187 131	749 747	323 380
1	Typhoid Fever (including Para-M. typhoid).	1 {	1	.	.	1	1	.	.
2	Cerebro-spinal Fever
3	Scarlet Fever	1 {	1	.	.	1	1	1
4	Whooping-cough	2 {	2	1	1	2	1
5	Diphtheria	3 {	3	1	.	2	1	.	2	.	.
6	Tuberculosis of the Respiratory System.	118 {	69 49	.	1	2 2	14 16	21 13	16 7	8 4	6 5	2 1	.	16 13	6 6	11 7	36 23	9 2
7	All other forms of Tuberculosis...	24 {	11 13	1	.	3 3	3 3	2 4	1 1	3 .	2 .	.	1	1	2 2	5 5	3 6	1
8	Dysentery
9	Influenza	29 {	14 15	.	.	1	.	2 2	1 .	2 1	3 4	3 4	3 3	.	2 3	.	12 12	2 10
10	Measles
11	Acute Infectious Encephalitis...
12	Typhus
13	Cancer	163 {	96 67	.	.	1	.	1	2 5	8 6	28 20	40 23	16 13	5 3	1 2	27 15	63 47	3 3
14	Diabetes Mellitus	11 {	4 7	.	.	2 1	.	.	1	.	1 2	1	3 1	1 .	.

[illegible]

ABSTRACT V—continued.—Causes of Death in Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un- certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and up.	General and Special Hospitals.	Mental Hos- pitals.		County Homes and District Hospitals, and Co. Infir- maries.	Else- where.
	ALL CAUSES	1,095 {	575 520	31 23	4 7	7 14	11 10	14 15	19 22	40 29	78 60	160 156	211 184	17 9	18 17	116 89	424 405	164 193
1	Typhoid Fever (including Para-typhoid).	3 {	3	.	.	.	2	.	1	3	.	.
2	Cerebro-spinal Fever
3	Scarlet Fever
4	Whooping-cough	6 {	3 3	1 1	1 2	1
5	Diphtheria ...	6 {	2 4	.	1	2 2	.	1	2 4	.	.
6	Tuberculosis of the Respiratory System.	39 {	17 22	.	.	2	3 4	4 4	2 3	5 4	3 3	2	.	5	5 6	3 7	4 9	1
7	All other forms of Tuberculosis ...	7 {	5 2	.	.	1	1	2	1 1	.	.	1	.	1 1	1	2 1	1	.
8	Dysentery
9	Influenza ...	48 {	17 31	3	.	.	2	1	1	1 2	1	8 16	5 6	.	.	5 4	12 27	4 13
10	Measles
11	Acute Infectious Encephalitis ...	1 {	1	1	1	.
12	Typhus
13	Cancer	86 {	48 38	16 12	7 1	1	2 1	15 9	30 28	2 1
14	Diabetes Mellitus ...	5 {	1	1	1	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	61 {	28 33	18 25	5 6
16	Diseases of the Heart	... M. F.	224 {	134 90	.	.	.	1	2	.	2	2	1	1	23 17	108 67	18 16	
17	Other Diseases of the Circulatory System.	M. F.	13 {	7 6	3 6	4 6	1	
18	Bronchitis M. F.	51 {	31 26	2	3	1	.	1	.	.	.	1	9	21 16	7 8		
19	Pneumonia M. F.	49 {	24 25	5	4	1	.	2	2	2	1	1	1	23 21	3 1		
20	Other Diseases of the Respiratory System.	M. F.	13 {	9 4	1	.	.	.	2	.	1	1	1	1	7 4	3		
21	Ulcer of the Stomach or Duodenum.	M. F.	10 {	6 4	.	.	.	1	.	2	.	.	.	3 2	3 2	.		
22	Diarrhœa and Enteritis	... M. F.	3 {	2 1	1	.	1	1 1	1 1	.		
23	Appendicitis M. F.	5 {	3 2	1	.	2	.	.	2 2	1	1		
24	Cirrhosis of the Liver	... M. F.		
25	Diseases of the Liver and Biliary Passages.	M. F.	2 {	1 1	1	1	1	.		
26	Other Diseases of the Digestive System.	M. F.	11 {	4 7	2	.	1	.	.	2	4 4	1		
27	Nephritis M. F.	38 {	24 14	.	1	.	1	2	1	4 2	4	.	8 7	15 9	.		
28	Puerperal Infection F.		
29	Other Diseases of Childbirth	... F.	2	2	.	.	.	1	1	1	1	.		
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	26 {	15 11	15 10	.	1	3 2	10 9	5 3		
31	Senility M. F.	287 {	132 155	113 123	5 4	4 2	123 149	103 125		
32	Suicide M. F.	3 {	2 1	1	.	1	.	.	.	2 1	.		
33	Other Violence	... M. F.	22 {	13 9	3 1	.	.	1	2	.	2	2	.	3 3	5 6	1		
34	Other Causes	... M. F.	74 {	43 31	3 1	3 3	1 1	3 1	2 4	3 7	5 5	7 2	.	16 10	26 20	13 13		

ABSTRACT V—continued.—Causes of Death in Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.		Else-where.	
	ALL CAUSES	967 { ... M. ... F.	479 488	29 23	6 4	5 8	15 16	19 11	25 20	32 30	72 64	137 119	139 193	30 19	13 23	76 63	360 383	110 144
1	Typhoid Fever (including Para-M. typhoid).	2 { ... M. ... F.	2	2	1	1	.
2	Cerebro-spinal Fever	. { ... M. ... F.
3	Scarlet Fever	. { ... M. ... F.
4	Whooping-cough	2 { ... M. ... F.	2	2	1	.	.	1	.
5	Diphtheria	. { ... M. ... F.
6	Tuberculosis of the Respiratory System.	52 { ... M. ... F.	30 22	.	.	1	8 6	6 6	5 4	4 3	5 .	2 1	1	7 9	1 4	6 3	16 6	1
7	All other forms of Tuberculosis ...	12 { ... M. ... F.	5 7	.	.	1	1 3	2	1 1	1	1	1	.	.	.	2 2	3 5	.
8	Dysentery { ... M. ... F.
9	Influenza ...	27 { ... M. ... F.	11 16	.	1	1	1 1	1	1 1	1	1 2	4 5	3 5	1	1 1	.	9 15	4 10
10	Measles { ... M. ... F.
11	Acute Infectious Encephalitis ...	1 { ... M. ... F.	1	1	1	1	.	.
12	Typhus { ... M. ... F.
13	Cancer ...	99 { ... M. ... F.	55 44	.	.	.	1	.	2	3 5	23 15	23 11	5 11	2 2	.	16	37 34	2 2

No.	Disease	Males	Females	Total
15	Intra-cranial Lesions of Vascular Origin.	66 {	39 36	75
16	Diseases of the Heart	181 {	88 93	181
17	Other Diseases of the Circulatory System.	10 {	4 6	10
18	Bronchitis ...	36 {	20 16	36
19	Pneumonia ...	25 {	11 14	25
20	Other Diseases of the Respiratory System.	15 {	9 6	15
21	Ulcer of the Stomach or Duodenum.	10 {	7 3	10
22	Diarrhea and Enteritis	4 {	1 3	4
23	Appendicitis ...	12 {	4 8	12
24	Cirrhosis of the Liver	{	.	1
25	Diseases of the Liver and Biliary Passages.	4 {	1 3	4
26	Other Diseases of the Digestive System.	20 {	12 8	20
27	Nephritis ...	23 {	11 12	23
28	Puerperal Infection	1
29	Other Diseases of Childbirth ...	3	3	3
30	Congenital Debility, etc. (Nos. 157-161).	35 {	21 14	35
31	Senility ...	220 {	89 131	220
32	Suicide ...	2 {	2	2
33	Other Violence ...	21 {	14 7	21
34	Other Causes ...	78 {	49 29	78

ABSTRACT V—continued.—Causes of Death in PROVINCE OF ULSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.							Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.		
	ALL CAUSES	3,981 { M. ... F. ...}	2,100 1,881	147 139	53 61	24 27	66 52	62 74	73 77	133 106	278 244	663 545	601 586	71 34	64 46	325 235	1,640 1,566	518 558
1	Typhoid Fever (including Para-typhoid).	3 { M. ... F. ...}	2 1	.	.	.	1	1	2 .	.	1 .	.
2	Cerebro-spinal Fever...	3 { M. ... F. ...}	3 .	1 .	.	.	2	3 .	.	.
3	Scarlet fever	2 { M. ... F. ...}	2 .	.	.	1 .	.	.	1	1 .	1 .	.
4	Whooping-cough	35 { M. ... F. ...}	19 16	11 5	7 11	1	2 1	.	1 .	17 14	8 2
5	Diphtheria ...	7 { M. ... F. ...}	5 2	.	2 2	.	.	1	4 1	1 1	.
6	Tuberculosis of the Respiratory System.	195 { M. ... F. ...}	98 97	.	.	3 3	21 23	28 31	13 16	16 10	12 5	5 7	.	12 5	6 9	22 28	58 55	9 3
7	All other forms of Tuberculosis ...	55 { M. ... F. ...}	29 26	.	5 2	2 2	8 4	2 5	4 6	6 2	2 3	.	.	2 2	3 .	9 8	15 16	.
8	Dysentery { M. ... F. ...}
9	Influenza ...	137 { M. ... F. ...}	77 60	3 1	2 3	.	3 1	2 1	1 2	5 7	12 4	37 29	12 12	3 .	3 2	14 7	57 51	18 22
10	Measles ...	11 { M. ... F. ...}	4 7	1 .	2 3	1 2	.	1 .	.	1	1 .	3 7	2 1
11	Acute Infectious Encephalitis...	6 { M. ... F. ...}	4 2	.	1 .	.	1 .	.	.	2 1	1	1 .	3 .	1 1	.
12	Typhus ...	2 { M. ... F. ...}	1 1	1 1	1 1	.	.
13	Cancer ...	357 { M. ... F. ...}	202 155	.	1 .	.	1 2	2 9	9 9	25 12	57 48	78 59	30 15	11 6	7 1	40 19	144 129	18 15
14	Diabetes Mellitus ...	23 { M. ... F. ...}	13 10	.	.	2 .	.	1 .	2 .	1 .	2 .	3 .	2 .	.	1 .	3 .	9 6	1 1

ABSTRACT V—continued.—Causes of Death in Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.					
	ALL CAUSES	...	M. F.	1,126 {	598 528	38 33	10 14	5 8	17 9	14 16	22 20	32 36	94 81	197 168	169 143	27- 17	18 12	119 89	434 410	138 138	
1	Typhoid Fever (including Para-M. typhoid).	...	M. F.	1 {	1	.	.	.	1	1
2	Cerebro-spinal Fever	...	M. F.
3	Scarlet Fever	...	M. F.
4	Whooping-cough	...	M. F.	10 {	5 5	2 2	3 3	1	.	.	5 4	1	.
5	Diphtheria	...	M. F.	1 {	1	.	.	1	1	.	.	.
6	Tuberculosis of the Respiratory System.	...	M. F.	44 {	22 22	.	.	1	5 4	4 6	3 5	5 3	2 1	3 2	.	4 1	2 3	6 6	10 12	1 1	.
7	All other forms of Tuberculosis	...	M. F.	8 {	5 3	.	.	1	2	.	1 2	1	1	1 1	4 2	.	.
8	Dysentery	...	M. F.
9	Influenza	...	M. F.	24 {	15 9	1	2 1	.	1	.	.	1 1	1 1	5 5	4 1	1	1	1	13 8	2 5	.
10	Measles	...	M. F.	1 {	1	.	.	1	1	.	.
11	Acute Infectious Encephalitis	...	M. F.	1 {	1	.	.	.	1	1	.	.
12	Typhus	...	M. F.
13	Cancer	...	M. F.	111 {	56 55	.	1	.	.	1	5 4	5 5	24 17	15 21	7 3	5 3	2 1	13 6	36 45	3 2	.
14	Diabetes Mellitus	...	M. F.	7 {	5 2	1	1	1	1	2	.	.	1	3	1 2	.	1

15	Intra-cranial Lesions of Vascular M. Organ.	75	41	1	1	1	10	18	11	2	.	1	10	29	5
16	Diseases of the Heart	246	31	1	1	1	3	6	17	6	2	.	1	4	27	4
17	Other Diseases of the Circulatory System.	16	132	4	6	25	25	66	31	1	.	8	39	84	11
18	Bronchitis	63	114	1	2	7	27	27	52	22	2	.	3	37	72	10
19	Pneumonia	34	10	1	.	.	4	5	.	.	1	1	9	2
20	Other Diseases of the Respiratory System.	17	6	2	2	2	1	1	.	1	2	2	.
21	Ulcer of the Stomach or Duodenum.	10	32	3	1	1	14	14	.	.	1	.	31	6
22	Diarrhea and Enteritis	9	31	1	3	1	1	8	18	31	10
23	Appendicitis	5	19	1	2	.	4	2	6	3	1	.	.	3	16	2
24	Cirrhosis of the Liver	.	15	3	.	.	2	2	2	2	1	.	.	14	14	1
25	Diseases of the Liver and Biliary Passages.	7	9	1	1	2	1	1	5	9	9	2
26	Other Diseases of the Digestive System.	29	8	1	.	2	.	.	3	1	7	1
27	Nephritis	26	10	3	2	2	6	3	.
28	Puerperal Infection	1	3	1	1	1	1
29	Other Diseases of Childbirth	2	2	1
30	Congenital Deformity, etc. (Nos. 157-161).	50	28	5	.	.	9	14	3
31	Senility	202	22	3	.	.	5	14	1
32	Suicide	4	98	24	74	.	.	.	4	94	78
33	Other Violence	18	104	1	.	.	.	27	77	.	.	.	8	96	79
34	Other Causes	104	3	1	.	.	1	1	3	.
			1	1	1	.
			12	2	2	1	1	1	2	1	.	.	.	5	7	.
			6	1	.	.	1	3	1	.	.	3	2	.
			54	1	1	1	2	3	2	2	3	15	15	18	9	5	3	1	12	34	17
			50	1	5	4	4	2	2	2	6	15	15	12	1	1	1	1	7	41	18

ABSTRACT V—continued.—Causes of Death in Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	2,018	1,041	77	28	14	38	37	42	70	118	313	304	28	33	119	861	311
			977	60	35	13	29	41	43	56	116	258	326	9	25	95	848	345
1	Typhoid Fever (including Para-typhoid).	1	1	1	1	.
2	Cerebro-spinal Fever ...	3	3	1	.	.	2	3	.	.
3	Scarlet Fever	2	2	.	.	1	.	.	1	1	.	.
4	Whooping-cough	6	4	3	1	1	4	3
5	Diphtheria ...	3	2	.	1	.	.	1	2	.	.
6	Tuberculosis of the Respiratory System.	111	60	.	.	3	14	18	10	8	5	2	.	5	4	15	36	5
7	All other forms of Tuberculosis ...	39	20	.	4	1	5	2	3	4	1	1	.	2	2	7	9	1
8	Dysentery
9	Influenza ...	99	52	1	2	.	2	2	1	3	11	25	7	2	3	10	37	16
10	Measles ...	10	4	1	2	1	.	1	.	1	1	3	17
11	Acute Infectious Encephalitis ...	1	1	.	1	6	2
12	Typhus ...	2	1	1	1	1
13	Cancer ...	187	107	.	.	.	1	1	4	14	23	46	18	6	5	17	79	14
14	Diabetes Mellitus ...	8	5	.	1	.	.	.	1	7	26	25	9	1	.	11	68	11
			8	.	1	.	.	.	1	.	2	1	1	.	.	.	5	1
				.	1	1	1	.	.	.	3	.

ABSTRACT V—contd.— Causes of Death in Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1940.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.		Else-where.	
	ALL CAUSES	837 {	461 376	32 16	15 12	5 6	11 14	11 17	9 14	31 14	66 47	153 119	128 117	16 8	13 9	87 51	345 308	69 75
1	Typhoid Fever (including Para-M. F. typhoid).	1 {	1	1	.	.	.	1	.	.	.
2	Cerebro-spinal Fever	. {
3	Scarlet Fever	. {
4	Whooping-cough	19 {	10 9	6 3	3 6	1	2	.	.	8 9	4 2
5	Diphtheria	3 {	2 1	.	1 1	1	1	1	.
6	Tuberculosis of the Respiratory System.	40 {	16 24	.	.	1	2 8	6 9	3	3 2	5	1	.	3 4	.	1 3	12 14	3 1
7	All other forms of Tuberculosis	8 {	4 4	.	1	.	1 1	1	1	1	1	1	.	.	.	1 3	2 1	.
8	Dysentery	. {
9	Influenza	14 {	10 4	1	1	1	7 3	1	.	.	3	7 4	.
10	Measles	. {
11	Acute Infectious Encephalitis	4 {	3 1	2 1	1	.	.	.	1	3	.	.
12	Typhus	. {
13	Cancer	59 {	39 20	.	.	.	1 1	1	.	6	10 5	17 10	5 3	2	.	10 2	29 16	1 2
14	Diabetes Mellitus	8 {	3 5	.	.	1	.	.	.	1	2	1	1	.	.	1	3 4	.

No.	Disease	M.	F.	Total
15	Intra-cranial Lesions of Vascular Origin.	66	34	100
16	Diseases of the Heart	183	32	215
17	Other Diseases of the Circulatory System.	17	9	26
18	Bronchitis ...	53	29	82
19	Pneumonia ...	23	14	37
20	Other Diseases of the Respiratory System.	10	8	18
21	Ulcer of the Stomach or Duodenum.	4	4	8
22	Diarrhea and Enteritis	9	7	16
23	Appendicitis ...	1	1	2
24	Cirrhosis of the Liver	1	1	2
25	Diseases of the Liver and Biliary Passages.			
26	Other Diseases of the Digestive System.	16	10	26
27	Nephritis ...	22	12	34
28	Puerperal Infection ...			
29	Other Diseases of Childbirth ...	5	5	10
30	(Congenital Debility, etc. (Nos. 157-161).	22	15	37
31	Senility ...	147	68	215
32	Suicide ...	2	2	4
33	Other Violence ...	22	15	37
34	Other Causes ...	78	44	122

ABSTRACT VI.—CAUSES OF DEATH, &c., in each of the Thirteen Principal Towns during the year 1940.

No.	CAUSES OF DEATH, ETC.	Total	City of Dublin	Borough of Dun Laoghaire	Cork County Borough	Limerick County Borough	Waterford County Borough	Galway	Dundalk	Drogheda	Sligo	Wexford	Tralee	Kilkenny	Bray
	All Causes ...	5,575 5,777	3,496 3,506	261 322	566 606	301 312	227 267	126 127	106 101	101 114	80 94	96 100	81 61	76 88	58 79
1	Typhoid Fever (including Paratyphoid).	M. } F. }	3 1	.	.	2 1
2	Cerebro-spinal Fever ...	M. } F. }	4 1	.	1	1	.
3	Scarlet Fever ...	M. } F. }	3 3	.	1	1
4	Whooping-cough ...	M. } F. }	19 23	2	.	1 1	8 2	.	1 1	2	1
5	Diphtheria ...	M. } F. }	25 31	1	3 3	.	1	1	2	1 1	.	1	2	1	1
6	Tuberculosis of the Respiratory System.	M. } F. }	374 268	21 17	48 49	35 33	18 12	19 13	12 8	9 13	7 10	12 18	16 6	4 8	4 9
7	All other forms of Tuberculosis ...	M. } F. }	90 63	5 7	15 18	7 9	3 7	6 7	3 5	2 2	2 2	1 4	3 4	.	1 4
8	Dysentery ...	M. } F. }
9	Influenza ...	M. } F. }	47 49	8 4	5 3	5 4	8 9	1	3 1	1 1	1 2	1 1	.	3 3	1
10	Measles ...	M. } F. }	14 11	.	11 10	1 2	.	.	2 1	1 2	.
11	Acute Infectious Encephalitis ...	M. } F. }	1 3	.	1 1
12	Typhus ...	M. } F. }
13	Cancer ...	M. } F. }	272 321	28 38	54 60	32 17	16 29	14 9	9 9	17 17	6 8	18 9	7 4	6 5	6 8
14	Diabetes Mellitus ...	M. } F. }	14 22	3 5	1	4	.	.	1	.	1 2	.	2	.	1 1

15	Intra-cranial Lesions of Vascular M. F. } Origin.	248 437	161 277	10 39	20 35	8 13	12 21	3 7	8 6	7 6	3 4	2 4	7 6	3 4	1 6
16	Diseases of the Heart ... M. F. }	1,144 1,401	690 824	60 80	133 139	69 87	64 84	19 30	18 22	15 28	16 21	14 18	16 21	2 13	2 13
17	Other Diseases of the Circulatory M. F. } System.	143 148	107 115	8 14	12 5	4 2	1	4 2	2 1	.	2 4	1 1	1 1	1 2	1 2
18	Bronchitis ... M. F. }	348 350	248 271	12 8	35 32	21 14	11 10	2 1	1 2	7 1	1 1	4 2	3 1	1 1	1 1
19	Pneumonia ... M. F. }	354 330	244 222	18 21	27 26	13 13	15 5	7 10	5 5	4 6	6 2	2 6	6 4	6 7	6 7
20	Other Diseases of the Respiratory M. F. } System.	150 113	107 70	6 4	10 16	6 2	4 3	.	2 2	3 3	2 2	1 .	1 1	2 2	6 9
21	Ulcer of the Stomach or Duo- M. F. } denum.	65 19	31 10	3 2	13 .	6 4	2 2	1	1	.	1	1	1	.	.
22	Diarrhea and Enteritis ... M. F. }	209 177	139 96	6 5	24 31	7 16	17 20	3 4	2	1	1 3	2	1 2	3 3	.
23	Appendicitis ... M. F. }	19 26	11 15	1 .	4 1	2 2	1	.	1	1 2	1
24	Cirrhosis of the Liver ... M. F. }	18 2	16 .	1 1	.	.	.	1 1
25	Diseases of the Liver and Biliary M. F. } Passages.	11 33	8 17	1 4	2 5	2	1	1	.	1	1
26	Other Diseases of the Digestive M. F. } System.	88 73	50 36	5 4	11 10	6 4	1 3	4 2	4 1	2 2	2 2	.	2	2 3	1 3
27	Nephritis ... M. F. }	188 121	128 82	9 6	16 12	10 5	2 4	1	4 2	3 2	1 1	5 1	3 2	2 2	2 2
28	Puerperal Infection ... F. }	7	4	1	1	1
29	Other Diseases of Childbirth ... F. }	39	17	1	7	3	7	.	2	.	.	1	.	.	1
30	Congenital Debility, etc. (Nos. M. F. } 157-161).	378 307	258 198	24 14	22 22	16 11	8 9	15 14	3 8	5 3	5 2	1 2	5 8	6 2	6 2
31	Senility ... M. F. }	136 309	41 148	2 13	20 33	12 28	10 14	5 8	7 9	5 13	12 15	6 4	7 11	2 2	2 2
32	Suicide ... M. F. }	21 4	11 2	1 1	1 1	.	1	2	.	1	1	1	.	1	1
33	Other Violence ... M. F. }	189 110	108 73	9 4	15 8	16 9	9 2	5 1	7 9	1	2 3	.	6	5	5
34	Other Causes ... M. F. }	446 413	272 233	21 25	53 56	22 25	17 19	14 13	10 8	4 2	8 8	7 7	7 6	1 2	1 2

APPENDIX I.

Table showing the number of searches made, certificates issued, and the total amounts received as fees for same at the General Register Office, Dublin, during the 77 years 1864-1940.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.			YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.		
			£	s.	d.				£	s.	d.
1864	15	3	1	10	6	1903	4,944	3,796	731	12	6
1865	41	20	4	12	0	1904	5,183	3,958	769	19	7
1866	55	34	7	0	0	1905	5,110	3,954	759	8	5
1867	46	26	5	12	0	1906	5,714	4,409	849	6	0
1868	69	42	9	13	0	1907	5,877	4,544	875	0	2
1869	80	34	8	15	0	1908	5,984	4,670	894	19	7
1870	93	54	11	10	0	1909	6,220	4,761	920	8	0
1871	112	67	14	6	6	1910	6,387	4,903	944	18	4
1872	120	76	15	14	0	1911	6,128	4,778	914	9	11
1873	100	106	21	14	0	1912	6,811	5,160	998	7	2
1874	166	107	22	6	6	1913	6,462	4,972	957	9	0
1875	244	166	33	15	0	1914	7,552	6,140	1,157	10	0
1876	270	185	36	16	0	1915	7,898	5,898	1,118	7	0
1877	312	202	42	14	0	1916	7,729	6,140	1,172	1	2
1878	391	286	55	15	0	1917	8,151	6,475	1,225	13	6
1879	522	399	78	0	0	1918	10,702	8,499	1,611	11	6
1880	753	596	114	7	0	1919	11,513	8,998	1,712	16	0
1881	743	583	111	8	6	1920	11,484	8,810	1,688	2	0
1882	852	688	129	11	0	1921	11,419	8,499	1,646	0	6
1883	1,036	773	149	1	6	1922	18,413	7,675	1,892	9	6
1884	1,254	966	185	3	0	1923	19,377	8,808	2,076	0	0
1885	1,412	1,116	212	8	0	1924	23,947	14,367	3,903	0	6
1886	1,527	1,173	225	7	4	1925	33,945	45,435	8,940	12	0
1887	1,693	1,307	251	7	0	1926	48,193	77,347	13,493	5	6
1888	1,778	1,404	266	9	0	1927	45,802	72,665	12,391	17	6
1889	1,986	1,561	297	4	6	1928	37,462	56,965	9,804	0	6
1890	2,448	2,042	383	2	9	1929	39,650	61,182	10,412	2	6
1891	2,815	2,297	433	1	6	1930	29,901	41,744	7,384	14	6
1892	3,209	2,534	489	17	0	1931	16,540	14,548	3,162	2	0
1893	3,559	2,733	532	2	2	1932	19,265	12,031	2,951	16	6
1894	3,492	2,678	512	7	0	1933	23,366	11,477	3,052	16	6
1895	3,482	2,618	508	8	0	1934	25,611	12,445	3,329	5	0
1896	4,046	3,103	596	10	6	1935	29,463	13,024	3,649	4	6
1897	3,917	2,960	572	3	0	1936	27,778	13,552	3,673	0	0
1898	4,132	3,207	613	1	2	1937	32,502	16,191	4,376	2	0
1899	4,133	3,201	616	13	6	1938	32,595	17,327	4,529	4	0
1900	4,558	3,481	672	7	6	1939	34,803	20,876	3,181	12	6
1901	4,843	3,733	718	18	0	1940	33,704	18,570	4,818	11	0
1902	4,871	3,719	716	16	6						

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.



APPENDIX II.

CASES OF INFECTIOUS DISEASES.

Summary of Cases of Infectious Diseases notified to the Department of Local Government and Public Health during the Year 1940.

The letters in the last column denote the following diseases:—A. Acute anterior poliomyelitis. B. Cerebro-spinal fever. C. Continued fever. D. Encephalitis lethargica. E. Erysipelas. F. Ill-defined fever. G. Membranous croup. H. Meningitis. J. Ophthalmia neonatorum. K. Paratyphoid A. L. Paratyphoid B. M. Dysentery (Bacillary). N. Malaria. O. Undulant fever. P. Dysentery (Amoebic).

COUNTY BOROUGHES.

County Boroughs	Typhus	Typhoid	Diphtheria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
						Primary	Influenzal	
Cork	·	1	52	142	1	27	1	A. 1, B. 2, D. 1, E. 23.
Dublin	·	62	720	627	13	188	12	A. 1, B. 27, D. 3, E. 94, J. 11, L. 3, M. 1.
Limerick	·	19	17	15	·	23	12	E. 8.
Waterford	·	1	19	79	1	59	13	B. 2, E. 16, M. 17.
TOTAL	·	83	808	863	15	297	38	A. 2, B. 31, D. 4, E. 141, J. 11, L. 3, M. 18.

URBAN DISTRICTS.

County	Urban District	Typhus	Typhoid	Diphtheria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Primary	Influenzal	
Carlow	Carlow	·	1	2	8	1	2	·	B. 2.
Cavan	Belturbet	·	·	·	·	1	·	·	
	Cavan	·	·	·	4	·	·	·	
	Cootehill	·	·	·	·	·	·	·	
Clare	Ennis	·	3	20	14	·	·	·	E. 1.
	Kilrush	·	1	4	3	·	·	·	
Cork	Clonakilty	·	·	·	3	·	·	·	
	Cobh	·	·	17	20	·	1	·	
	Fermoy	·	·	·	·	·	·	1	E. 1.
	Kinsale	·	·	·	2	·	·	·	
	Macroom	·	·	·	·	·	·	·	
	Mallow	·	·	16	15	·	·	2	E. 1.
	Midleton	·	·	·	10	·	·	·	
	Passage West	·	·	3	6	·	·	·	
	Skibbereen	·	·	·	1	·	·	·	
	Youghal	·	1	6	11	1	·	1	

CASES OF INFECTIOUS DISEASES—contd.

County	Urban District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases		
							Pri-mary	Influ-enzal			
Donegal	...	Buncrana	11			
	...	Bundoran	1			
	...	Letterkenny	...	1	1	...	3	
Dublin	...	Dún Laoghaire	30	35	1	1	D. 1.		
	...	Howth	3	2	...	1		...	
Galway	...	Ballinasloe	5	7	1	...	E. 1. B. 1, E. 6.		
	...	Galway	7	13	12	12		...	
Kerry	...	Killarney	16	4	6	1	B. 2.		
	...	Listowel	1	1	
	...	Tralee	4	21	4	
Kildare	...	Athy			
	...	Naas	5	1	1		7	1
Kilkenny	...	Kilkenny	11	9	B. 6.	
Longford	...	Granard	1	E. 2.		
	...	Longford	3	1	
Louth	...	Drogheda	37	13	...			
	...	Dundalk	1	6	2		...	
Mayo	...	Ballina	3	20	1	B. 1, E. 2.		
	...	Castlebar	1		7	3
	...	Westport
Meath	...	An Uaimh	6	...			
	...	Ceannanus Mor	
	...	Trim
Monaghan	...	Carrickmacross	2	E. 1.		
	...	Castleblayney	1	
	...	Clones	4	4	
	...	Monaghan	2	3	4	...		1	...
Offaly	...	Birr	6	...			
	...	Tullamore	7	20	
Sligo	...	Sligo	2	15		
Tipperary N.R.	...	Nenagh	1	4	...	D. 1.		
	...	Templemore	3	
	...	Thurles	1	1	1		3	...
Tipperary S.R.	...	Carrick-on-Suir	9	2	...	B. 3, E. 2. E. 1.		
	...	Cashel	
	...	Clonmel	4	30	
	...	Tipperary	
Waterford	...	Dungarvan		
Westmeath	...	Athlone	1	2		
Wexford	...	Enniscorthy	2	...	L. 2. E. 1. E. 2, J. 1.		
	...	New Ross	64	45	
	...	Wexford	6	3	1		1	...
Wicklow	...	Arklow	A. 1. N. 1.		
	...	Bray	9	6	
	...	Wicklow		37	...
		TOTAL	...	1	38	321	368	24	31	59	A. 1, B. 15, D. 1, E. 21, J. 1, L. 3, N. 1.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Pri-mary	Influ-enzal	
Carlow	Carlow	9	17	...	1	...	B. 1.
	Carlow No. 2	2	2	1
	Idrone	2	B. 14.
Cavan	Bailieboro'	5	...	1	3	...
	Bawnboy	3	1	1	...
	Castlerahan	3	1
	Cavan	4	...	5	4	...
	Enniskillen No. 2
	Mullaghoran	E. 1.
Clare ...	Ballyvaughan	2	1	2	...	3	...	E. 1.
	Corrofin	2	1
	Ennis	7	...	5
	Ennistymon	1	1	2	E. 1.
	Killadysert
	Kilrush	8	8	1	...	1	B. 1.
	Meelick	6	1
	Scarriff	4	1
	Tulla	1
Cork ...	Bandon	10	...	1	...	L. 1.
	Bantry	2	20	1	B. 1, E. 1.
	Castletown	1	...	4	4	E. 2.
	Clonakilty	2	E. 1.
	Cork	4	20	91	6	3	5	A. 1, B. 1, E. 7.
	Dunmanway	30	...	1	...	E. 2.
	Fermoy	11	37	1	7	7	E. 4.
	Kanturk	2	39	3	...	13	B. 1, E. 2.
	Kinsale	2	18	2	E. 2.
	Macroom	6	20	...	1
	Mallow	5	25	2	...	1	E. 1.
	Midleton	16	1	...	1	...
	Millstreet	3	1	...	2
	Mitchelstown No. 1	9	3	...	B. 1.
	Rathluirc	1	E. 1.
	Skibbereen	4	19	...	1	...	E. 1.
	Skull	E. 1.
	Youghal No. 1	1
Donegal	Ballyshannon	1
	Donegal ...	7	2	1	17
	Dunfanaghy	2	2	5
	Glenties ...	1	...	4	7	1	13	4	...
	Inishowen	1	15	11	...	9	6	E. 1.
	Letterkenny	2	...	3	...	1	...	E. 1.
	Milford	1	7	2
	Stranorlar ...	1	1	1	17	E. 2.
Dublin	Balrothery	3	41	1	14	8	B. 3, E. 7, L. 1.
	Cill Droichead No. 2	3	6	1	1	1	...
	Dublin North	67	30	5	5	3	...
	Dublin South	1	15	17	...	5	...	E. 8.
	Rathdown No. 1	15	19	E. 10, M. 1.
Galway	Ballinasloe	2	2	8	1	E. 2.
	Clifden	7	...	2	...	E. 1.
	Galway	5	11	9	2	B. 1, E. 4.
	Glenamaddy	2	2	E. 1.
	Gort	1
	Loughrea	8	8	B. 1, E. 2.
	Mountbellew
	Oughterard	2	2	27	...	3	1	E. 2.
	Portumna	1	6	B. 1.
	Tuam	1	6	6	...	1	...	B. 2.
Kerry	Cahiriveen	6	1	2	...	1	3	E. 3, K. 1.
	Dingle	5	12	3	1	2	1	...
	Kenmare	2
	Killarney ...	1	8	18	3	1	...
	Listowel	4	45	1	7	1	E. 2.
	Tralee	1	15	3	...	1	1	B. 1, E. 4.

CASES OF INFECTIOUS DISEASES—contd.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Pri-mary	Influ-enzal	
Kildare	Athy No. 1	.	.	10	6	1	1	1	E. 1.
	Cill Droichead No. 1	.	.	6	3	.	.	.	E. 1.
	Edenderry No. 2	.	.	6	4	.	.	.	
	Nas na Riogh No. 1	.	2	19	6	.	.	.	B. 1, E. 1, L. 3.
Kilkenny	Callan	.	.	8	.	.	3	1	B. 1.
	Carrick-on-Suir No. 3	
	Castlecomer	.	.	.	12	.	1	.	
	Ida	.	.	7	11	.	.	.	E. 1.
	Kilkenny	.	2	1	12	.	.	.	
	Thomastown	.	.	.	1	.	1	1	
	Urlingford No. 1	.	.	12	10	.	.	.	
	Waterford No. 2	.	.	.	7	.	.	.	
Laoighis	Abbeyleix	.	.	4	9	1	14	15	E. 2.
	Athy No. 2	.	.	4	1	.	2	2	E. 2.
	Mountmellick	.	12	11	8	.	10	.	B. 2, E. 2.
	Roscrea No. 3	
	Slievemargy	1	
Leitrim	Ballinamore	1	.	
	Carrick-on-Shannon	
	No. 1	.	.	6	1	.	1	.	
	Kinlough	.	.	.	3	.	.	.	
	Manorhamilton	.	.	1	2	.	.	.	
	Mohill	.	3	28	
Limerick	Croom	.	.	3	.	2	1	.	
	Glin	2	.	
	Kilmallock	.	.	2	6	2	7	1	A. 1.
	Limerick No. 1	.	13	9	4	1	1	1	E. 2, D. 1.
	Mitchelstown No. 2	4	.	
	Newcastle	.	.	13	9	1	1	.	E. 1.
	Rathkeale	.	.	3	1	1	2	.	
	Tipperary No. 2	1	.	
Longford	Ballymahon	
	Granard No. 1	.	.	1	2	.	.	.	
	Longford	.	.	3	4	.	.	.	E. 1.
Louth	Ardee No. 1	.	.	.	16	.	.	.	E. 2.
	Dundalk	.	.	15	4	.	.	2	
	Louth	
Mayo	Ballina	.	2	3	17	.	7	2	A. 1, B. 1, E. 1.
	Ballinrobe	1	.	.	
	Belmullet	.	1	2	.	2	.	.	
	Castlebar	.	.	3	1	.	12	.	B. 1.
	Claremorris	.	2	.	1	.	11	1	A. 1, E. 2.
	Swinford	.	.	2	8	1	20	.	E. 4.
	Westport	.	.	1	1	1	8	1	
Meath	Ardee No. 2	.	1	.	4	.	.	.	
	Ceannanus Mór	.	1	.	8	.	.	.	
	Dunshaughlin	.	.	.	9	.	.	.	
	Meath	.	.	.	3	.	.	1	
	Navan	.	.	7	5	.	.	.	
	Oldcastle	
	Trim	.	.	3	1	.	.	.	E. 2.
Monaghan	Carrickmacross	.	1	.	9	.	1	1	E. 2.
	Castleblayney	.	1	1	1	.	1	.	B. 2, E. 2.
	Clones No. 1	.	.	4	1	.	3	.	A. 1.
	Monaghan	.	.	5	7	.	21	.	B. 1, E. 3.
Offaly	Birr	.	2	1	11	.	.	3	
	Edenderry No. 1	.	.	3	14	.	.	.	
	Roscrea No. 2	.	.	2	10	.	1	.	
	Tullamore	.	1	8	7	.	.	4	E. 1.

CASES OF INFECTIOUS DISEASES—contd.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
							Pri-mary	Influ-enzal	
Roscommon ...	Athlone No. 2	1	3	5	.	4	.	
	Boyle No. 1	1	17	2	.	1	3	
	Carrick-on-Shannon No. 2	5	.	.	1	E. 2.
	Castlerea	4	8	.	.	8	14	E. 1.
	Roscommon	3	20	8	.	8	10	E. 7.
Sligo ...	Coolavin	5	E. 1.
	Dromore West	1	
	Sligo	2	5	7	.	.	.	
	Tobercurry	1	
Tipperary N.R.	Borrisokane	5	17	.	.	.	
	Nenagh	3	3	.	2	.	A. 1.
	Roscrea No. 1	20	14	1	17	3	E. 1.
	Thurles	6	7	.	1	.	B. 2, E. 3.
Tipperary S.R.	Carrick-on-Suir No. 1	.	.	.	2	.	.	.	L. 2.
	O'ashel	1	1	.	.	
	Ologheen	2	.	.	.	E. 1.
	Clonmel No. 1	2	1	.	.	.	
	Slievardagh	2	4	2	.	6	.	E. 2.
	Tipperary No. 1	2	2	2	1	.	.	E. 1.
Waterford ...	Carrick-on-Suir No. 2	.	.	1	1	.	1	2	
	Clonmel No. 2	1	1	.	.	.	E. 1.
	Dungarvan	1	.	.	.	
	Kilmacthomas	1	6	.	1	.	A. 1.
	Lismore	1	45	.	.	.	E. 3, L. 2.
	Waterford No. 1	1	18	.	1	5	
Westmeath ...	Youghal No. 2	3	.	.	.	E. 1.
	Athlone No. 1	1	25	1	.	1	.	D. 1.
	Ballymore	
	Coole	5	1	.	.	.	
	Delvin	2	
Wexford ...	Mullingar	2	7	11	1	.	.	E. 1, L. 2.
	Enniscorthy	3	7	4	1	2	.	E. 1, M. 21.
	Gorey	2	10	1	3	.	
	New Ross	30	25	1	1	.	
Wicklow ...	Wexford	9	4	1	2	.	E. 3, J. 1.
	Baltinglass	1	12	1	.	5	B. 2, D. 1, E. 1.
	Rathdown No 2	21	.	.	.	
	Rathdrum	24	4	1	.	.	E. 1.
	Shillelagh	2	.	.	.	
	TOTAL ...	10	132	762	1234	58	294	153	A. 7. B. 42. D. 3. E. 142. J. 1. K. 1. L. 11. M. 22.

TOTAL

	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Puer-peral Sepsis	Pneumonia		Other Diseases
						Pri-mary	Influ-enzal	
County Boroughs	83	808	863	15	297	38	A. 2, B. 31, D. 4, E. 141, J. 11, L. 3, M. 18.
Urban Districts ...	1	38	321	368	24	31	59	A. 1, B. 15, D. 1, E. 21, J. 1, L. 3, N. 1.
Rural Districts ...	10	132	762	1,234	58	294	153	A. 7, B. 42, D. 3, E. 142, J. 1, K. 1, L. 11, M. 22.
Total for all Districts ...	11	253	1,891	2,465	97	622	250	A. 10, B. 88, D. 8, E. 304, J. 13, K. 1, L. 17, M. 40, N. 1.



